

DAFTAR PUSTAKA

- Andrew Clegg *et al.* (2014) 'Frailty in Older People', *Lancet*, 381(9868), pp. 752–762. doi: 10.1016/S0140-6736(12)62167-9.Frailty.
- Arjuna, T. *et al.* (2015) 'Determinants of nutritional status among older people living in urban and rural area of Yogyakarta. Protocol version 2.', (August), pp. 0–37.
- Arjuna, T. *et al.* (2017) 'A Cross-Sectional Study of Nutrient Intake and Health Status among Older Adults in Yogyakarta Indonesia', *Nutrients*, 9, 1240. doi: 10.3390/nu9111240.
- Badan Pusat Statistik (2019) 'Statistik Penduduk Lanjut Usia 2019'. Available at: <https://www.bps.go.id>.
- Badan Pusat Statistik (2020) 'Statistik Penduduk Lanjut Usia'.
- Bauer, J. *et al.* (2013) 'Evidence-Based Recommendations for Optimal Dietary Protein Intake in Older People: A Position Paper from the Prot-Age Study Group', *Journal of the American Medical Directors Association*. Elsevier Ltd, 14(8), pp. 542–559. doi: 10.1016/j.jamda.2013.05.021.
- Bollwein, J. *et al.* (2013) 'Distribution but not amount of protein intake is associated with frailty: A cross-sectional investigation in the region of Nürnberg', *Nutrition Journal*, 12(1), pp. 1–7. doi: 10.1186/1475-2891-12-109.
- Brigola, A. G. *et al.* (2019) 'Limited formal education is strongly associated with lower cognitive status, functional disability and frailty status in older adults', *Dementia e Neuropsychologia*, 13(2), pp. 216–224. doi: 10.1590/1980-

57642018dn13-020011.

Clegg, A. and Young, J. (2011) ‘The frailty syndrome’, *Clinical Medicine CME Geriatric Medicine*, 11(1), pp. 72–75.

Coelho-junior, H. J. *et al.* (2020) ‘Protein Intake and Frailty: A Matter of Quantity, Quality, and Timing Hélio’, *Nutrients*, 12(2915). doi: <https://doi.org/10.3390/nu12102915>.

Cruz-jentoft, A. J. and Woo, J. (2019) ‘Nutritional interventions to prevent and treat frailty’, *Wolters Kluwer Health, Inc. All rights reserved*, 22 Number(May), pp. 191–195. doi: 10.1097/MCO.0000000000000556.

Dent, E. *et al.* (2017) ‘The Asia-Pacific Clinical Practice Guidelines for the Management of Frailty’, *Journal of the American Medical Directors Association*. Elsevier Inc., 18(7), pp. 564–575. doi: 10.1016/j.jamda.2017.04.018.

Fried, L. P. *et al.* (2001) ‘Frailty in older adults: Evidence for a phenotype’, *Journals of Gerontology - Series A Biological Sciences and Medical Sciences*. doi: 10.1093/gerona/56.3.m146.

Gabrovec, B. *et al.* (2018) ‘The role of nutrition in ageing: A narrative review from the perspective of the European joint action on frailty – ADVANTAGE JA’, *European Journal of Internal Medicine*, 56(March), pp. 26–32. doi: 10.1016/j.ejim.2018.07.021.

Gordon, E. H. *et al.* (2016) ‘Sex Differences in Frailty: A Systematic Review and Meta-Analysis’, *Experimental Gerontology*. Elsevier B.V. doi: 10.1016/j.exger.2016.12.021.

Haryanti T *et al* (2018) ‘Asupan Protein Mempengaruhi Terjadinya Frailty

- Syndrome Berdasarkan Frailty Index Pada Usia Lanjut Di Kota Malang’, *Majalah Kesehatan*, 5(September), pp. 171–180.
- Hayashi, A. P. *et al.* (2020) ‘Number of high-protein containing meals correlates with muscle mass in pre-frail and frail elderly’, *European Journal of Clinical Nutrition*, 74(7), pp. 1047–1053. doi: 10.1038/s41430-020-0618-3.
- Hoogendijk, E. O. *et al.* (2014) ‘Explaining the association between educational level and frailty in older adults: Results from a 13-year longitudinal study in the Netherlands’, *Annals of Epidemiology*. Elsevier Inc, 24(7), pp. 538-544.e2. doi: 10.1016/j.annepidem.2014.05.002.
- Hubbard, R. E. (2015) ‘Sex Differences in Frailty’, *Interdisciplinary Topics in Gerontology and Geriatrics*, 41, pp. 41–53. doi: 10.1159/000381161.
- Kang, S., Kim, M. and Won, C. W. (2020) ‘Spousal concordance of physical frailty in older Korean couples’, *International Journal of Environmental Research and Public Health*, 17(12), pp. 1–10. doi: 10.3390/ijerph17124574.
- Kojima, G., Liljas, A. E. M. and Iliffe, S. (2019) ‘Frailty syndrome: Implications and challenges for health care policy’, *Risk Management and Healthcare Policy*, 12, pp. 23–30. doi: 10.2147/RMHP.S168750.
- Laksmi, P. W., Liwang, F. and Marcelina, R. (2015) ‘Management of Frailty As a New Geriatric Giant: How To Deal With Dilemmatic Health Problems in’, *Prosiding Temu Ilrniah Geriatri 2015. Perhimpunan Gerontologi Medik Indonesia Cabang Jakarta*.
- Llibre Rodriguez, J. J. *et al.* (2018) ‘The Prevalence and Correlates of Frailty in Urban and Rural Populations in Latin America, China, and India: A 10/66

- Population-Based Survey', *Journal of the American Medical Directors Association*. Elsevier Inc., 19(4), pp. 287-295.e4. doi: 10.1016/j.jamda.2017.09.026.
- Lorenzo-lópez, L. *et al.* (2017) 'Nutritional determinants of frailty in older adults : A systematic review', *BMC Geriatrics*. BMC Geriatrics, 17:108, pp. 1–13. doi: 10.1186/s12877-017-0496-2.
- Mendonça, N. *et al.* (2019) 'Protein intake and transitions between frailty states and to death in very old adults : the Newcastle 85 + study', (November), pp. 32–38. doi: 10.1093/ageing/afz142.
- Mitnitski, A. *et al.* (2015) 'Age-related frailty and its association with biological markers of ageing', *BMC Medicine*. BMC Medicine, 13(1), pp. 1–9. doi: 10.1186/s12916-015-0400-x.
- Monin, J. (2017) 'Spousal associations between frailty status and depressive symptoms', *Physiology & behavior*, 176(10), pp. 139–148. doi: 10.1111/jgs.14023.Spousal.
- Morante, J. J. H., Gómez, C. and Morillas-Ruiz, J. M. (2019) 'Dietary Factors Associated with Frailty in Old Adults: A Review of Nutritional Interventions to Prevent Frailty Development', *Nutrients*. doi: 10.3390/nu11010102.
- Morley, J. and Al (2014) 'Frailty Consensus: A Call to Action', *J Am Med Dir Assoc*, 14(6), pp. 392–397. doi: 10.1016/j.jamda.2013.03.022.Frailty.
- Nanri, H. *et al.* (2018) 'Sex Difference in the Association Between Protein Intake and Frailty: Assessed Using the Kihon Checklist Indexes Among Older Adults', *Journal of the American Medical Directors Association*. Elsevier Inc., 19(9), pp.

- 801–805. doi: 10.1016/j.jamda.2018.04.005.
- Ofori-asenso, R. *et al.* (2019) ‘Global Incidence of Frailty and Prefrailty Among Community-Dwelling Older Adults A Systematic Review and Meta-analysis’, pp. 1–18. doi: 10.1001/jamanetworkopen.2019.8398.
- Otsuka, R. *et al.* (2019) ‘Dietary Factors Associated With The Development of Physical Frailty in Community-Dwelling Older Adults’, 23(1), pp. 89–95.
- Pengpid, S. and Peltzer, K. (2020) ‘Prevalence and associated factors of frailty in community-dwelling older adults in Indonesia, 2014–2015’, *International Journal of Environmental Research and Public Health*, 17(1). doi: 10.3390/ijerph17010010.
- Rahi, B. *et al.* (2016) ‘Higher Protein but Not Energy Intake Is Associated With a Lower Prevalence of Frailty Among Community-Dwelling Older Adults in the French Three-City Cohort’, *Journal of the American Medical Directors Association*. Elsevier Inc., 17(7), pp. 672.e7-672.e11. doi: 10.1016/j.jamda.2016.05.005.
- Republik Indonesia (1998) ‘Undang-Undang Republik Indonesia Nomor 13 Tahun 1998 tentang Kesejahteraan Lanjut Usia’.
- Republik Indonesia (2004) ‘Peraturan Pemerintah Republik Indonesia Nomor 43 Tahun 2004 tentang Pelaksanaan Upaya Peningkatan Kesejahteraan Sosial Lanjut Usia’.
- Rogers, N. T. *et al.* (2017) ‘Physical Activity and Trajectories of Frailty Among Older Adults: Evidence from the English Longitudinal Study of Ageing’, *PLoS ONE*, 12(2), pp. 1–12. doi: 10.1371/journal.pone.0170878.

- Ruiz, J. G. *et al.* (2020) 'Screening for and Managing the Person with Frailty in Primary Care: ICFSR Consensus Guidelines', *Journal of Nutrition, Health and Aging*, (October). doi: 10.1007/s12603-020-1492-3.
- Schoufour, J. D. *et al.* (2018) 'The association between dietary protein intake, energy intake and physical frailty— results from the Rotterdam Study', *University of Virginia Health Sciences Library*, pp. 1–23. doi: <https://doi.org/10.1017/S0007114518003367>.
- Setiati, S. *et al.* (2019) 'Frailty state among Indonesian elderly: prevalence , associated factors , and frailty state transition'. *BMC Geriatrics*, pp. 1–10.
- Shah, R. *et al.* (2021) 'Understanding frailty among older people living in old age homes and the community in Nepal: A cross-sectional study', *PLoS ONE*, 16(4 April), pp. 1–15. doi: 10.1371/journal.pone.0251016.
- Shibasaki, K. *et al.* (2019) 'Sex-related differences in the association between frailty and dietary consumption in Japanese older people: A cross-sectional study', *BMC Geriatrics*. *BMC Geriatrics*, 19(1), pp. 1–9. doi: 10.1186/s12877-019-1229-5.
- Siriwardhana, D. D. *et al.* (2018) 'Prevalence of frailty and prefrailty among community-dwelling older adults in low-income and middle-income countries: A systematic review and meta-analysis', *BMJ Open*, 8(3), pp. 1–17. doi: 10.1136/bmjopen-2017-018195.
- Sugianto, Faozan, M. and Setyani, A. (2014) 'Studi diet total: Survei Konsumsi Makanan Individu Daerah Istimewa Yogyakarta 2014', pp. 1–74. Available at: http://www.pusat2.litbang.depkes.go.id/pusat2_v1/wp-

content/uploads/2015/04/Buku-Studi-Diet-Total-Survei-Konsumsi-Makanan-Individu-DIY-2014.pdf.

Takeda, C. *et al.* (2020) ‘Age-Related Frailty: A Clinical Model for Geroscience?’, *Journal of Nutrition, Health and Aging*, 24(10), pp. 1140–1143. doi: 10.1007/s12603-020-1491-4.

Tessier, A. J. and Chevalier, S. (2018) ‘An update on protein, leucine, omega-3 fatty acids, and vitamin d in the prevention and treatment of sarcopenia and functional decline’, *Nutrients*, 10(8), pp. 1–17. doi: 10.3390/nu10081099.

Travers, J. *et al.* (2019) ‘Delaying and reversing frailty : a systematic review of primary care interventions’, *British Journal of General Practice*, (January), pp. 61–69. doi: <https://doi.org/10.3399/bjgp18X700241>.

Turturro, C. L., Otters, R. and Turturro, Z. (2019) ‘Age Differences in Psychosocial and Health Outcomes Among Adults Experiencing Homelessness’, *Innovation in Aging*, 3(Supplement_1), pp. S978–S978. doi: 10.1093/geroni/igz038.3543.

UN. Department of Economic and Social Affairs (2020) ‘World Population Ageing 2020 Highlights’. Available at: https://www.un.org/development/desa/pd/sites/www.un.org.development.desa.pd/files/files/documents/2020/Sep/un_pop_2020_pf_ageing_10_key_messages.pdf.

United Nation. Department of Economic and Social Affairs (2015) ‘World Population Prospects: Key Findings and Advance Tables. The 2015 Revision.’ Available at: <https://www.un.org/en/development/desa/publications/world-population-prospects-2015-revision.html>.

WHO (1999) 'Men Ageing and health: Achieving Health Across The Life Span'.

Available at: <https://www.who.int/news-room/fact-sheets/detail/ageing-and-health> (Accessed: 29 February 2020).

WHO (2016) 'WHO Clinical Consortium on Healthy Ageing: Frailty and Intrinsic Capacity', *Report of consortium meeting in Geneva, Switzerland*, (December).

Wu, C. *et al.* (2018) 'Prevalence and correlates of frailty among community-dwelling Chinese older adults: The China health and retirement longitudinal study', *Journals of Gerontology - Series A Biological Sciences and Medical Sciences*, 73(1), pp. 102–108. doi: 10.1093/gerona/glx098.

Xu, R. *et al.* (2021) 'Prevalence and risk factors of frailty among people in rural areas: A systematic review and meta-analysis', *BMJ Open*, 11(4), pp. 1–8. doi: 10.1136/bmjopen-2020-043494.

Xue, Q.-L. (2011) 'The Frailty Syndrome: Definition and Natural History', *Clin Geriatr Med*, 27(1), pp. 1–15. doi: 10.1016/j.cger.2010.08.009.

Zeng, X. (2019) 'Relationship between nutritional status and frailty in hospitalized older patients', pp. 105–111.