

DAFTAR PUSTAKA

- Artaza, J., & Norris, K. (2008). Vitamin D reduces the expression of collagen and key profibrotic factors by inducing an antifibrotic phenotype in mesenchymal multipotent cells. *Journal Of Endocrinology*, 200(2), 207-221. doi: 10.1677/joe-08-0241
- Azyyati, A. M. Pengaruh Induksi Asam Urat terhadap Fibrosis Intersisial dan Peningkatan Jumlah Makrofag Intersisial pada Jantung Mencit (Mus Musculus). 2016. Skripsi. Tidak diterbitkan. FK-KMK. Universitas Gadjah Mada: Yogyakarta.
- Arfian, N. et al. (2016) 'Vitamin D attenuates kidney fibrosis via reducing fibroblast expansion, inflammation, and epithelial cell apoptosis', *Kobe Journal of Medical Sciences*, 62(2), pp. E38–E44.
- Bae, S. et al. (2013) 'Vitamin D signaling pathway plays an important role in the development of heart failure after myocardial infarction', *Journal of Applied Physiology*, 114(8), pp. 979–987. doi: 10.1152/jappphysiol.01506.2012.
- Bao, X. et al. (2014) 'Effects of uric acid on hearts of rats with chronic kidney disease', *American Journal of Nephrology*, 40(4), pp. 308–314. doi: 10.1159/000366454.
- BETTS, J. G. and DESAIX PETER (2013) *Anatomy and physiology*, *Journal of Chemical Information and Modeling*.
- Billiet, L. et al. (2014) 'Review of Hyperuricemia as New Marker for Metabolic Syndrome', *ISRN Rheumatology*, 2014, pp. 1–7. doi: 10.1155/2014/852954.
- Borghi, C. et al. (2020) 'Hyperuricaemia and gout in cardiovascular, metabolic and kidney disease', *European Journal of Internal Medicine*, 80(April), pp. 1–11. doi: 10.1016/j.ejim.2020.07.006.
- Bos, M. J. et al. (2006) 'Uric acid is a risk factor for myocardial infarction and stroke: The Rotterdam Study', *Stroke*, 37(6), pp. 1503–1507. doi: 10.1161/01.STR.0000221716.55088.d4.
- Braga, T. T. et al. (2017) 'Soluble Uric Acid Activates the NLRP3 Inflammasome', *Scientific Reports*, 7(September 2016), pp. 1–14. doi: 10.1038/srep39884.
- Byrne, J. A. et al. (2003) 'Contrasting Roles of NADPH Oxidase Isoforms in Pressure-Overload Versus Angiotensin II-Induced Cardiac Hypertrophy', *Circulation Research*, 93(9), pp. 802–804. doi: 10.1161/01.RES.0000099504.30207.F5.

- Chen-Xu, M. et al. (2019) 'Contemporary Prevalence of Gout and Hyperuricemia in the United States and Decadal Trends: The National Health and Nutrition Examination Survey, 2007–2016', *Arthritis and Rheumatology*, 71(6), pp. 991–999. doi: 10.1002/art.40807.
- Chen, S. et al. (2008) 'Expression of the vitamin D receptor is increased in the hypertrophic heart', *Hypertension*, 52(6), pp. 1106–1112. doi: 10.1161/HYPERTENSIONAHA.108.119602.
- Cheng, T. H. et al. (2010) 'Uric acid activates extracellular signal-regulated kinases and thereafter endothelin-1 expression in rat cardiac fibroblasts', *International Journal of Cardiology. Elsevier Ireland Ltd*, 139(1), pp. 42–49. doi: 10.1016/j.ijcard.2008.09.004.
- De Oliveira, E. P. and Burini, R. C. (2012) 'High plasma uric acid concentration: Causes and consequences', *Diabetology and Metabolic Syndrome*, 4(1), pp. 1–7. doi: 10.1186/1758-5996-4-12.
- Fan, D. et al. (2012) 'Cardiac fibroblasts, fibrosis and extracellular matrix remodeling in heart disease', *Fibrogenesis and Tissue Repair*, 5(1), pp. 1–13. doi: 10.1186/1755-1536-5-15.
- Frangogiannis, N. G. (2020) 'Transforming growth factor- β in tissue fibrosis', *Journal of Experimental Medicine*, 217(3), pp. 1–16. doi: 10.1084/jem.20190103.
- Gigante, A. et al. (2016) 'Serum uric acid as a marker of microvascular damage in systemic sclerosis patients', *Microvascular Research. Elsevier Inc.*, 106, pp. 39–43. doi: 10.1016/j.mvr.2016.03.007.
- Gilaberte, Y. et al. (2011) 'Vitamin D: Evidence and controversies', *Actas Dermo-Sifiliograficas*, 102(8), pp. 572–588. doi: 10.1016/j.ad.2011.03.015.
- Gröber, U. et al. (2013) 'Vitamin D: Update 2013 - From rickets prophylaxis to general preventive healthcare', *Dermato-Endocrinology*, 5(3), pp. 331–347. doi: 10.4161/derm.26738.
- Gustafsson, D. and Unwin, R. (2013) 'The pathophysiology of hyperuricaemia and its possible relationship to cardiovascular disease, morbidity and mortality', *BMC Nephrology*, 14(1), pp. 1–9. doi: 10.1186/1471-2369-14-164.
- Hara, H., Takeda, N. and Komuro, I. (2017) 'Pathophysiology and therapeutic potential of cardiac fibrosis', *Inflammation and Regeneration. Inflammation and Regeneration*, 37(1), pp. 1–10. doi: 10.1186/s41232-017-0046-5.
- Hong, J. et al. (2017) 'Fibrillar type I collagen enhances the differentiation and proliferation of myofibroblasts by lowering $\alpha 2 \beta 1$ integrin

- expression in cardiac fibrosis', *BioMed Research International*, 2017, pp. 14–16. doi: 10.1155/2017/1790808.
- Ideker, R. E., Kong, W. and Pogwizd, S. (2009) 'Purkinje fibers and arrhythmias', *PACE - Pacing and Clinical Electrophysiology*, 32(3), pp. 283–285. doi: 10.1111/j.1540-8159.2008.02232.x.
- Iglesias-De La Cruz, M. C. et al. (2001) 'Hydrogen peroxide increases extracellular matrix mRNA through TGF- β in human mesangial cells', *Kidney International*, 59(1), pp. 87–95. doi: 10.1046/j.1523-1755.2001.00469.x.
- Jin, M. et al. (2012) 'Uric acid, hyperuricemia and vascular diseases', *Frontiers in Bioscience*, 17(2), pp. 656–669. doi: 10.2741/3950.
- Johnson, R. J. et al. (2003) 'Is there a pathogenetic role for uric acid in hypertension and cardiovascular and renal disease?', *Hypertension*, 41(6), pp. 1183–1190. doi: 10.1161/01.HYP.0000069700.62727.C5.
- Kang, D. H. and Ha, S. K. (2014) 'Uric acid puzzle: Dual role as anti-oxidant and pro-oxidant', *Electrolyte and Blood Pressure*, 12(1), pp. 1–6. doi: 10.5049/EBP.2014.12.1.1.
- Khan, R. and Sheppard, R. (2006) 'Fibrosis in heart disease: Understanding the role of transforming growth factor- β 1 in cardiomyopathy, valvular disease and arrhythmia', *Immunology*, 118(1), pp. 10–24. doi: 10.1111/j.1365-2567.2006.02336.x.
- Kong, P., Christia, P. and Frangogiannis, N. G. (2014) 'The pathogenesis of cardiac fibrosis', *Cellular and Molecular Life Sciences*, 71(4), pp. 549–574. doi: 10.1007/s00018-013-1349-6.
- Kutzing, M. K. and Firestein, B. L. (2008) 'Altered uric acid levels and disease states', *Journal of Pharmacology and Experimental Therapeutics*, 324(1), pp. 1–7. doi: 10.1124/jpet.107.129031.
- Kuwabara, M. (2016) 'Hyperuricemia, Cardiovascular Disease, and Hypertension', *Pulse*, 3(3–4), pp. 242–252. doi: 10.1159/000443769.
- Lijnen, P. J., van Pelt, J. F. and Fagard, R. H. (2012) 'Stimulation of reactive oxygen species and collagen synthesis by angiotensin II in cardiac fibroblasts', *Cardiovascular Therapeutics*, 30(1), pp. 1–8. doi: 10.1111/j.1755-5922.2010.00205.x.
- Ma, C. et al. (2020) 'Soluble uric acid induces inflammation via TLR4/NLRP3 pathway in intestinal epithelial cells', *Iranian Journal of Basic Medical Sciences*, 23(6), pp. 744–750. doi: 10.22038/IJBMS.2020.44948.10482.

- Maiuolo, J. et al. (2016) 'Regulation of uric acid metabolism and excretion', *International Journal of Cardiology*. Elsevier B.V., 213, pp. 8–14. doi: 10.1016/j.ijcard.2015.08.109.
- Meredith, A. et al. (2015) '1,25 dihydroxyvitamin D3 inhibits TGF β 1-mediated primary human cardiac myofibroblast activation', *PLoS ONE*, 10(6), pp. 1–14. doi: 10.1371/journal.pone.0128655.
- Mizobuchi, M. et al. (2010) 'Myocardial effects of VDR activators in renal failure', *Journal of Steroid Biochemistry and Molecular Biology*. Elsevier Ltd, 121(1–2), pp. 188–192. doi: 10.1016/j.jsbmb.2010.03.026.
- Muiesan, M. L. et al. (2016) 'Uric acid and cardiovascular disease: An update', *European Cardiology Review*, 11(1), pp. 54–59. doi: 10.15420/ecr.2016:4:2.
- Nagase, H., Visse, R. and Murphy, G. (2006) 'Structure and function of matrix metalloproteinases and TIMPs', *Cardiovascular Research*, 69(3), pp. 562–573. doi: 10.1016/j.cardiores.2005.12.002.
- Norman, P. E. and Powell, J. T. (2014) 'Vitamin D and cardiovascular disease', *Circulation Research*, 114(2), pp. 379–393. doi: 10.1161/CIRCRESAHA.113.301241.
- Novitskiy, G. et al. (2006) 'Influences of reactive oxygen species and nitric oxide on hepatic fibrogenesis', *Liver International*, 26(10), pp. 1248–1257. doi: 10.1111/j.1478-3231.2006.01364.x.
- Pan, X. et al. (2013) 'Transforming Growth Factor β 1 Induces the Expression of Collagen Type I by DNA Methylation in Cardiac Fibroblasts', *PLoS ONE*, 8(4). doi: 10.1371/journal.pone.0060335.
- Querejeta, R. et al. (2004) 'Increased collagen type I synthesis in patients with heart failure of hypertensive origin: Relation to myocardial fibrosis', *Circulation*, 110(10), pp. 1263–1268. doi: 10.1161/01.CIR.0000140973.60992.9A.
- Rahman, A. et al. (2007) 'Heart extracellular matrix gene expression profile in the vitamin D receptor knockout mice', *Journal of Steroid Biochemistry and Molecular Biology*, 103(3–5), pp. 416–419. doi: 10.1016/j.jsbmb.2006.12.081.
- El Ridi, R. and Tallima, H. (2017) 'Physiological functions and pathogenic potential of uric acid: A review', *Journal of Advanced Research*. Cairo University, 8(5), pp. 487–493. doi: 10.1016/j.jare.2017.03.003.
- Roh, J. S. and Sohn, D. H. (2018) 'Origin and List of Damps', *Immune Network*, 18(4), pp. 1–14.

- Romi, M. M. et al. (2017) 'Uric acid causes kidney injury through inducing fibroblast expansion, Endothelin-1 expression, and inflammation', BMC Nephrology. BMC Nephrology, 18(1), pp. 1–8. doi: 10.1186/s12882-017-0736-x.
- Rubiś, P. et al. (2017) '12-Month Patterns of Serum Markers of Collagen Synthesis, Transforming Growth Factor and Connective Tissue Growth Factor Are Similar in New-Onset and Chronic Dilated Cardiomyopathy in Patients Both With and Without Cardiac Fibrosis', Cytokine, 96(April), pp. 217–227. doi: 10.1016/j.cyto.2017.04.021.
- Sangaralingham, S. J. et al. (2016) 'Cardiorenal fibrosis and dysfunction in aging: Imbalance in mediators and regulators of collagen', Peptides. Elsevier Inc., 76, pp. 108–114. doi: 10.1016/j.peptides.2016.01.004.
- Sari, D. C. R. et al. (2019) 'Calcitriol ameliorates kidney injury through reducing podocytopathy, tubular injury, inflammation and fibrosis in 5/6 subtotal nephrectomy model in rats', Kobe Journal of Medical Sciences, 65(5), pp. E153–E163.
- Schultz, J. E. J. et al. (2002) 'TGF- β 1 mediates the hypertrophic cardiomyocyte growth induced by angiotensin II', Journal of Clinical Investigation, 109(6), pp. 787–796. doi: 10.1172/jci14190.
- Smith, J. L. et al. (2017) 'PDF FULL Advanced Nutrition and Human Metabolism by Sareen S. '
- So, A. and Thorens, B. (2010) 'Uric acid transport and disease', Journal of Clinical Investigation, 120(6), pp. 1791–1799. doi: 10.1172/JCI42344.
- Tian, H. P. et al. (2018) 'Single-stranded DNA-binding protein 1 abrogates cardiac fibroblast proliferation and collagen expression induced by angiotensin II', International Heart Journal, 59(6), pp. 1398–1408. doi: 10.1536/ihj.17-650.
- Tian, J., An, X. and Niu, L. (2017) 'Myocardial fibrosis in congenital and pediatric heart disease (Review)', Experimental and Therapeutic Medicine, 13(5), pp. 1660–1664. doi: 10.3892/etm.2017.4224.
- Zhou, Y. et al. (2012) 'Uric acid induces renal inflammation via activating tubular NF- κ B signaling pathway', PLoS ONE, 7(6), pp. 1–10. doi: 10.1371/journal.pone.0039738.
- Zykova, S. N. et al. (2015) 'Cross-sectional analysis of nutrition and serum uric acid in two Caucasian cohorts: The AusDiab Study and the Tromsø study', Nutrition Journal. Nutrition Journal, 14(1), pp. 1–11. doi: 10.1186/s12937-015-0032-1.