

## DAFTAR PUSTAKA

- Abbott, T. E. F., Cron, N., Vaid, N., Ip, D., Torrance, H. D. T., & Emmanuel, J. (2018). Pre-hospital National Early Warning Score (NEWS) is associated with in-hospital mortality and critical care unit admission: A cohort study. *Annals of Medicine and Surgery*, 27(December 2017), 17–21. <https://doi.org/10.1016/j.amsu.2018.01.006>
- Al-Kalaldeh, M., Suleiman, K., Abu-Shahroor, L., & Al-Mawajdah, H. (2019). The impact of introducing the Modified Early Warning Score ‘MEWS’ on emergency nurses’ perceived role and self-efficacy: A quasi-experimental study. *International Emergency Nursing*, 45(March), 25–30. <https://doi.org/10.1016/j.ienj.2019.03.005>
- Alam, N., Hobbelink, E. L., Tienhoven, A. J. Van, Ven, P. M. Van De, Jansma, E. P., & Nanayakkara, P. W. B. (2014). The impact of the use of the Early Warning Score ( EWS ) on patient outcomes : A systematic review □. *Resuscitation*, 85(5), 587–594. <https://doi.org/10.1016/j.resuscitation.2014.01.013>
- Alam, N., Hobbelink, E. L., van Tienhoven, A. J., van de Ven, P. M., Jansma, E. P., & Nanayakkara, P. W. B. (2014). The impact of the use of the Early Warning Score (EWS) on patient outcomes: A systematic review. *Resuscitation*, 85(5), 587–594. <https://doi.org/10.1016/j.resuscitation.2014.01.013>
- Almeida, M., Bottino, A., Ramos, P., & Araujo, C. G. (2019). Measuring Heart Rate During Exercise: From Artery Palpation to Monitors and Apps. *International Journal of Cardiovascular Sciences*, 32(4), 396–407. <https://doi.org/10.5935/2359-4802.20190061>
- American College of Critical Care Medicine, S. of C. C. M. (1999). Guidelines for intensive care unit admission, discharge, and triage. Task Force of the American College of Critical Care Medicine, Society of Critical Care Medicine. *Critical Care Medicine*, 27(3), 633–638.
- Andrias, Hanafie, A., & Wijaya, D. W. (2017). Perbandingan Validitas Sistem Penilaian APACHE II, SOFA, dan CSOFA Sebagai Prediktor Mortalitas Pasien yang Dirawat di Instalasi Rawat Intensif Rumah Sakit Umum Pusat H. Adam Malik Medan. *Jurnal Anestesi Perioperatif*, 5(17), 17–23.
- Angus, D. C., Linde-Zwirble, W. T., Lidicker, J., Clermont, G., Carcillo, J., & Pinsky, M. R. (2001). Epidemiology of sepsis. *Critical Care Medicine*, 29(1), 1303–1310.
- Asger, J., Mackel, R., Antonsen, K., & Rasmussen, L. S. (2014). Serious adverse events in a hospital using early warning score – What went wrong ? □. *Resuscitation*, 85(12), 1699–1703. <https://doi.org/10.1016/j.resuscitation.2014.08.037>
- Baek, H., Cho, M., Kim, S., Hwang, H., Song, M., & Yoo, S. (2018). Analysis of

length of hospital stay using electronic health records: A statistical and data mining approach. *PLoS ONE*, 13(4), 1–16.  
<https://doi.org/10.1371/journal.pone.0195901>

Baré, M., Cabrol, J., Real, J., Navarro, G., Campo, R., Pericay, C., & Sarriá, A. (2009). In-hospital mortality after stomach cancer surgery in Spain and relationship with hospital volume of interventions. *BMC Public Health*, 9. <https://doi.org/10.1186/1471-2458-9-312>

Barfod, C., Mauson, M., Lauritzen, P., Danker, J. K., Sölétormos, G., Henrik, K., & Lange, W. (2012). Abnormal vital signs are strong predictors for intensive care unit admission and in-hospital mortality in adults triaged in the emergency department - a prospective cohort study Abnormal vital signs are strong predictors for intensive care unit admission . *Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine*, 20(1), 28. <https://doi.org/10.1186/1757-7241-20-28>

Beane, A., De Silva, A. P., De Silva, N., Sujeewa, J. A., Rathnayake, R. M. D., Sigera, P. C., ... Haniffa, R. (2018). Evaluation of the feasibility and performance of early warning scores to identify patients at risk of adverse outcomes in a low-middle income country setting. *BMJ Open*, 8(4). <https://doi.org/10.1136/bmjopen-2017-019387>

Beitler, J. R., Link, N., Bails, D. B., Hurdle, K., & Chong, D. H. (2011). Reduction in hospital-wide mortality after implementation of a rapidresponse team: a long-term cohort study. *Critical Care*, 15(6), R269. <https://doi.org/10.1186/cc10547>

Berman, A., Snyder, S. J., & Frandsen, G. (2016). Kozier & Erb's Fundamentals of Nursing, Global Edition. In *Kozier & Erb's Fundamentals of Nursing, Global Edition*. Retrieved from [https://search.proquest.com/docview/2133989494?accountid=12860%0Ahttps://librarysearch.northumbria.ac.uk/openurl/44UON/44UON\\_SP?genre=book&atitle=&author=Berman%2C+Audrey+T%3BSnyder%2C+Charles%3BFrandsen%2C+Geraldyn+EdD%2C+MSN%2C+RN&volume=&issue=&page=&d](https://search.proquest.com/docview/2133989494?accountid=12860%0Ahttps://librarysearch.northumbria.ac.uk/openurl/44UON/44UON_SP?genre=book&atitle=&author=Berman%2C+Audrey+T%3BSnyder%2C+Charles%3BFrandsen%2C+Geraldyn+EdD%2C+MSN%2C+RN&volume=&issue=&page=&d)

Bleyer, A. J., Vidya, S., Russell, G. B., Jones, C. M., Sujata, L., Daeihagh, P., & Hire, D. (2011). Longitudinal analysis of one million vital signs in patients in an academic medical center. *Resuscitation*, 82(11), 1387–1392. <https://doi.org/10.1016/j.resuscitation.2011.06.033>

Bunkenborg, G., Poulsen, I., Samuelson, K., Ladelund, S., & Åkeson, J. (2016). Mandatory early warning scoring — implementation evaluated with a mixed-methods approach. *Applied Nursing Research*, 29, 168–176. <https://doi.org/10.1016/j.apnr.2015.06.012>

Buttigieg, S. C., Abela, L., & Pace, A. (2018). Variables affecting hospital length of stay: a scoping review. *Journal of Health Organization and Management*, 32(3), 463–493. <https://doi.org/10.1108/JHOM-10-2017-0275>

Caldeira, vanessa M. horta, Júnior, João M. Silva, Oliveira, Amanda M. Ribas rosa

- de, Rezende, S., Araújo, leonardo ateM G. de, Santana, M. rIbeIro de olIveIra, ... Rezende, E. (2010). *Criteria for patient admission to an intensive care unit and related mortality rates*. (June 2014).
- Calvello, E. J. B., Broccoli, M., Risko, N., Theodosis, C., Totten, V. Y., Radeos, M. S., ... Wallis, L. (2013). Emergency care and health systems: Consensus-based recommendations and future research priorities. *Academic Emergency Medicine*, 20(12), 1278–1288. <https://doi.org/10.1111/acem.12266>
- Carter, E. J., Pouch, S. M., & Larson, E. L. (2014). The relationship between emergency department crowding and patient outcomes: A systematic review. *Journal of Nursing Scholarship*, 46(2), 106–115. <https://doi.org/10.1111/jnu.12055>
- Cei, M., Bartolomei, C., & Mumoli, N. (2009). In-hospital mortality and morbidity of elderly medical patients can be predicted at admission by the Modified Early Warning Score: A prospective study. *International Journal of Clinical Practice*, 63(4), 591–595. <https://doi.org/10.1111/j.1742-1241.2008.01986.x>
- Commission, T. J., Ld, S., Commission, T. J., & Ld, S. (2013). The “patient flow standard” and the 4-hour recommendation. *Joint Commission Perspectives. Joint Commission on Accreditation of Healthcare Organizations*, 33(6), 2012–2014.
- Dahlan, M. S. (2011). *Penelitian Prognostik dan Sistem Skoring DISERTAI PRAKTIK DENGAN SPSS DAN STATA* (Cetakan 1; Mariyam, Ed.). Bandung: ALQAPRINT JATINANGOR.
- Dahlan, M. S. (2016). *Besar Sampel dan cara Pengambilan Sampel dalam Penelitian Kedokteran dan Kesehatan* (Edisi 4). Jakarta Indonesia: Epidemiologi Indonesia.
- Dawes, T. R., Cheek, E., Bewick, V., Dennis, M., Duckitt, R. W., Walker, J., ... Venn, R. (2014). Introduction of an electronic physiological early warning system: Effects on mortality and length of stay. *British Journal of Anaesthesia*, 113(4), 603–609. <https://doi.org/10.1093/bja/aeu107>
- de Groot, B., Stolwijk, F., Warmerdam, M., Lucke, J. A., Singh, G. K., Abbas, M., ... Rijpsma, D. (2017). The most commonly used disease severity scores are inappropriate for risk stratification of older emergency department sepsis patients: An observational multi-centre study. *Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine*, 25(1), 1–11. <https://doi.org/10.1186/s13049-017-0436-3>
- Deakin, C. D., Nolan, J. P., Soar, J., Sunde, K., Koster, R. W., Smith, G. B., & Perkins, G. D. (2010). European Resuscitation Council Guidelines for Resuscitation 2010 Section 4. Adult advanced life support. *Resuscitation*, 81(10), 1305–1352. <https://doi.org/10.1016/j.resuscitation.2010.08.017>
- DeLong, E. R., DeLong, D. M., & Clarke-Pearson, D. L. (1988). Comparing the Areas Under Two or More Correlated Receiver Operating Characteristic Curves: A Nonparametric Approach. *JSTOR and International Biometric*

*Society*, 44(3), 837–845. <https://doi.org/10.3847/0067-0049/227/2/20>

- Dolja-gore, X., Harris, M. L., Kendig, H., & Byles, J. E. (2019). European Journal of Internal Medicine Factors associated with length of stay in hospital for men and women aged 85 and over : A quantile regression approach. *European Journal of Internal Medicine*, 63(June 2017), 46–55. <https://doi.org/10.1016/j.ejim.2019.02.011>
- Downey, C. L., Tahir, W., Randell, R., Brown, J. M., & Jayne, D. G. (2017). Strengths and limitations of early warning scores: A systematic review and narrative synthesis. *International Journal of Nursing Studies*, 76(July), 106–119. <https://doi.org/10.1016/j.ijnurstu.2017.09.003>
- Dundar, Z. D., Ergin, M., Karamercan, M. A., Ayrançi, K., Colak, T., Tuncar, A., ... Gul, M. (2015). Modified Early Warning Score and VitalPac Early Warning Score in geriatric patients admitted to emergency department. *European Journal of Emergency Medicine : Official Journal of the European Society for Emergency Medicine*, 1–7. <https://doi.org/10.1097/MEJ.0000000000000274>
- Edwards, R. (2016). Introduction to health outcomes. *Healthcare Financial Management Association*, (October), 1–25. Retrieved from <http://www.ichom.org/frequently-asked-questions/>
- Faisal, M., Richardson, D., Scally, A. J., Howes, R., Beatson, K., Speed, K., & Mohammed, M. A. (2019). Computer-aided national early warning score to predict the risk of sepsis following emergency medical admission to hospital: A model development and external validation study. *Cmaj*, 191(14), E380–E381. <https://doi.org/10.1503/cmaj.181418>
- Gardner, S. L., Carter, B. S., Hines, M. E., & Hernandez, J. A. (2016). Merenstein & Garden's Handbook of Neonatal Intensive Care. In *Motivation and Emotion* (Vol. 30).
- Geneva, I. I., Cuzzo, B., Fazili, T., & Javaid, W. (2019). Normal body temperature: A systematic review. *Open Forum Infectious Diseases*, 6(4), 1–7. <https://doi.org/10.1093/ofid/ofz032>
- Ghorbani, M., Ghaem, H., Rezaianzadeh, A., Shayan, Z., Zand, F., Nikandish, R., & Yadollahpour, A. (2017). A study on the efficacy of APACHE-IV for predicting mortality and length of stay in an intensive care unit in Iran. *F1000Research*, (0), 1–9. <https://doi.org/10.12688/f1000research.12290.1>
- Gök, R. G. Y., Gök, A., & Bulut, M. (2019). Assessing prognosis with modified early warning score, rapid emergency medicine score and worthing physiological scoring system in patients admitted to intensive care unit from emergency department. *International Emergency Nursing*, 43(June 2018), 9–14. <https://doi.org/10.1016/j.ienj.2018.06.002>
- Goodacre, S., Campbell, M., & Carter, A. (2015). What do hospital mortality rates tell us about quality of care? *Emergency Medicine Journal*, 32(3), 244–247. <https://doi.org/10.1136/emermed-2013-203022>

- Green, N. A., Durani, Y., Brecher, D., DePiero, A., Loiselle, J., & Attia, M. (2012). Emergency Severity Index Version 4. *Pediatric Emergency Care*, 28(8), 753–757. <https://doi.org/10.1097/pec.0b013e3182621813>
- Grimaldi, D., Hraiech, S., Boutin, E., Lacherade, J. C., Boissier, F., Pham, T., ... Aissaoui, N. (2018). Hypoxemia in the ICU: prevalence, treatment, and outcome. *Annals of Intensive Care*, 8(1). <https://doi.org/10.1186/s13613-018-0424-4>
- Gutierrez, K. J., & Peterson, P. G. (2007). *Saunders nursing survival guide pathophysiology*. Elsevier Health Sciences.
- Hafen, B. B., & Sharma, S. (2020). *Oxygen Saturation*. Treasure Island (FL): StatPearls Publishing LLC.
- Hajian-tilaki, K. (2014). Sample size estimation in diagnostic test studies of biomedical informatics. *Journal of Biomedical Informatics*, 48, 193–204. <https://doi.org/10.1016/j.jbi.2014.02.013>
- Howard, P. K., & Steinmann, R. A. (2010). *Emergency nursing: Principles and practice* (SIXTH EDIT). Philadelphia: Copyright © 2010, Elsevier Inc.
- International JC. (2017). Joint Commission International Accreditation Standards for Hospitals. 6th ed. *United States. Joint Commission Resources*, (July), 43–8 p.
- James, P. A., Oparil, S., Carter, B. L., Cushman, W. C., Dennison-Himmelfarb, C., Handler, J., ... Eduardo Ortiz. (2014). *2014 Evidence-Based Guideline for the Management of High Blood Pressure in Adults Report From the Panel Members Appointed to the Eighth Joint National Committee (JNC 8)*. 1097(5), 507–520. <https://doi.org/10.1001/jama.2013.284427>
- Jan, F. (2013). Quality Hospital Care. In *Quality Hospital Care*. <https://doi.org/10.5005/jp/books/11807>
- Joint Commission International. (2014). *Joint commission international accreditation standards for hospitals including academic medical center hospitals*.
- Jones, D., Bhasale, A., Bailey, M., Pilcher, D., Uk, M., Anstey, M. H., & Fcicm, M. P. H. (2018). *Effect of a National Standard for Deteriorating Patients on Intensive Care Admissions Due to Cardiac Arrest in Australia*. 1–8. <https://doi.org/10.1097/CCM.0000000000002951>
- Jones, D., Mitchell, I., Hillman, K., & Story, D. (2013). Defining clinical deterioration □. *Resuscitation*, 84(8), 1029–1034. <https://doi.org/10.1016/j.resuscitation.2013.01.013>
- Kellett, J., & Kim, A. (2012). Validation of an abbreviated Vitalpac™ Early Warning Score (ViEWS) in 75,419 consecutive admissions to a Canadian Regional Hospital. *Resuscitation*, 83(3), 297–302. <https://doi.org/10.1016/j.resuscitation.2011.08.022>
- Khanal, K., Bhandari, S. S., Shrestha, N., Acharya, S. P., & Marhatta, M. N. (2016).



Comparison of outcome predictions by the Glasgow coma scale and the Full Outline of UnResponsiveness score in the neurological and neurosurgical patients in the Intensive Care Unit. *Indian Journal of Critical Care Medicine*, 20(8), 473–476. <https://doi.org/10.4103/0972-5229.188199>

Khosravizadeh, O., Vatankhah, S., Bastani, P., Kalhor, R., Alirezaei, S., & Doosty, F. (2016). Factors affecting length of stay in teaching hospitals of a middle-income country. *Electronic Physician*, 8(10), 3042–3047. <https://doi.org/10.19082/3042>

Kovacs, C., Jarvis, S. W., Prytherch, D. R., Meredith, P., Schmidt, P. E., Briggs, J. S., & Smith, G. B. (2016). Comparison of the National Early Warning Score in non-elective medical and surgical patients. *The British Journal of Surgery*, 103(10), 1385–1393. <https://doi.org/10.1002/bjs.10267>

Kyriacos, U., Jelsma, J., James, M., & Jordan, S. (2014). *Monitoring Vital Signs : Development of a Modified Early Warning Scoring ( Mews ) System for General Wards in a Developing Country*. 9(1). <https://doi.org/10.1371/journal.pone.0087073>

Lewis Hunter, A. E., Spatz, E. S., Bernstein, S. L., & Rosenthal, M. S. (2016). Factors Influencing Hospital Admission of Non-critically Ill Patients Presenting to the Emergency Department: a Cross-sectional Study. *Journal of General Internal Medicine*, 31(1), 37–44. <https://doi.org/10.1007/s11606-015-3438-8>

Lingsma, H. F., Bottle, A., Middleton, S., Kievit, J., Steyerberg, E. W., & Marang-Van De Mheen, P. J. (2018). Evaluation of hospital outcomes: The relation between length-of-stay, readmission, and mortality in a large international administrative database. *BMC Health Services Research*, 18(1), 1–10. <https://doi.org/10.1186/s12913-018-2916-1>

Ludikhuize, J., Borgert, M., Binnekade, J., Subbe, C., Dongelmans, D., & Goossens, A. (2014). Standardized measurement of the Modified Early Warning Score results in enhanced implementation of a Rapid Response System: A quasi-experimental study. *Resuscitation*, 85(5), 676–682. <https://doi.org/10.1016/j.resuscitation.2014.02.009>

Luís, L., & Nunes, C. (2018a). Australian Critical Care Short National Early Warning Score d Developing a Modified Early Warning Score. *Australian Critical Care*, 31(6), 376–381. <https://doi.org/10.1016/j.aucc.2017.11.004>

Luís, L., & Nunes, C. (2018b). Short National Early Warning Score — Developing a Modified Early Warning Score. *Australian Critical Care*, 31(6), 376–381. <https://doi.org/10.1016/j.aucc.2017.11.004>

Lynn, P. (2011). Taylor’s clinical nursing skills : a nursing process approach. In Carrie Brandon (Ed.), *Journal of Chemical Information and Modeling* (Third Edit). Philadelphia: Wolters Kluwer Health | Lippincott Williams & Wilkins. Copyright.

Mahmood, K., Eldeirawi, K., & Wahidi, M. M. (2012). Association of gender with

outcomes in critically ill patients. *Critical Care*, 16(3), R92.  
<https://doi.org/10.1186/CC11355>

- Marfil-Garza, B. A., Belaunzarán-Zamudio, P. F., Gulas-Herrero, A., Zuñiga, A. C., Caro-Vega, Y., & Kershenobich-Stalnikowitz, D. (2018). Correction: Risk factors associated with prolonged hospital length-of-stay: 18-year retrospective study of hospitalizations in a tertiary healthcare center in Mexico (PLoS ONE (2018) 13: 11(e0207203) Doi : 10.1371/journal.pone.0207203). *PLoS ONE*, 13(12), 4–17. <https://doi.org/10.1371/journal.pone.0209944>
- Marsawidjaya, S. K., ZN, U., Perdana, A., & A, M. (2016). Validasi Skor Indeks Risiko Arozullah Untuk Memprediksi Komplikasi Paru Pasien Pasca. *Indonesian Journal of CHEST Critical and Emergency Medicine*, 3(2), 45–52.
- Marshall, J. C., Bosco, L., Adhikari, N. K., Connolly, B., Diaz, J. V., Dorman, T., ... Zimmerman, J. (2017). What is an intensive care unit? A report of the task force of the World Federation of Societies of Intensive and Critical Care Medicine. *Journal of Critical Care*, 37, 270–276. <https://doi.org/10.1016/j.jcrc.2016.07.015>
- Mathes, T., & Pieper, D. (2019). An algorithm for the classification of study designs to assess diagnostic, prognostic and predictive test accuracy in systematic reviews. *Systematic Reviews*, 8(1), 1–8. <https://doi.org/10.1186/s13643-019-1131-4>
- McCabe, C., O'Brien, M., & Quirke, M. B. (2019). The introduction of the Early Warning Score in the Emergency Department: A retrospective cohort study. *International Emergency Nursing*, 45(February), 31–35. <https://doi.org/10.1016/j.ienj.2019.03.002>
- McCormick, B., Pearson, M., & White, J. (2016). Hospital mortality rates and place of death. *Journal of Public Health (United Kingdom)*, 38(4), 800–805. <https://doi.org/10.1093/pubmed/fdv188>
- Miguel-Montanes, R., Hajage, D., Messika, J., Bertrand, F., Gaudry, S., Rafat, C., ... Ricard, J. D. (2015). Use of high-flow nasal cannula oxygen therapy to prevent desaturation during tracheal intubation of intensive care patients with mild-to-moderate hypoxemia. *Critical Care Medicine*, 43(3), 574–583. <https://doi.org/10.1097/CCM.0000000000000743>
- Mitsunaga, T., Hasegawa, I., & Uzura, M. (2019). *Comparison of the National Early Warning Score ( NEWS ) and the Modified Early Warning Score ( MEWS ) for predicting admission and in-hospital mortality in elderly patients in the pre-hospital setting and in the emergency department.* <https://doi.org/10.7717/peerj.6947>
- Morgan, R., Williams, F., & Wright, M. (1997). An early warning scoring system for detecting developing critical illness. *Clin Intensive Care*, Vol. 8, p. 100. Retrieved from [https://scholar.google.com/scholar\\_lookup?title=An+early+warning+scoring+system+for+detecting+developing+critical+illness&author=Morgan&publication\\_year=1997#0](https://scholar.google.com/scholar_lookup?title=An+early+warning+scoring+system+for+detecting+developing+critical+illness&author=Morgan&publication_year=1997#0)

- Moskowitz, C. S., & Pepe, M. S. (2004). Quantifying and comparing the predictive accuracy of continuous prognostic factors for binary outcomes. *Biostatistics*, 5(1), 113–127. <https://doi.org/10.1093/biostatistics/5.1.113>
- Munakomi, S., & Kumar, B. M. (2015). Neuroanatomical Basis of Glasgow Coma Scale—A Reappraisal. *Neuroscience and Medicine*, 06(03), 116–120. <https://doi.org/10.4236/nm.2015.63019>
- Muttaqin, A., & Nurachmach, E. (2009). *Pengantar asuhan keperawatan klien dengan gangguan sistem kardiovaskular*. Jakarta: Salemba Medika.
- Nates, J. L., Nunnally, M., Kleinpell, R., Blosser, S., Goldner, J., Birriel, B., ... Sprung, C. L. (2016). ICU admission, discharge, and triage guidelines: A framework to enhance clinical operations, development of institutional policies, and further research. In *Critical Care Medicine* (Vol. 44). <https://doi.org/10.1097/CCM.0000000000001856>
- National Health Services. (2013). *Reducing In-hospital Mortality*. Retrieved from Advancing Quality Alliance National Health Services website: [http://www.aquanw.nhs.uk/users/sign\\_in](http://www.aquanw.nhs.uk/users/sign_in) ©
- Ningsih, D. K. (2015). Overcrowding Patient and Improving Emergency Patient Flow in Emergency Department 2015. *Jurnal Ilmu Keperawatan*, 3(2), 150–154.
- Notoatmodjo, S. (2010). *Metodologi Penelitian Kesehatan* (p. 243). p. 243. Jakarta Indonesia: Rineka Cipta.
- Opio, M. O., Nansubuga, G., & Kellett, J. (2013). Validation of the VitalPAC™ Early Warning Score (ViEWS) in acutely ill medical patients attending a resource-poor hospital in sub-Saharan Africa. *Resuscitation*, 84(6), 743–746. <https://doi.org/10.1016/j.resuscitation.2013.02.007>
- Pappano, A. J., & Wier, W. G. (2013). *CARDIOVASCULAR PHYSIOLOGY* (Tenth Edit; L. Hood, Ed.). Philadelphia United States of America: Elsevier MOSBY.
- Paterson, R., Macleod, D. C., Thetford, D., Beattie, A., Graham, C., Lam, S., & Bell, D. (2006). *Prediction of in-hospital mortality and length of stay using an early warning scoring system: clinical audit*. (April 2015). <https://doi.org/10.7861/clinmedicine.6-3-281>
- Peris, A., Zagli, G., Maccarrone, N., Batacchi, S., Cammelli, R., Cecchi, A., ... Bechi, P. (2012). The use of Modified Early Warning Score may help anesthetists in postoperative level. *Minerva Anestesiologica*, (September), 1034–1038.
- Petersen, J. A. (2018). Early warning score challenges and opportunities in the care of deteriorating patients. *Danish Medical Journal*, 65(2), 16–19.
- Philip, K. E. J., Pack, E., Cambiano, V., Rollmann, H., Weil, S., & O’Beirne, J. (2015). The accuracy of respiratory rate assessment by doctors in a London teaching hospital: a cross-sectional study. *Journal of Clinical Monitoring and Computing*, 29(4), 455–460. <https://doi.org/10.1007/s10877-014-9621-3>



- Polit, D. F., & Beck, C. T. (2018). *Essentials of nursing research : appraising evidence for nursing practice* (Ninth Edit). Philadelphia: Wolters Kluwer Health.
- Porter, M. (2010). What Is Value in Health Care? - Supplementary Appendix 2. *New England Journal of Medicine*, 363(1), 1–3. <https://doi.org/10.1056/NEJMp1011024>.This
- Potter, P. A., Astle, B. J., & Duggleby, W. (2017). Canadian Fundamentals of Nursing Sixth Edition. *Elsevier*. <https://doi.org/10.1017/CBO9781107415324.004>
- Prytherch, D. R., Smith, G. B., Schmidt, P. E., & Featherstone, P. I. (2010). ViEWS- Towards a national early warning score for detecting adult inpatient deterioration. *Resuscitation*, 81(8), 932–937. <https://doi.org/10.1016/j.resuscitation.2010.04.014>
- Reith, F. C. M., Lingsma, H. F., Gabbe, B. J., Lecky, F. E., Roberts, I., & Maas, A. I. R. (2017). Differential effects of the Glasgow Coma Scale Score and its Components: An analysis of 54,069 patients with traumatic brain injury. *Injury*, 48(9), 1932–1943. <https://doi.org/10.1016/j.injury.2017.05.038>
- Rezigalla, A. A. (2020). Observational Study Designs: Synopsis for Selecting an Appropriate Study Design. *Cureus*, 12(1), 1–8. <https://doi.org/10.7759/cureus.6692>
- Romo, H., Kajdacsy-Balla Amaral, A. C., & Vincent, J. L. (2004). Effect of Patient Sex on Intensive Care Unit Survival. *Archives of Internal Medicine*, 164(1), 61–65. <https://doi.org/10.1001/archinte.164.1.61>
- Royal College of Physicians. (2017). *National Early Warning Score (NEWS) 2. Standardising the assessment of acute-illness severity in the NHS Updated report of a working party Executive summary and recommendations*. (December), 1–15. Retrieved from [www.rcplondon.ac.uk](http://www.rcplondon.ac.uk)
- Santos, M. D., Clifton, D. A., & Tarassenko, L. (2014). Performance of early warning scoring systems to detect patient deterioration in the emergency department. *Lecture Notes in Computer Science (Including Subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics)*, 8315, 159–169. [https://doi.org/10.1007/978-3-642-53956-5\\_11](https://doi.org/10.1007/978-3-642-53956-5_11)
- Sastroasmoro, S., & Ismael, S. (2011). *Dasar-dasar Metodologi Penelitian Klinis* (Edisi 4, Vol. 4th). Jakarta Indonesia: Sagung Seto.
- Sedgwick, P. (2015). Multistage sampling. *BMJ (Online)*, 351(July). <https://doi.org/10.1136/bmj.h4155>
- Shamsi, V., & Mahmoudi, H. (2015). The survey of Ways of Reducing Patients' Length of Stay in the Emergency Department: A Systematic Review. *International Journal of Medical Reviews*, 2(2), 282–286.
- Sittichanbuncha, Y., Savatmongkorngul, S., Jawroongrit, P., & Sawanyawisuth, K. (2015). Low oxygen saturation is associated with pre-hospital mortality among

non-traumatic patients using emergency medical services: A national database of Thailand. *Turkish Journal of Emergency Medicine*, 15(3), 113–115. <https://doi.org/10.1016/j.tjem.2015.11.003>

Smith, H. J., Pasko, D. N., Haygood, C. L. W., Boone, J. D., Harper, L. M., & Straughn, J. M. (2016). Early warning score: An indicator of adverse outcomes in postoperative patients on a gynecologic oncology service. *Gynecologic Oncology*, 143(1), 105–108. <https://doi.org/10.1016/j.ygyno.2016.08.153>

So, S. N., Ong, C. W., Wong, L. Y., Chung, J. Y. M., & Graham, C. A. (2015). Is the Modified Early Warning Score able to enhance clinical observation to detect deteriorating patients earlier in an Accident & Emergency Department? *Australasian Emergency Nursing Journal*, 18(1), 24–32. <https://doi.org/10.1016/j.aenj.2014.12.001>

So, S., Wong, L., Chung, J. Y. M., & Graham, C. A. (2015). Is the Modified Early Warning Score able to enhance clinical observation to detect deteriorating patients earlier in an Accident & Emergency Department ? *Australasian Emergency Nursing Journal*, 18(1), 24–32. <https://doi.org/10.1016/j.aenj.2014.12.001>

Spångfors, M., Arvidsson, L., Karlsson, V., & Samuelson, K. (2016). The National Early Warning Score: Translation, testing and prediction in a Swedish setting. *Intensive and Critical Care Nursing*, 37, 62–67. <https://doi.org/10.1016/j.iccn.2016.05.007>

Sperry, J. L., & Minei, J. P. (2008). Gender dimorphism following injury: making the connection from bench to bedside. *Journal of Leukocyte Biology*, 83(3), 499–506. <https://doi.org/10.1189/jlb.0607360>

Stafseth, S. K., Grønbeck, S., Lien, T., Randen, I., & Lerdal, A. (2016). The experiences of nurses implementing the Modified Early Warning Score and a 24-hour on-call Mobile Intensive Care Nurse: An exploratory study. *Intensive and Critical Care Nursing*, 34, 33–41. <https://doi.org/10.1016/j.iccn.2015.07.008>

Subbe, C. P., Kruger, M., Rutherford, P., & Gemmel, L. (2001). *Original papers QJM Validation of a modified Early Warning Score in medical admissions*. 521–526.

Sugiyono. (2013). *METODE PENELITIAN KUANTITATIF, KUALITATIF, DAN R&D* (19th ed., Vol. 19). Bandung: Penerbit Alfabeta.

Suwanpasu, S., & Sattayasomboon, Y. (2016). *iMedPub Journals Accuracy of Modified Early Warning Scores for Predicting Mortality in Hospital: A Systematic Review and Meta-analysis Abstract*. 1–11. <https://doi.org/10.21767/2471-8505.100029>

Teasdale Graham, Allan, D., Brennan, P., McElhinney, E., & Mckinnon, L. (2014). Forty years on: updating the Glasgow Coma Scale. *Nursing Times*, 110(42), 12–16.

Vincent, J. L., Einav, S., Pearse, R., Jaber, S., Kranke, P., Overdyk, F. J., ... Hoeft,

- A. (2018). Improving detection of patient deterioration in the general hospital ward environment. *European Journal of Anaesthesiology*, 35(5), 325–333. <https://doi.org/10.1097/EJA.0000000000000798>
- Whitacre, C. C., Reingold, S. C., & O'looney, P. A. (1999). A Gender Gap in Autoimmunity T~2cpokines. Direct comparisons of males and fe- males to dete&ne specific differences in the innate and adaptive immune responses. 283(February).
- Williams, C., & Wheeler, D. (2009). Criteria for ICU admission and severity of illness scoring. *Surgery*, 27(5), 201–206. <https://doi.org/10.1016/j.mpsur.2009.04.006>
- Williams, T. A., Tohira, H., Finn, J., Perkins, G. D., & Ho, K. M. (2016). The ability of early warning scores (EWS) to detect critical illness in the prehospital setting: A systematic review. *Resuscitation*, 102, 35–43. <https://doi.org/10.1016/j.resuscitation.2016.02.011>
- World Health Organization. (2018). International agency for research on cancer. *Asian Pacific Journal of Cancer Prevention*, (263), 1–3.
- World Health Organization. (2021). *Cancer*. (March), 1–7. Retrieved from <https://www.who.int/en/news-room/fact-sheets/detail/cancer>
- Ying, R., Sern, W., Glen, S., Khairil, A., Jamil, M., Wai, W., & Tam, S. (2018). Comparison of the Emergency Severity Index versus the Patient Acuity Category Scale in an emergency setting. *International Emergency Nursing*, (March), 1–6. <https://doi.org/10.1016/j.ienj.2018.05.001>
- Yue, J. K., Robinson, C. K., Winkler, E. A., Upadhyayula, P. S., Burke, J. F., Pirracchio, R., ... Tarapore, P. E. (2017). Circadian variability of the initial Glasgow Coma Scale score in traumatic brain injury patients. *Neurobiology of Sleep and Circadian Rhythms*, 2(June 2016), 85–93. <https://doi.org/10.1016/j.nbscr.2016.09.002>
- Zografakis-Sfakianakis, M., Bree, E. De, Linarkadis, M., Messaritaki, A., Askitopoulou, H., Papaioannou, A., & Aggouridakis, P. (2018). The value of the Modified Early Warning Score for unplanned Intensive Care Unit admissions of patients treated in hospital general wards. *International Journal of Nursing Practice*, (January 2018), 1–8. <https://doi.org/10.1111/ijn.12632>