

PUSTAKA ACUAN

- Abe, H., T. Urao, T. Ito, M. Seki, K. Shinozaki. 2003. Arabidopsis *AtMYC2* (*bHLH*) and *AtMYB2* (*MYB*) function as transcriptional activators in abscisic acid signaling. *Plant Cell* 15: 63–78.
- Aboutalebian, M.A., G.Z. Ekbatani, A. Sepehri. 2012. Effect of on-farm seed priming with zinc sulfate and urea solution on emergence properties, yield, and yield components of three rainfed wheat cultivars. *Ann. Biol. Res.* 3:470-476.
- Agarie, Sakae, H. Naomi, K. Fumitake, A. Waichi, P. Kaufman. 1995. Measurement of Cell Membrane Stability Evaluated by Electrolyte Leakage as a Drought and Heat Tolerance Test in Rice (*Oryza sativa* L.). *J. Fac. Agric. Kyushu Univ.*
- Ali, Mahrus. 2015. Pengaruh Dosis Pemupukan Npk Terhadap Produksi Dan Kandungan Capsaicin Pada Buah Tanaman Cabe Rawit (*Capsicum Frutescens* L.). *Jurnal Agrosains: Karya Kreatif Dan Inovatif* 2 (2):171–78.
- Ashraf M, Foolad MR. 2007. Roles of glycine betaine and proline in improving plant abiotic stress resistance. *Environ Exp Bot* 59: 206–216.
- Ayadi, M. 2009. *DNA/RNA Extraction & Qualification Version 1.0*. The Quality Control Platform Of Saint Louis. p3.
- Balitbangtan. 2011. *Pedoman umum adaptasi perubahan iklim sektor pertanian*. Badan Litbang Pertanian. p67.
- Bates, L.S., R.P. Waldren, I.D. Teare. 1973. Rapid determination of free proline for water-stress studies. *Plant Soil* 39: 205–207.
- Bray, E.A. 2001. *Plant response to water-deficit stress*. *Encyclopedia of Life Sciences*.
- Carman WF, Wallace LA, Walker J, McIntyre S, Noone A, Christie P, Millar J, Douglas DJ. 2000. Rapid virological surveillance of community influenza infection in general practice. *BMJ*. 321:736-737.
- Chen, J., Yang, L., Yan, X., Liu, Y., Wang, R., Fan, T., Ren, Y., Tang, X., Xiao, F., Liu, Y. 2016. Zinc-Finger Transcription Factor *ZAT6* Positively Regulates Cadmium Tolerance through the Glutathione-Dependent Pathway in *Arabidopsis*. *Plant Physiol.* 707–719.
- Chen K, and R. Arora. 2013. Priming memory invokes seed stress-tolerance. *Environ Exp Bot.* 94: 33–45.
- Chen S.L., C.H. Kao. 1995. Cadmium induced changes in proline level and peroxidase activity in roots of rice seedlings. *Plant Growth Regul* 17: 67-71.
- Cheng, J., L. Wang, P. Zeng, Y. He, R. Zhou, H. Zhang, and Z. Wang. 2017. Identification of genes involved in rice seed priming in the early imbibition stage. *Plant Biol (Stuttg)*. 19(1): 61-69.

- Dai, X., Xu, Y., Ma, Q., Xu, W., Wang, T., Xue, Y. 2007. Overexpression of an R1R2R3 MYB gene, OsMYB3R-2, increases tolerance to freezing, drought, and salt stress in transgenic *Arabidopsis*. *Plant Physiol.* 143: 1739–1751.
- Dorak, M Tevfik. 2007. *Real-time PCR*. United Kingdom: Taylor & Francis. (p 21).
- Dwiatmini dan H. Afza. 2018. Karakterisasi Kandungan Antosianin Varietas Lokal Padi Warna Sebagai SDG Pangan Fungsional. *Bul. Plasma Nutrafah* 24(2):125–134.
- Farooq M, Basra SMA, Khalid M, Tabassum R, Mehmood T. 2006. Nutrient homeostasis, reserves metabolism and seedling vigor as affected by seed priming in coarse rice. *Can J Bot.* 84:1196–1202.
- Farooq, M, Wahid A, Kobayashi N, Fujita D, Basra S M A. 2009. Plant drought stress: Effects, mechanisms and management. *Agron Sustain Dev*, 29(1): 185-212.
- Fu, Z. Q., and X. Dong. 2013. Systemic acquired resistance: turning local infection into global defense. *Annu. Rev. Plant Biol* 64: 839–863.
- Gibbs, RA. 1990. DNA amplification by the polymerase chain reaction. *Anal Chem.* 62:1202-1214.
- Goodrich, J., Carpenter, R., and Coen, E.S. 1992. A common gene regulates pigmentation pattern in diverse plant species. *Cell* 68: 955–964.
- Gould, F.W. 1968. *Grass Systematics*. McGraw-Hill Book. New York. p382.
- Hastuti, D., Sarwono, dan C. Muryani. 2017. Mitigasi, Kesiapsiagaan, dan Adaptasi Masyarakat terhadap Bahaya Kekeringan, Kabupaten Grobogan (Implementasi Sebagai Modul Kontekstual Pembelajaran Geografi SMA Kelas X Pokok Bahasan Mitigasi Bencana). *Jurnal GeoEco* 3(1):47-57.
- Hussain, S. F. Khan, H. A. Hussain, and L. Nie. 2016. Physiological and Biochemical Hayat, S., Q. Hayat, M.N. Alyemeni, A.S. Wani, J. Pichtel, and A. Ahmad. 2012. Role of proline under changing environments, A Review. *Plant Signaling & Behavior* 7 (11): 1456–1466.
- Mechanisms of Seed Priming-Induced Chilling Tolerance in Rice Cultivars. *Front Plant Sci* 7: 116.
- Ilyas, S. 2012. *Ilmu dan Teknologi Benih: Teori dan Hasil-hasil Penelitian*. IPB Press, Bogor.
- Imran, M. 2012. *Nutrient seed priming improves abiotic stress tolerance in Zea mays L. and Glycine max L.* Dissertation. Faculty of Agriculture Sciences. University of Hoheinhem. Stuttgart.
- Inukai, S., K.H. Kock, M.L. Bulyk. 2017. Transcription factor-DNA binding: Beyond binding site motifs. *Curr. Opin. Genet. Dev.* 34: 110–119.
- Igarashi, Y., Yoshiba, Y., Sanada, Y., Yamaguchi-Shinozaki, K., Wada, K. and Shinozaki, K. 1997. *Plant Mol. Biol.* 33: 857-865.
- ITIS (Integrated Taxonomic Information System). 2020. *Aedes aegypti* (Linnaeus, 1762). https://www.itis.gov/servlet/SingleRpt/SingleRpt?search_topic=TSN&search_value=126240#null. Diakses pada 19 April 2020.

- Jisha K. C., Vijayakumari K., Puthur J. T. 2013. Seed priming for abiotic stress tolerance: an overview. *Acta Physiol. Plant* 35 1381–1396.
- K. Ji, Y. Wang, W. Sun. 2012. Drought-responsive mechanisms in rice genotypes with contrasting drought tolerance during reproductive stage. *Journal of Plant Physiology* 169(4): 336–344.
- Jin, J. P., H. Zhang, L Kong, G Gao, J C Luo. 2014. Plant TFDB 3.0: A portal for the functional and evolutionary study of plant transcription factors. *Nucleic Acids Research* 42: 1182-1187.
- Jira-anunkul, Weeraphorn, and Pattanagul, Wattana. 2017. Effects of Seed Priming on Proline Accumulation and Antioxidant Enzymes in Rice cv. KDML 105 (*Oryza sativa* L.) Under Drought Stress. *NIGRC* 10: 475-484.
- Johnson, S.E., J.G. Lauren, R.M. Welch, J.M. Duxbury. 2005. A comparison of the effects of micronutrient seed priming and soil fertilization on the mineral nutrition of chickpea (*Cicer arietinum*), lentil (*Lens culinaris*), rice (*Oryza sativa*) and wheat (*Triticum aestivum*) in Nepal. *Expl Agric.* 41: 427-444.
- Joshi, R, S. H. Wani, B Singh, A Bohra, Z A Dar, A A. Lone. 2016. Transcription factors and plants response to drought stress: Current understanding and future directions. *Frontiers in Plant Science*, 7: 1029.
- King, C.A., and L.C. Purcell. 2017. Evaluation of Methods for Estimating Transpiration Response to Soil Drying for Container-Grown Plants. *Crop Science* 57: 1-6.
- Koes, F. dan R. Arief. 2010. Pengaruh Perlakuan Matricconditioning Terhadap Viabilitas Dan Vigor Benih Jagung. *Seminar Nasional* 2011: 547-555.
- Lathif, Y., D. Listyorini, dan Suharti. 2018. Varietas Padi Lokal Jawa Timur Tahan Cekaman Kekeringan Berdasarkan Gen DREB2A. *Biotropika: Journal of Tropical Biology* 6(3):89-95.
- Liebermann M., C. C. Craft, W. V. Audia and MS. Wilcox. 1958. Biochemical studies of chilling injury insweet potatoes. *Plant Physiol* 33: 307-311.
- Lima, J. M., Nath, M., Dokku, P., Raman, K. V., Kulkarni, K. P., Vishwakarma, C., Sahoo, S. P., Mohapatra, U. B., Mithra, S. V., Chinnusamy, V., Robin, S., Sarla, N., Seshashayee, M., Singh, K., Singh, A. K., Singh, N. K., Sharma, R. P., and Mohapatra, T. 2015. Physiological, anatomical and transcriptional alterations in a rice mutant leading to enhanced water stress tolerance. *AoB PLANTS* 7: 1-19.
- Man, Da & Bao, Yong-Xia & Han, Lie-Bao and Zhang, Xunzhong. 2011. Drought Tolerance Associated with Proline and Hormone Metabolism in Two Tall Fescue Cultivars. *HortScience*. 46. 1027-1032.
- Mckersie B. D. and D. T. Tomes 1980 Effect of dehydration treatment on germination, vigor, and cytoplasmic leakage in wild oats and birdsfoot trefoil. *Can.J.Bot.* 58: 471-476.

- Mckersie, B. D., P. Hue1 and W. D. Beversdorf. 1982. Solute leakage from susceptible and tolerant cultivars of *Phaseolus vulgaris* following ozone exposure. *IL. J. Rot.*, 60: 73-78/
- Moldenhauer, K.A.K., Gibbons, J.W., Lee, F.N., Norman, R.J., Berndardt, J.L., Anders, M.A., Wilson, C.E., Rutger, J.N., Blocker, M.M., Tolbert, A.C., Bulloch, J.M., Taylor, K. Emerson, M. f2001. Breeding and evaluation for improved rice varieties—the Arkansas Rice Breeding and Development Program. Univ. of Arkansas Agri. Exp. Stn. Res. Ser., 476, 36-45.
- Mundy, J., and N.H. Chua. 1988. Absciscic acid and water-stress induce the expression of a novel rice gene. *The EMBO Journal* 7(8): 2279-2286.
- Nath, V.S., A.K. Mishra, A.K.; A. Kumar, J. Matousek, J. Jakse. 2019. Revisiting the role of transcription factor in coordinating the defense response against Citrus Bark Cracking Viroid infection in commercial hop (*Humulus lupulus* L.). *Viruses J.* 11: 419.
- Nusifera, S., Y. Alia, A.P. Lestari, dan M. Maulana. 2020. Diversitas Genetik Populasi Padi (*Oryza sativa* L.) 'Payo' di Kabupaten Kerinci Provinsi Jambi Berdasarkan Marka Morfologi. *Agrosaintek* 4(1): 61-69.
- Paparella S, Araújo SS, Rossi G, Wijayasinghe M, Carbonera D, Balestrazzi A. 2015. Seed priming: state of the art and new perspectives. *Plant Cell Rep* 34(8): 1281-1293.
- Pardal, S.J. 2010. Menguji ekspresi gen menggunakan real time PCR. *Warta Penelitian dan Pengembangan Pertanian* 32:13-14.
- Pareek, A., Sopory, S. K., Bohnert, H. K., and Govindjee. 2010. *Abiotic Stress Adaptation in Plants: Physiological, Molecular and Genomic Foundation*. Dordrecht: Springer.
- Rallo, G, G. Provenzano, M.Castellini, and À. P. Sirera. 2018. Application of EMI and FDR Sensors to Assess the Fraction of Transpirable Soil Water over an Olive Grove. *Water* 10(168): 1-16.
- Rehman, H., T. Aziz, M. Farooq, A. Wakeel, Z. Rengel. 2012. *Zinc nutrition in rice production system: a review*. Plant Soil, Springer Science & Bussiness Media B. V. (Besloten Vennootschap), 3311 GX Dordrecht, Netherlands.
- Rushton PJ, Torres JT, Parniske M, Wernert P, Hahlbrock K, and Somssich IE. 1996. Interaction of elicitor-induced DNA-binding proteins with elicitor response elements in the promoters of parsley *PR1* genes. *EMBO J* 15: 5690–5700.
- Sah, S. K., Reddy, K. R., and Li, J. 2016. Absciscic Acid and Abiotic Stress Tolerance in Crop Plants. *Frontiers in plant science* 7: 571.
- Sahoo, K. K., Tripathi, A. K., Pareek, A., and Singla-Pareek, S. L. 2013. Taming drought stress in rice through genetic engineering of transcription factors and protein kinases. *Plant Stress* 7: 60–72.

- Seo, D.H., S. Seomun, Y.D. Choi, and G. Jang. 2020. Root Development and Stress Tolerance in rice: The Key to Improving Stress Tolerance without Yield Penalties. *International Journal of Molecular Sciences* 21:1-13.
- Shao, H., H. Wang, and X. Tang. 2015. NAC transcription factors in plant multiple abiotic stress responses: progress and prospects. *Front. Plant Sci.* 6:902.
- Shelden, M.C., P. Loughlin, M.L. Tierney, and S.M. Howitt. 2001. Proline residues in two tightly coupled helices of the sulphate transporter, SHST1, are important for sulphate transport. *Biochem J.* 1 (356):589-94.
- Siminovich, D., H. Therrien, F. Gfeller, and B. Rheaume. 1964. The quantitative estimation of frost injury and resistance. *Can. J. Bot* 42: 637-640.
- Sinclair, T. and M. Ludlow. 1986. Influence of Soil Water Supply on the Plant Water Balance of Four Tropical Grain Legumes. *Aust. J. Plant Physiol.* 13, 329-341.
- Sinclair, T.R. 1986. Water and nitrogen limitations in soybean grain production. I. Model development. *Field Crops Res.* 15:125-141.
- Singh, Chandra Mohan & Kumar, Binod & Mehandi, Suhel & Chandra, Kunj. 2012. Effect of Drought Stress in Rice: A Review on Morphological and Physiological Characteristics. *Trends in Biosciences* 5: 261-265.
- Sujinah dan A. Jamil. 2016. Mekanisme Respon Tanaman Padi terhadap Cekaman Kekeringan dan Varietas Toleran. *Iptek Tanaman Pangan* 11(1):1-8.
- Szabados L., Savoure A. 2010. Proline: a multifunctional amino acid. *Trends Plant Sci.* 15 89-97.
- Tang, J., Wang, SQ., Hu, KD. 2019. Antioxidative capacity is highly associated with the storage property of tuberous roots in different sweet potato cultivars. *Sci Rep* 9, 111-141.
- Vaughan, D. A., H. Morishima, and K. Kadowaki. 2003. Diversity in the *Oryza* Genus. *Current Opinion in Plant Biology* 6(2): 139-146.
- Verbruggen N, Hermans C. 2008. Proline accumulation in plants: a review. *Amino Acids* 35:753-759.
- Verbruggen, N., R. Villarroel, M. Van Montagu. 1993. Osmoregulation of a *pyrroline-5-carboxylate reductase* gene in *Arabidopsis thaliana*. *Plant Physiol* 103:771-781.
- Vergara, B. S. 1992. *A Farmer's Primer on Growing Rice*. International Rice Research Institute. Philippines.
- Wang, H., H. Wang, H. Shao, and X. Tang. 2016. Recent Advances in Utilizing Transcription Factors to Improve Plant Abiotic Stress Tolerance by Transgenic Technology. *Front. Plant Sci* 7:1-13.
- Wang, J. J. Zhou, B. Zhang, J. Vanitha, S. Ramachandran, S. Y. Jiang. 2011. Genome-wide Expansion and Expression Divergence of the Basic Leucine Zipper Transcription Factors in Higher Plants with an Emphasis on Sorghum. *J. Integr. Plant Biol.* 53: 212-231.

- Watson, C. J., and J. F. Jackson. 1985. *An alternative method for the synthesis of double stranded cDNA for cloning in phage and plasmid vectors*. In *DNA Cloning*. Vol. 1. Oxford. IRL Press. p. 37.
- Xie, Z., P. Ruas, Q.J. Shen. 2005. Regulatory networks of the phytohormone abscisic acid, *Vitam. Horm.* 72: 235–269.
- Xiong, H, Li J, Liu P, Duan J, Zhao Y, Guo X. 2014. Overexpression of *OsMYB48-1*, a Novel MYB-Related Transcription Factor, Enhances Drought and Salinity Tolerance in Rice. *PLoS ONE* 9(3): e92913.
- Yang, W., Liu, X. D., Chi, X. J., Wu, C. A., Li, Y. Z., Song, L. L., 2011. Dwarf apple *MbDREB1* enhances plant tolerance to low temperature, drought, and salt stress via both ABA-dependent and ABA-independent pathways. *Planta* 233, 219–229.
- Yoshida, Y., T. Kiyosue, K. Nakashima, K. Yamaguchi-Shinozaki, and K. Shinozaki. 1997. Regulation of Levels of Proline as an Osmolyte in Plants under Water Stress. *Plant Cell Physiol.* 38(10): 1095-1102.