

DAFTAR PUSTAKA

- Abrecht, D & Carberry, P. (1993). The influence of water deficit prior to tassel initiation on maize growth, development and yield, *Field Crops Research Journal*, 31: 55-69.
- Adriani, D.E., Lafarge, T., Dardou, A., Fabro, A., Clément-Vidal, A., Yahya, S., Dingkuhn, M., Luquet, D. (2015). The qTSN positive effect on panicle and flag leaf size is associated with an early down-regulation of tillering. *Front Plant Science*, 6, 1-17.
- Agurla, S., Gahir, S., Munemasam S., Murata, Y., Raghavendra, A.S. (2018). Mechanism of stomatal closure in plants exposed to drought and cold stress. 215-232. DOI: 10.1007/978-981-13-1244-1_12.
- Ahmad, P. 2016. *Water streses and crop plants A sustainable approach volume I*. Wiley Blackwell John Wiley and Sons. UK. pp. 94-95
- Ahmadikhah, A & Marufinia, A. (2016). Effect of reduced plant height on drought tolerance in rice., *3 Biotech*, 6: 221. Doi. 10.1007/s13205-016-0542-3.
- Alder, N., Sperry, J & Pockman, W. (1996). Root and stem xylem embolism, stomatal conductance, and leaf turgor in, *Oecologia*, 105:293-301.
- Alvarez, J.M., Rocha, J.F & Machado, S.R. (2008). Bulliform cells in *Loudetiopsis chrysothrix* (Ness) Conert and *Tristachya leiostachya* Ness (Poaceae): Structure in relation to function, *Brazilian Archivies of Biology and Technology*, 51(1). ISBN. 1516-8913.
- A´lvarez, S., Castillo, M., Acosta, J.R., Navarro, A., Sánchez-Blanco, M.J. (2012). Photosynthetic response, biomassa distribution and water status changes in *Rhamnus alaternus* plants during drought, *Acta Horticulture*, 937:853-860.
- Anjum, S.A., Xie, X., Wang, L., Saleem, M.F., Man, C., Lei. (2011). Morphological, physiological and biochemical responses of plants to drought stress, *African Journal of Agricultural Research*, 6(9): 2026-2032.
- Armstong, W & Drew, M.C. (2002). Root growth and metabolism under oxygen deficiency, In: Waisel, Y., Eshel, A., Kafkafi, U. (Eds.), *Plant Roots: The Hidden Half*, 3rd ed. Marcel Dekker, New York, NY, USA, pp. 729–761.
- Aroca. R., Porcel, R., & Ruiz-Lozano J.M. (2012). Regulation of root water under abiotic stress conditions, *Journal of Experimental Botany*, 63(1), 43-57.
- Bacelar, E.A., Santos, D.L., Mountinho-Pereira, J.M., Goncalves, B.C., Ferreiram H.F., Correia, C.M. (2006). Immediate responses and adaptative startegis of thress olive cultivars under contrasting water availability regimes. Changes in structure and chemical composistion for foliage and oxidative damage, *Plant Science*, 170: 596-605.
- Balai Besar Padi. (2016). Tiga fase pertumbuhan padi. <https://bbpadi.litbang.pertanian.go.id/index.php/info-berita/tahukah-anda/tiga-fase-pertumbuhan-padi>, akses 17 Juli 2021.
- Balai Ketahanan Pangan dan Penyuluh Pertanian Aceh berkerjasama Balai Pengkajian Teknologi Pertanian NAD. (2009). *Budidaya Tanaman Padi*, 1-20.
- Beal, W.B. (1886). The bulliform or hygroscopic cells of grasses and sedges compared, *Botanical Gazette*, 2, 321-326.

- Begg, J.E. (1980). Morphological adaptations of leaves to water stress. In: *Adaptation of plants to water and high temperature stress*. (eds). Turner, N.C & Kramer, P.J. New York. John Wiley and Son. pp. 33-42.
- Bloom, A.J., Chapin, F.S. & Money, H.A. (1985). Resource limitation in plants-an economic analogy, *Annual Review of Ecology, Evolution, and Systematics*, 16: 363-392.
- Blum, A., Shpiler, L., Golan, A., Mayer, J. (1989). Yield stability and canopy temperature of wheat genotypes under drought-stress, *Field Crops Research*, 22(4): 289-296.
- Bosabalidis, A.M & Kofidis, A. (2002). Comparative effects of drought stress on leaf anatomy of two olive oil cultivars, *Plant Science*, 163: 375-379.
- Boughalleb, F., Abdellaoui, Ben-Brahim, N., Neffati, M. (2014). Anatomical adaptations of *Astragalus gombiformis* Pomel. Under drought stress, *Central European Journal of Biology*, 9(12):1216-1226. Doi. 10.2478/s11535-014-035307.
- Boutraa, T., Akhkha, A., Abdulkhaliq, A., Al-Shoaibi., Alhejeli, A.M. (2010). Effect of water stress on growth and water use efficiency (WUE) of some wheat cultivars (*Triticum durum*) grown in Saudia Arabia, *Journal of Taibah University for Science*, 3: 39-48.
- Britannica. Sclerenchyma. <https://www.britannica.com/science/sclerenchyma>. Diakses pada tanggal 13 Agustus 2021, pukul 15.45.
- Brunner, L., Herzog, C., Dawes, M.A., Arend, M., Sperisen, C. (2015). How tree roots respond to drought, *Frontiers Plant Science*, 6: 547. DOI. 10.3389/fpls.2015.00547.
- Brunner, I., Herzog, C., Dawes, M.A., Arend, M., Sperisen, C. (2015). Review Article: How tree roots respond to drought, *Frontiers in Plant Science*. Doi. <https://doi.org/10.3389/fpls.2015.00547>
- Budiasih. (2009). Respon tanaman padi gogo terhadap cekaman kekeringan, *Ganec Swara Edisi Khusus*, 3: 22-27.
- Butterbach, Bahl, K., Papen, H & Rennenberg, H. (2000). Scanning electron microscopy analysis of the aerenchyma in two rice cultivars, *Phyton*, 40: 43-55.
- Casson, S.A & Hetherington, A.M. (2010). Environmental regulation of stomatal development, *Current Opinion in Plant Biology*, 13: 90-95.
- Chang, T.T & Banderas, E.A., (1965). The Morphology and Variety Characteristics of The Rice Plant. *Food Science & Technology Bulletin. IRRI*, 4, 40.
- Chang, T. T. (1985). Crop History And Genetic Conservation: Rice- A Case Study. *Iowa State J. Research*, 59, 425-455.
- Chatterjee, J., Dionora, J., Mabilangan, A.E., Wanchana, S., Thakur, V., Bandyopadhyay, A., Brar, D.S., Quick, W.P. (2016). The evolutionary basis of naturally diverse rice leaves anatomy, *Plos One*. doi: 10.1371/journal.pone.0164532.
- Chatterjee, J., Thakur, V., Nepomuceno, R., Coe, R.A., Dionora, J., Mabilangan, A.E., Llave, A.D., Reves, A.M.D., Monroy, A.N., Canicosa, I., Bandyopadhyay, A., Jena, K.K., Brar, D.S, Quick, W.P. (2020). Natural diversity in stomatal features of cultivated and wild *Oryza* species, *Rice*, 13.

- Child, R.D., Summers, J.E., Babij, J., Farrent, J.W., Bruce, D.M. (2003). Increased resistance to pod chatter is associated with changes in the vascular structure in pods of a resynthesized *Brassica napus* line, *Journal Experimental Botany*, 54: 1919-1930.
- Chimungu, J.G., Brown, K.M & Lynch, J.P. (2014). Reduced root cortical cell file number improves drought tolerance in maize, *Plant Physiology*, 166: 1943-1955.
- Chung, P.J., Kim, Y.S., Jeong, J.S., Park, S.H., Nahm, B.H., Kim, J.K. (2009). The histone deacetylase OsHSAC1 epigenetically regulates the *OsNAC6* gene that control seedling root growth in rice, *Plant Journal*, 59: 764-776.
- Clark, L.H & Harris, W.H. (1981). Observations on the root anatomy rice (*Oryza sativa* L.), *Botany*, 68: 1919-1930.
- Clarke, J.M. (1986). Effect of leaf rolling on leaf water loss in *Triticum* spp, *Canadian Journal Plant Science*, 66: 885-891.
- Clickndrag. 2017. <https://shopee.co.id/Paket-Ph-meter-Mediatech-dan-Tds-EC-meter-Alat-ukur-hidroponik-B1900124-B1900131-G008-i.19766179.1767502493>
- Colmer, T.D & Pederson, O. (2008). Oxygen dynamic in submerged rice (*Oryza sativa* L.), *New Phytologist*, 178: 326-334.
- Cramer, G.R. & Browman, D.C. (1991). Kinetics of maize leaf elongation: I. Increased yield threshold limits short-term, steady-state elongation rates after exposure to salinity, *Journal of Experimental Botany*, 42: 1417-1426.
- Cutler, D.F., Botha, T., & Stevenson, D.W. (2007). *Plant Anatomy*. An applied approach. Blackwell Publishing. Australia.
- Dannoura, M., Epron, D., Desalme, D., Massonnet, C., Tsuji, S., Plain, C., Priault, P., Gerant, D. (2018). The impact of prolonged drought on phloem anatomy and phloem transport in young beech, *Trees Physiology*, 39 (2), 201-210. <https://doi.org/10.1093/treephys/tpy070>.
- De Schepper, V., DeSwaef, T., Bauweraets, L., Steppe, K. (2013). hloem transport: A review of mechanisms and control, *Journal of Experimental Botany*, 64(16): 4839-4850.
- Dow, G.J., Bergmann, D.C & Berry, J.A. (2014). An integrated model of stomatal development and leaf physiology, *New Phytologist*, 201: 1218-1226. Doi. 10.1111/nph.12608.
- Drake, P.L., Froend, R.H & Franks, P.J. (2013). Smaller, faster stomata: scaling of stomatal size, rate of response, and stomatal conductance, *Journal of Experimental Botany*, 64: 495-5050. Doi. 10.1093/jxb/ers347.
- Driscoll SP, Prins, A., Olmos, E., Kunert, K.J., Foyer, C.H. (2006). Specification of adaxial stomata, epidermal structure and photosynthesis to CO2 enrichment in maize leaves, *Journal of Experimental Botany*, 57(2), 381-390. <https://doi.org/10.1093/jxb/erj030>
- Dwiatmini, K & Afza, H. (2018). Karakterisasi kadar antosianin varietas lokal padi warna sebagai SDG pangan fungsional, *Buletin Plasma Nutfah*, 24(2), 125-134.
- Eldhuset, T.D., Nagy, N.E., Volnarik, D., Borja, L., Gebauer, R., Yakovlev, I.A.Krokene, P. (2013). Drought affects tracheid structure, dehydrin expression, and above- and belowground growth in 5-year-old Norway spruce, *Plant Soil*, 366: 305-320. DOI. 10.1007/s11104-012-1432-z.

- Ennajeh, M., Vadel, A., Cochard, H., Khemira, H. (2010). Comparative impacts of water stress on the leaf anatomy of a drought-resistant and a drought-sensitive olive cultivar, *Journal of Horticultural Science and Biotechnology*, 85(4): 289-294. DOI. 10.1080/1462316.2010. 11512670.
- Esau, L. (1965). *Plant Anatomy, 2nd eds.* New York, John Wiley & Sons.
- Esau, K. (1977). *Anatomy of seed plants.* 2nd ed. New York. John Wiley and Sons. pp. 351-353.
- Evans, A & David, E. 2004. Aerenchyma formation, *New Phytologist*, 161, 34-49
- Facette, M.R., Mccully, M.E & Canny, M.J. (1999). Response of maize roots to drying-limits of viability, *Plant Cell Environment*, 22: 1559-1568.
- Farooq, S & Azam. (2006). The use of cell membrane stability (MS) technique to stress for salt tolerant wheat varities, *Journal of Plant Physiology*, 163: 629-637.
- Farooq, M., Wahid, A., Kobayashi, N., Fujita, D., Basra, S. M. A. (2009). Plant drought stress : effects, mechanisms and management To cite this version : Review article, *Agronomy for Sustainable Developmen*, 29(1), 185–212. <https://doi.org/10.1051/agro:2008021>.
- Feldman, A.B., Murchie, E.H., Leung, H., Baraoidan, M., Coe, R., Yu, S.M., Lo, S.M., Quick, W.P. (2014). Increasing leaf vein density by mutagenesis: laying the foundations for C₄ Rice, *Plos ONE*, 9. E94947. Pmid: 24760084
- Fenta, B.A., Beebe, S.E., Kunert, K.J., Burrige, J.D., Barlow, K.M., Lynch, P.J., Foyer, C. (2014). Field phenotyping of soybean roots for drought stress tolerance, *Agronomy*, 4:418-435.
- Fernández, C.J., Cothren, J.T & McInness, K.J. (1996). Partitioning of biomass in water and nitrogen-stressed cotton during pre-bloom stage, *Journal of Plant Nutrition*, 19:595-617.
- Filek, M., Walas, S., Mrowiec, H., Rudolphy-Skórska, E., Sieprawka, A., Biesaga-Kościelniak, J. (2012). Membrane permeability and micro- and macroelement accumulation in spring wheat cultivars during the short-term effect of salinity- and PEG induced water stress, *Acta Physiologiae Plantarum*, 34: 985-995.
- Fitter, A. (2002). Characteristics and functions of root systems. In *Plant Roots: The Hidden Half*, 3rd ed: Waisel, Y., Eshel, A., Kafkafi, U. Eds. New York. Marcel Dekker: 15-32.
- Franks, P.J & Beerling, D.J. (2009). Maximum leaf conductance driven by CO₂ effects on stomatal size and density over geologic time, *Proceedings of the National Academy of Sciences, USA*, 106, 10343-10347.
- Franks, P.J., Adams, T.D., Harper, Z.J., Grey, J.E. (2015). Increasing water-use efficiency directly through genetic manipulation of stomatal density, *New Phytologist*, 207(1), 1-8. doi: 10.1111/nph.13347
- Gaur, R.K & Sharma, P. (2014). *Approaches to plant stress and their management.* India. Springer.
- Gibbs, J., Turner, D.W., Armstrong, W., Darwent, M.J., Greenway, H. (1998). Response to oxygen deficiency in primary maize roots: I. Development of oxygen deficiency in the stele reduces radial solute transport to the xylem, *Function Plant Biology*, 25, 745-758.
- Gill, SS & Tuteja, N. (2010). Reactive oxygen species and antioxidant machinery in abiotic stress, *Frontiers in Plant Science*, 5(86): 1-8.

- Graca, J.P.D., Rodrigues, F.A., Farias, J.R.B., Oliveira, M.C.N.D., Hoffmann-Campo, C.B & Zingaretti, S.M. (2010). Physiological parameters in sugar cane cultivars submitted to water stress, *Brazilian Journal of Plant Physiology*, 22: 189-197.
- Gray, A., Liu, L & Facette, M. (2020). Flanking support: How subsidiary cells contribute to stomatal form and function, *Frontiers in Plant Science*. DOI. 10.3389/fpls.2020.00881.
- Griffiths, H., Weller, G., Toy, L.F.M., Dennis, R.J. (2013). You're so vein: bundle sheath physiology, phylogeny and evolution in C3 and C4 plants, *Plant Cell Environment*, 36: 249-261.
- Guerfel, M., Baccouri, O., Boujnah, D., Zarrouk, M. (2008). Changes in lipid composition, water relations and gas exchange in leaves of two young 'Chemlali' and 'Chetoui' olive trees in response to water stress, *Plant Soil*, 311: 121-129.
- Guimarães, C.M., Stone, L.F., & de L Silva, A.C. (2016). Evapotranspiration and grain yield of upland rice as affected by water deficit, *Revista Brasileira de Engenharia Agrícola e Ambiental*, 20(5), 441-446.
- Haberlandt, G. (1914). Physiological plant anatomy. Macmillan and Co. London.
- Hamanishi, E.T., Thomas, B.B & Campbell, M.M. (2012). Drought induced alterations in the stomatal development program in *Populus*, *Journal of Experimental Botany*, 63(13): 4959-4971.
- Hameed, M., Batool, S., Naz, N., Nawaz, T., Asharaf, M. (2012). Leaf structural modifications for drought tolerance in some differentially adapted ecotypes of blue panic (*Panicum antidotale* Retz.), *Acta Physiology Plant*, 34: 1479-1491.
- Hasanah, N., Bayu, E.S & Kardhinata, E.H. (2019). Pengaruh cekaman kekeringan terhadap morfologi akar beberapa genotipe padi beras merah (*Oryza sativa* L.) pada fase vegetatif, *Jurnal Online Agroteknologi*, 8(1): 50-56. Doi. 10.32734/jaet..
- Haworth, M., Elliott-Kingston, C & McElwain, J.C. (2013). Co-ordination of physiological and morphological responses of stomata to elevated [CO₂] in vascular plants, *Oecologia*, 171: 71-82. Doi. 10.1007/s00442-012-2406-9.
- Hazman, M & Brown, K.M. (2018). Progressive drought alters architectural and anatomical traits of rice roots, *Rice*, 62.
- Henry, A., Cal, A.J., Batoto, T.C., Torres, R.O., Serraj, R. (2012). Root attributes affecting water uptake of rice (*Oryza sativa* L.) under drought, *Journal of Experimental Botany*, 63: 4751-4763.
- Holbrook, N.M., Burns, M.J & Field, C.B. (1995). Negative xylem pressure in plants : a test of the balancing pressure technique, *Science*, 270: 1193-1194.
- Hose, E., Clarkson, D.T., Steudle, E., Schreiber, L., Hartung, W. (2001). The exodermis: a variable apoplastic barrier, *Journal of Experimental Botany*, 52: 2245-2264.
- Hsiao, T.C. (1973). Plant response to water stress, *Annual Review of Plant Biology*, 24: 519-570
- Irawan, W & Putra, E.T.S. (2020). The effect of potassium addition on oil palm (*Elais guineensis* Jacq.) roots anatomic properties under drought stress,

- Caraka Tani Journal of Sustainable Agriculture*, 35(1): 54. Doi: 10.20961/carakatani.v35i1.32578
- ITIS. (2010). *Oryza sativa* L. <https://www.itis.gov>. Diakses pada tanggal 9 Januari 2017, pukul 10.56.
- Itoh, J.I., Nonomura, K., Ikeda, K., Yamaki, S., Inukai, Y., Yamagaishi, H., Kitano, H., Nagato, Y. (2005). Rice plant development: from zygote to spikelet, *Plant cell Physiology*, 46:23-47. Doi. 10.1093/pcp/pci501.
- Izza, F & Laily, A.N. (2015). Karakterisasi stomata tempuyang (*Sonchus arvensis* L.) dan hubungannya dengan transpirasi tanaman di Universitas Islam Negeri Maulana Malik Ibrahim Magelang, *Seminar Nasional Konservasi dan Pemanfaatan Sumber Daya Alam*, 177-180.
- Jackson, M.B & Drew, M.C. (1984). Effect of flooding on growth and metabolism of herbaceous plants. In: Kozlowski, T.T (Eds), *Flooding and Plant*. New York. Academic Press.
- Javelle, M., Vernoud, V., Rogowsky, P.M., Ingram, G.C. (2010). Epidermis: the formation and functions of a fundamental plant tissue, *New Phytologist*, 189(1): 17-39. Doi. <https://doi.org/10.1111/j.1469-8137.2010.03514.x>
- Kadam, N.N., Yin, X., Bindran, P.S., Struik, P.C., Jagadish, K.S.V. (2015). Does morphological and anatomical plasticity during the vegetative stage make wheat more tolerant of water deficit stress than rice?, *Plant Physiology*, 167(4), 1389-1401.
- Kadioglu, A., Terzi, R., Saruhan, N., Saglam, A. (2012). Current advances in the investigation of leaf rolling caused by biotic and abiotic stress factors, *PlantSci*, 182, 42–48. doi: 10.1016/j.plantsci.2011.01.013.
- Kage, H., Kochler, M & Stützel, H. (2004). Root growth and dry matter partitioning of cauliflower under drought stress conditions: measurement and simulation, *Europe Journal Agronomy*, 20: 379-394.
- Kar, R.K. (2011). Plant responses to water stress: Role of reactive oxygen species, *Plant Signal Behaviour*, 6: 1741-1745
- Karki, S., Rizal, G & Quick, W.P. (2013). Improvement of photosynthesis in rice (*Oryza sativa*) by inserting the C₄ pathway, *Rice*, 6:28.
- Kehr, J & Buhtz, A. (2008). Long distance transport and movement of RNA through the phloem, *Journal of Experimental Botany*, 59: 85-92.
- Kementrian Pertanian Badan Litbang Pertanian. Varietas Inpari 24 Gabusan. <https://www.litbang.pertanian.go.id/varietas/842/>
- Kementrian Pertanian Badan Litbang Pertanian. Varietas Aek Sibundong. <https://www.litbang.pertanian.go.id/varietas/392/>
- Kim, H., Du, X.X., Kim, S., Kim, P., Wijesinghe, R.E., Yun, Byoung-Ju., Kim, Kyung-Min., Jeok, M., Kim, J. (2019). Non-invasive morphological characterization of rice leaf bulliform and aerenchyma cellular regions using low coherence interferometry, *Applied Sciences*, 9(10). Doi. <https://doi.org/10.3390/app9102104>
- Kinsman, E.A & Pyke, K.A. (1998). Bundle sheath cells and cell-specific plastid development in *Arabidopsis* leaves, *Development*, 125: 1815-1822.
- Klaassen, P. Canna. Electrical conductivity, why it matters. <https://www.cannagardening.com/electrical-conductivity>. Diakses pada tanggal 1 Agustus 2021, pukul 21.36.

- Kodoatie, R. J & Sjarief, R. (2010). *Tata Ruang Air*. Penerbit Andi Offset. Yogyakarta, 175.
- Kollist, H., Nuhkat, M & Roelfsema, M.R.G. (2014). Closing gaps: linking elements taht control stomata movement, *New Phytologist*, 203: 44-62. Doi. 10.1111/nph.12832.
- Kompas.com. 2011. Musim tanam padi siam di Barito Kuala. <https://regional.kompas.com/read/2011/02/17/05535795/~Regional~Kalimantan?page=all>.
- Kramer, P.J. (1980). *Plant and soil water relationship. A Modern Synthesis*, New York. Graw-Hill Publishing.
- Kurniasih, B and F. Wulandhany. 2009. Penggulungan daun pertumbuhan tajuk dan akar beberapa varietas padi gogo pada cekaman air yang berbeda. *Agrivita*, 31(2): 118-128.
- Lawlor, D.W & Cornic, G. (2002). Photosynthetic carbon assimilation and associated metabolism in relation to water deficits in higher plants, *Cell and Environment*, 25: 275-294. DOI. 10.1046/j/0016-8025.2001.00814.x.
- Lee, Dong-Keun,., Chung, P.J., Jeong, J.S., Jang, G., Bang, S.W., Jung, H., Kim, Y.S., Ha, Sun-Hwa,., Doi, Y.D., Kim, Ju-Kon. (2017). The rice *OsNAC6* transcription factor orchestrates multiple molecular mechanisms involving root stuctural adaptations and nicotianamine biosynthesis for drought tolerance, *Plant Biotechnology Journal*, 15(6): 754-764.
- Leegood, R.C. (2008). Roles of the bundle sheath cells in leaves of C₃ plants, *Journal of Experimental Botany*, 59:1663-1673.
- Levitt, J. (1972). Responses of plants to environmental stresses. New York. Academic Press. pp. 31-47.
- Li,Y., Li, H., Li, Y., Zhang, S. (2017). Improving water-use efficiency by decreasing stomatal conductance and transpiration rate to maintain higher ear photosynthetic rate in drought-resistant wheat. *The Crop Journal*. 5(3), 231-239.
- Lopes, M.S., Araus, J.L., van Heerden, P.D.R., Foyer, C.H. (2011). Enhancing drought tolerance in C4 crops, *Journal of Experimental Botany*, 62: 3135-3153.
- Lu, C & Zhang, J. (1999). Effect of water stress on photosystem II photochemistry and its thermos stability in wheat plants, *Journal of Experimental Botany*, 50: 1199-1206.
- Lux, A., Luxova, M., Abe, J., Morita, S. (2004). Root cortex: structural and functional variability and responses to environmental stress, *Root Research*, 13: 117-131.
- Lynch, J.P. (2013). Sttep, cheap and deep: An ideotype to optimize water and N acquisition by maize root systems, *Annals of Botany*, 112 (2): 347-357.
- Lynch, J.P., Chimungu, J.G., Brown, K.M. (2014). Root anatomical phenes associated with water acquisition from drying soil: targets for crop improvement, *Journal of Experimental Botany*, 65, 6155-6166.
- Ma, F & Peterson, C.A. (2003). Current insights into the development, structure, and chemistry of the endodermis and exodermis of root, *Canadian Journal of Botany*, 81, 405-421.

- Ma, F & Peterson, C.A. (1995). Current insights into the development, structure, and chemistry of the endodermis and exodermis of roots, *Canadian Journal of Botany*, 81: 405-421.
- Maiti, R., Satya, P., Rajkumar, D., & Ramaswamy, A. (2012). *Crop Plant Anatomy*. CABI. UK, 47-50.
- Makarim, A. K. & Suhartatik, E. (2009). Morfologi dan Fisiologi Tanaman Padi. Balai Besar Penelitian Tanaman Padi. www.litbang.pertanian.go.id. Diakses pada tanggal 9 Januari 2017, pukul 11.35, 296-308.
- Maseda, P.H & Fernandez, R.J. (2006). Stay wet or else: Three ways in which plant can adjust hydralically to their environment, *Journal of Experimental Botany*, 57: 3963-3977.
- Matschi, S., Vasquez, M.F., Bourgault, R., Steinbach, P., Chamness, J., Kaczmar, N., Gore, M.A., Molina, I., Smith, L.G. (2020). Structure-function analysis of the maize bulliform cell cuticle and its role in dehydration and leaf rolling. *bioRxiv*. doi: <https://doi.org/10.1101/2020.02.06.937011>.
- Mangena, P. (2018). Water stress: Morphological and anatomical changes in soybean (*Glycine max* L.) plants, *IntechOpen*. Doi. <http://dx.doi.org/10.5772/intechopen.72899>
- Miftahudin., Putri, R.E & Chikmawati, T. (2020). Vegetative morphophysiological responses of four rice cultivars to drought stress, *Biodiversitas*, 21(8): 3727-3734.
- Mitalom.com. 2020. Klasifikasi dan Morfologi Tanaman Padi. <https://mitalom.com/klasifikasi-dan-morfologi/5006/klasifikasi-dan-morfologi-padi-lengkap-dengan-ciri-ciri-dan-deskripsi-tanaman-padi/>. Diakses pada tanggal 31 Juli 2021, pukul 18.35.
- Miyake, H. (2016). Starch accumulation in the bundle sheaths of C₃ plants: A possible pre-conditions for C₄ photosynthesis, *Plant & Cell Physiology*, 57(5):890-896. Doi. <https://doi.org/10.1093/pcp/pcw046>
- Miyamoto, N., Steudle, E., Hiraswara, T., Lafitte, R. (2001). Hydraulic conductivity of rice roots, *Journal of Experimental Botany*, 52, 1835-1846.
- Morita, S & Nemoto, K. (1995). *Structure and function of roots. Proceedings of the Fourth International Symposium on Structure and Function of Roots*. Chapter. Morphology and Anatomy of Rice with Special Reference to Coordinate in Organo and Histogenesis (in Baluska, F., M. Ciamparova, O. Gasparikova and P. W. Barlow). Springer-Science+Business Media. BV. Slovakia. pp. 75-86.
- Mostajaren, A & Rahimi-Eichi, V. (2008). Drought stress effect on root characteristics of rice cultivars (*Oryza sativa* L.). *Pakistan Journal of Biological Sciences*, 11(18), 2173-2183. ISSN: 1028-8880.
- Moulija, B. (2000). Leaves as shell structures: double curvature, auto-stresses, and minimal mechanical energy constraints on leaf rolling in grasses, *Journal of Plant Growth Regulation*, 19: 19-30.
- Munarso, P.Y. (2011). Keragaman padi hibrida pada sistem pengairan intermitent dan teganang, *Penelitian Pertanian Tanaman Pangan*, 30: 189-195.
- Munns, R. (2002). Comparative physiology of salt and water stress, *Plant Cell and Environment*, 25, 239-250.
- Nakashima, K., Tran, L.S., Van Nguyen, D., Fujita, M., Maruyama, K., Todaka, D., Ito, Y. (2007). Functional analysis of a NAC-type transcription factor

OsNAC6 involved in abiotic and biotic stress-responsive gene expression in rice, *Plant Journal*, 51: 617-630.

- Nar, H., Saglam, A., Terzi, R., Varkonyi, Z., Kadioglu, A. (2009). Leaf rolling and photosystem II efficiency in Ctenan the setosa exposed to drought stress, *Photosynthetica*, 47, 429–436. doi: 10.1007/s11099-009-0066-8.
- Nawaz, T., Hameed, M & Ashraf, M. (2013). Modifications in root and stem anatomy for water conservation in some diverse blue panic (*Panicum antidotale* Retz.) ecotypes under drought stress, *Arid Land Research and Management*, 27(3): 286-297.
- Nawazish, S., Hameed, M & Naurin, S. (2006). Leaf anatomical adaptations of *Cenhus ciliaris* L. from the Salt Range, Pakistan against drought stress, *Pakistan Journal of Botany*, 38: 1723-1730.
- Nesmith, D.S & Ritchie, J. (1992). Short and long-term responses of corn to a Pre-Anthesis soil water deficit, *Agronomy Journal*, 84(1). DOI. 10.2134/agronj1992.00021962008400010021x
- Nicotra, A.B., Babicka & Westoby, N. (2002). Seedling root anatomy and morphology: an examination of ecological differentiation with rainfall using phylogenetically independent contrasts, *Oecologia*, 130: 136-145.
- Niklas, K.J. (1999). A mechanical perspective on foliage leaf form and fuction, *New Phytologist*, 143: 19-31.
- Nio, S.A & Torey, P. (2013). Karakter morfologi akar sebagai indikator kekurangan air pada tanaman, *Jurnal Bios Logos*, 3: 31-39.
- Onesa, M.A., Muir, C.D., Molins, A., Galmes, J. (2020). Stomatal anatomy coordinates leaf size with Rubisco kinetics in the *Balearic limonium*, *AoB PLANTS*, 12(1): 1-11.
- Osakabe, Y., Osakabe, K., Shinozaki, K., Tran, L.S.P. (2014). Response of plants to water stress, *Frontiers in Plant Science*, 5(86): 1-8.
- Osmolovskaya, N., Shumilina, J., Kim, A., Didio, A., Grishina, T., Biolova, T., Keltsieva, O.A., Zhukov, V., Tikhnovich, I., Tarakhovskaya, E., Frolov, A., Wessjohann, L. (2018). Methodology of drought stress research: experimental setup and physiological characterization, *International Journal of Molecular Sciences*, 19 (12): 4089. <https://doi.org/10.3390/ijms19124089>
- Ouyang, W., Yin, X., Yang, J., Struik, P.C. (2020). Comparison with wheat reveal root anatomical and histochemical constraints of rice under water-deficit stress. Regular Article. *Plant Soil*. 452, 547-568. <https://doi.org/10.1007/s11104-020-04581-6>
- Pace, P.F., Cralle, H.T., El-Halawany, S.H.M., Cothren, J.T., Senseman, S.A. (1999). Drought-induced changes in shoot and root growth of young cotton plants, *The Journal of Cotton Science*, 3:183-187.
- Palupi, E.R & Dedywiryanto, Y. (2008). Kajian karakter toleransi cekaman kekeringan pada empat gentipe bibit kelapa sawit (*Elaeis quineensis* Jacq), *Buletin Agronomi*, 36: 24-32.
- Patmi, Y.S., Pitoyo, A., Solichatun., Sutarno. (2020). Effect of drought stress on morphological, anatomical, and physiological of Cempo Ireng Cultivar mutant rice (*Oryza sativa* L.) strain 51 irradiated by gamma-ray, *IOP*

- Conference Series: Journal of Physics*: Conference series, 1436: 1-8. doi:10.1088/1742-6596/1436/1/012015.
- Peña-Valdivia, C.B., Sánchez-Urdaneta, A.B., Trejo, C., Aguirre, R.J.R., Cárdenes, E. (2005). Root anatomy of drought sensitive and tolerant maize (*Zea mays* L.) seedlings under different water potential, *Cereal Research Communication*, 33: 705-712.
- Peña-Valdivia, C.B., Sánchez-Urdaneta, A.B., Rangel, J.M., Muñoz, J.J., García-Nava, R., Velázquez, R.C. (2010). Anatomical root variations in response to water deficit: wild and domesticated common bean (*Phaseolus vulgaris* L.), *Biological Research*, 43: 417-427. Doi. <http://dx.doi.org/10.4067/S0716-97602010000400006>
- Peterson, K.M., Rychel, A.L., Torii, K.U. (2010). Out of the mouths of plants: the molecular basis of the evolution and diversity of stomatal development, *The Plant cell*, 22(2), 296-306.
- Phule, A.S., Barbidakar, K.M., Madhav, M.S., Subrahmanyam, D., Sengttuvel, P., Babu, M.B.B.P., Kumar, P.A. (2019). Studies on root anatomy, morphology and physiology of rice grown under aerobic and anaerobic conditions, *Physiology and Molecular Biology of Plants*, 25(1), 197-205. doi. <https://dx.doi.org/10.1007%2Fs12298-018-0599-z>.
- Pitaloka, M.K., Caine, R.S., Hepworth, C., Harrison, E.L., Sloan, J., Chutteang, C., Phutong, C., Nongngok, R., Toojinda, T., Ruengpayak, S., Arikrit, S., Gray, J.E., Vanavichit, A. (2011). Induced genetic variations in stomatal density and size of rice strongly affect water-use efficiency drought tolerance and responses to abiotic stresses, *Research Square*, <https://doi.org/10.21203/rs.3.rs-655388/v1>
- Pockman, W.T., Sperry, J.S & O' Leary, J.W. (1995). Sustained and significant negative water pressure in xylem, *New Phytologist*, 85: 489-494.
- Pradhan, A. K., Shandilya, Z. M., Lahkar, L., Hasnu, S., Kalita, J., Borgohain, D., Tanti, B. (2019). *Comparative Metabolomics Approach Towards Understanding Chemical Variation in Rice Under Abiotic Stress*. *Advances in Rice Research for Abiotic Stress Tolerance*, 537–550.
- Purnomo & Purnamawati, H. (2007). *Budidaya 8 Jenis Tanaman Pangan Unggul*. Penebar Swadaya. Jakarta. Hal. 10-12.
- Quartacci, M.F., Glisic, O., Steranovic, B., Navarri-Izzo, F. (2002). Plasma membrane lipids in the resurrection plants *Ramonda serbica* following dehydration and rehydration, *Journal of Experimental Botany*, 53: 2159-2166.
- Quiring, S. (2015). Hydrology, Floods, and Droughts. *Drought. Encyclopedia of Atmospheric Sciences*, 193–200. doi:10.1016/b978-0-12-382225-3.00037-2
- Ranathunge, K., Steudle, E., & Lafitte, R. (2003). Control of water uptake by rice (*Oryza sativa* L.): role of the outer part of the root, *Planta*, 217, 193-205.
- Rauf, S & Sadaqat, H.A. (2007). Effects of varied water regimes on root length, dry matter partitioning and endogenous plant growth regulators in sunflower (*Helianthus annuus* L.), *Journal of Plant Interactions*, 2(1): 41-51. Doi. 10.1080/17429140701422512.

- Rebouillat, J., Dievart, A., Verdeil, J.L., Escoute, J., Giese, G., Breitler, J.C., Espeout, S., Guiderdoni, E., Périn, C. (2008). Molecular genetics of rice root development, *Rice*, 2, 15-34.
- Richards, R.A., Condon, A.G & Rebetzke, G.J. (2001). Traits to improve yield in dry condition environment. In *Application of Physiology in Wheat Breeding*: Reynolds, M.P., Ortiz-Monasterio, J.L., McNab, A. Eds. El Batan Mexico. CIMMYT: 80-100.
- Ruzin SE. (1999). Plant microtechnique and microscopy. Oxford University Press, New York (NY)
- Ryser, P. (2006). The mysterious root length, *Plant ans Soil*, 286: 1-6.
- Sa'adah, I. R., Supriyanta., & Subejo. (2013). Keragaman warna gabah dan warna beras varietas lokal padi beras hitam (*Oryza sativa* L.) yang dibudidayakan oleh petani kabupaten Sleman, Bantul dan Magelang, *Vegetalika*, 2(3), 13-20.
- Sage, T.L & Sage, R.F. (2009). The functional anatomy of rice leaves: implications for refixation of photorespiratory CO₂ and efforts to engineer C₄ photosynthesis into rice, *Plant Cell Physiology*, 50: 756-772.
- Sack, L & Scoffoni, C. (2013). Leaf venation: structure, function, development, evolution, ecology, and applications in the past, present and future, *New Phytologist*, 198: 983-1000.
- Saha, S., Begum, H.H & Nasrin, S. (2019). Effect of drought stress on growth and accumulation of proline in five rice varieties (*Oryza sativa* L.), *Journal of the Asiatic Society of Bangladesh, Science*, 45(2): 241-247.
- Saleem, M., Lamkemeyer, T., Schützenmeister, M.T., Sakai, H., Piepho, H.P., Nordheim, A., Hochholdinge, F. (2010). Specification of cortical parenchyma and stele of maize primary roots by asymmetric levels of auxin, cytokinin, and cytokinin-regulated proteins, *Plant Physiology*, 152: 4-18.
- Salisbury, F.B & Ross, C.W. (1992). *Plant Physiology*. Belmont. Wardsworth Publishing Company.
- Salsinha, Y.C.S., Indradewa, D., Purwestri, Y.A., Rachmawati, D. (2019). Selection od drought-tolerant local rice cultivars from East Nusa Tenggara, Indonesia during vegetatice stage, *BIODIVERSITAS*, 21(1), 170-178. DOI: 10.13057/biodiv/d210122.
- Salsinha., Y.S.F., Maryani, Indradewa, D., Purwestri, Y.A., Rachmawati, D. (2020). Morphological anad anatomical characteristics of Indonesian rice roots from East Nusa Tenggara contribute to drought tolerance, *Asian Journal Agriculture & Biology*.Doi. 10.35495/ajab.2020.050304.
- Salsinha, Y.C.F., Maryani, Indradewa, D., Purwestri, Y.A., Rachmawati, D. (2020). Leaf physisiological and anatomical characters contribute to drought tolerance of Nusa Tenggara Timur local rice cultivars, *Journal of Crop Science and Biotechnology*, 24: 337-348.
- Sammons, D.J., Peters, D.B & Hymowitz. 1970. Screening soybeans for drought resistance. II. Dorught box procedure, *Crop Science*, 19: 719-722.
- Sánchez-Blanco, M.J., Alvarez, S., Navarro, A., Bãnon, S. (2009). Changes in leaf water realtions, gas exchange, growth and flowering quality in potted

- geranium plants irrigated with different water regimes, *Journal of Plant Physiology*, 166: 467-476.
- Schonfeld, M.A., Johnson, R.C., Carver, B.F., Mornhinweg, D.W. (1988). Water relations in winter wheat as rough resistance indicators, *Crop Science*, 28(3): 526-531.
- Schuppler, U., He, P.H., John, P.C.L., Muuns, R. (1998). Effect of water stress on cell division and cell division cycle 2-like-cell-cycle kinase activity in wheat leaves, *Plant Physiology*, 177: 667-678.
- Seago, J.L. Jr., Marsh, L.C., Stevens, K. J., Soukup, A., Votrubova, O., Enstone, D. E. (2005). A Re-examination of The Root Cortex in Wetland Flowering Plant with Respect to Aerenchyma, *Annals of Botany*, 96, 565-579.
- Sebastian, A. (2019). Ekspresi Gen Kekeringan *OsDREB1A* dan *OsNAC6* pada Padi Lokal Berpigmen di Indonesia. *Skripsi*. Fakultas Biologi. Universitas Gadjah Mada.
- Sevanto, S., Ryan, M.G., Dickman, L.T, Derome, D., Patera, A., Defraeye, T., Pangle, R.E., Hudson, P.J., Pockaman, W.T. (2018). Is desiccation tolerance and avoidance reflected in xylem and phloem anatomy of two co-existing arid-zone coniferous trees?, *Plant Cell and Environment*, 41, 1551-1564.
- Sevanto, S. (2019). Methods for assessing the role of phloem transport in plant stress responses. In: Johannes Liesche (Ed),, *Phloem: Methods and Protocols, Methods in Molecular Biology*, vol 2014. https://doi.org/10.1007/978-1-4939-9562-2_25, pp: 311 – 336. Springer Science + Business Media, LLC, Springer Nature
- Sharif, M.K., Butt, M.S., Anjum, F.M., Khan, S.H. (2014). Rice bran: a novel functional ingredient. *Critical Reviews in Food Science and Nutrition*, 54(6), 807-816.
- Sharma, A. & Zheng, B. (2019). Melatonin mediated regulation of drought stress: Physiological and molecular aspects, *Plants*, 8, 190.
- Shehzadi, A., Akram, N.A., Ali, A., Ashraf, M. (2018). Exogenously applied glycinebetaine induced alteration in some key physio-biochemical attributes and plant anatomical features in water stressed oat (*Avena sativa* L.) plants, *Journal Arid Land*. DOI. <https://doi.org/10.1007/s40333-019-0007-8>.
- Sibounheuang, V., Basnayake, J & Fukai, S. (2006). Genotypic consistency in the expression of leaf water potential in rice (*Oryza sativa* L.), *Field Crops Research*, 97: 142-154.
- Silva, S., Soares, A.M., Oliveira, L.E.M., Magalhães, P.C. (2011). Respostas fisiológicas de gramíneas promissoras para revegetação ciliar de reservatórios hidrolétricos, submetidas à deficiência hídrica, *Ciência Agrotécnica*, 25: 124-133.
- Singh, A., Shamim, M., & Singh, K.N. (2013). Genotypic variation in root anatomy, starch accumulation, and protein induction in upland rice (*Oryza sativa* L.) varieties under water stress, *Agriculture Research Springer*, 2(1), 24-30.
- Smillie, I.R., Pyke, K.A & Murchie, E.H. (2012). Variation in vein density and mesophyll cell architecture in a rice deletion mutant population, *Journal of Experimental Botany*, 63: 4563-4570. Pmid: 22685308. Smith, K., Ball, T.,

- Conen, F., Dobbie, K., Massherder, J., Rey, A. (2003). Exchange of greenhouse gases between soil and atmosphere: Interactions of soil physical factors and biological processes, *European Journal Soil Science*, 54: 779-791.
- Song, L., Jin, J & He, J. (2019). Effect of severe water stress on maize growth processes in the field, *Sustainability*, 11: 5086. Doi. 10.3390/su11185086.
- Sorrentino, G., Haworth, M., Wahbi, S., Mahmood, T., Zuomin, S., Centritto, M. (2016). Absisic acid induced rapid reductions in mesophyll conductances to carbon dioxide, *Plos One*, 11. Doi. 10.11371/journal.pone.0148554.
- Spence, U., Muschak, M., Berger, D., Altamann, T. (2003). Photosynthetic performance of an *Arabidopsis* mutant with elevated stomatal density (*sdd-1*) under different light regimes, *Journal of Experimental Botany*, 54: 867-874.
- Steudle, E. (2000). Water uptake by roots: effect of water deficit, *Journal of Experimental Botany*, 51, 1531-1542.
- Subbaiah, C.C & Sachs, M.M. (2003). Molecular and cellular adaptations of maize to flooding stress, *Annual Botany (Lond)*, 9, 119-127.
- Sun, S., Liu, L & Yang, S. (2015). Research on the effects of water stress on growth traits and water use efficiency of winter wheat, *MATEC Web of Conferences*, 25. Doi. 10.1051/mateconf/20152501010.
- Sutikno. (2014). *Petunjuk praktikum mikroteknik tumbuhan*. Fakultas Biologi. Universitas Gadjah Mada. Yogyakarta, 7-8.
- Tabaei-Aghdai, S., Harrison & Pearee, R.S (2000). Expression of dehydration stress related genes in crown of wheat, grass species having contrasting acclimation to salt, cold and drought, *Plan Cell Environment*, 23: 561-571.
- Taratima, W., Ritmaha, T., Jongrungklang, N., Maneerattananarungroj., Kunpratum, N. (2020). Effect of stress on the leaf anatomy of sugarcane cultivars with different drought tolerance (*Saccharum officinarum* L, Poaceae), *Revista de Biologia Tropical*, 68(4): 1159-1170.
- Taylor, H.M & Klepper, B. (1973). Rooting density and water extraction patterns for corn (*Zea mays* L.), *Agronomy Journal*, 65: 965-968.
- Taylor, H.M. (1980). Modifying root systems of cotton and soybean. In *Adaptation of Plant to Water and High Temperature Stress*; Turner, N.C., Kramer, P.J., Eds; New York. Wiley-Interscience. 75-84.
- Thomas, D.S., Montagu, K.D., Conroy, J.P. (2004). Changes in wood density of *Eucalyptus camaldulensis* due to temperature-the physiological link between water viscosity and wood anatomy, *Forest Eco Manag*, 193: 157-165.
- Tombesi, S., Nardini, A., Frioni, T., Soccolini, M., Zadra, C., Farinelli, D., Poni, S., Palliotti, A. (2015). Stomatal closure is induced by hydraulic signals and maintained by ABA in drought-stressed grapevine, *Scientific Reports*, 5:12449, 1-12. DOI: 10.1038/srep12449.
- Trafoe, S.B., Carlson, R.E & Pilcher, C.D. (2000). Rice M.E.Bt and Non-Bt Maize growth and development as affected by temperature and drought stress, *Agronomy Journal*, 92: 1027.

- Tyree, M.T., Davis, S & Cochard, H. (1994). Biophysical perspectives of xylem evolution- Is there a tradeoff of hydraulic efficiency for vulnerability to dysfunction, *IWA Journal*, 15(4): 335-360.
- Udomprasert, N. (2015). *Plant Stress Physiology*. Bangkok, Thailand. Chulalongkorn University Press.
- Ueno, O., Kawano, Y., Wakayawa, M., Takeda, T. (2006). Leaf vascular systems in C3 and C4 grasses: a two-dimensional analysis, *Annals of Botany*, 97: 611-621.
- Uga, Y., Kitomi, Y., Ishikawa, S., Yano, M. (2015). Genetic improvement for root growth angle to enhance crop production, *Breeding Science*, 65: 111-119.
- USA Rice. How rice grows. <https://www.usarice.com/thinkrice/discover-us-rice/how-rice-grows>
- Utama, Z.H. (2015). *Budidaya Padi pada Lahan Marginal Kiat Meningkatkan Produksi Padi*. CV. Andi Offset. Yogyakarta, 2-7.
- Verma, K.K., Song Xiu-Peng, Zeng Y., Li Dong-Mei, Gui Dao-Jun., Rajput, V.D., Chen, Gan-Lin., Barakhov, A., Minkina, T.M., Li, Yang-Rui. (2020). Characteristics of leaf stomata and their relationship with photosynthesis in *Saccharum officinarum* under drought and silicon application, *ACS omega*, 5(37), 24145-24153.
- Wang, Y., Chen, Xi & Xiang, Cheng-Bin. (2007). Stomatal Density and Bio-water saving, *Journal of Integrative Plant Biology*, 49(10): 1435-1444.
- Wang, G-B & Cao, F-L. (2012). Formation and function of aerenchyma in lily (*Taxodium distichum* (L.) Rich) and Chinese tallow tree (*Sapium sebiferum* (L.) Roxb.) under flooding, *South African Journal of Botany*, 81: 71-78.
- Wasson, A.P., Richards, R.A., Chatrath, R., Misra, S.C., Prasad, S.V., Rebetzke, G.J., Kirkegaard, J.A., Christopher, J., Watt, M. (2012). Traits and selection strategies to improve root systems and water uptake in water-limited wheat crops, *Journal of Experimental Botany*, 63: 3485-3498. doi. 10.1093/jxb/ers111.?
- Whitlow, T.H., Bassuk, N.L., Ranney, T.G., Reichert, D.L. (1992). An improved methods for using electrolyte leakage to assess membrane competence in plant tissue, *Plant Physiology*, 98: 198-205.
- Widyawati, P. S., Suteja, A. M., Suseno, T. I. P., Monika, P., Saputrajaya, W., Liguori, C. (2014). Pengaruh perbedaan warna pigmen beras organik terhadap aktivitas antioksidan, *Agrotech*, 34(4), 399-407.
- Wijenwardana, C., Alsajri, E.A., Irby, J.T., Krutz, L.J., Golden, B.R., Henry, W.B., Reddy, K.R. (2019). Water deficit effects on soybean root morphology and early-season vigor, *Agronomy*, 9: 836. Doi. 10.3390/agronomy9120836.
- Williams, M., Oliver, M & Pallardy, S. (2014). Water Relations 1: Uptake and Transport. Teaching tools in plant biology: Lecture notes, *Plant Cell*. DOI. 10.1105/tpc.114.tt0114.
- Wong, S.C., Cowan, I.R & Farquhar, G.D. (1979). Stomatal conductance correlates with photosynthesis capacity, *Nature*, 282: 424-426. Doi. 10.1038/282424a0.



- Xu, Z & Zhou, G. (2008). Responses of leaf stomatal density to water status and its relationships with photosynthesis in a grass, *Journal of Experimental Botany*, 59(12), 3317-3325.
- Yamane, K., Hayakawa, K., Taniguchi, M., Miyaki, H. (2003). Bundle sheath chloroplast of rice are more sensitive to drought stress than mesophyll chloroplast, *Journal of Plant Physiology*, 160: 1319-1327.
- Yamane, K., Mitsuya, S., Taniguchi, M., Miyake, H. (2012). alt-induced chloroplast protrusion is the process of exclusion of ribulose-1,5-bisphosphate carboxylase/oxygenase from chloroplasts into cytoplasm in leaves of rice, *Plant Cell Environment*, 35: 1663-1671.
- Yang, C., Zhang, X., Li, J., Bao, M., Ni, D., Seago, J.L. (2014). Anatomy and histochemistry of roots and shoots in wild type (*Zizania latifolia* Griseb).
- Yoshida, S. (1981). *Fundamental of Rice Crop Science*. International Rice Research Institute. Filipina, 1-26.
- You, J & Chan, Z. (2015). ROS regulation during abiotic stress responses in crop plants, *Frontiers in Plant Science*, 6(1092): 1-15, *Journal of Botany*, 1:20-26.
- Zain, N.A.M., Ismail, M.R., Puteh, A., Mahmood, M., Islam, M.R. (2014). Impact of cyclic water stress on growth, physiological responses and yield of rice (*Oryza sativa* L.) grown in tropical environment, *Ciencia Rural Santa Maria*, 44(12), 2136-2141. <http://dx.doi.org/10.1590/0103-8478cr20131154>.
- Zagoto, A.D.P.Z & Violita, V. 2019. Leaf anatomical modification in drought of rice varieties (*Oryza sativa* L.), *EKSAKTA*, 20(2), 42-53. E-ISSN:2549-7464, P-ISSN: 1411-3724.
- Zeiger, E., Farquhar, G.D & Cowan, I.R. (1987). *Stomatal function*. Stanford, California. Stanford University Press.
- Zhang, Y.B., Wang, D., Wu, T., Yang, Y.Z., Yan, L., Tang, D.Y., Zhao, X.Y., Zhu, Y.H., Lin, J.Z., Liu, X.M. (2018). LRRK1, a receptor-like cytoplasmic kinase, regulates leaf rolling through modulating bulliform cell development in rice, *Molecular Breeding*, 38(5):48.
- Zhao, W., Sun, Y., Kjellgren, R., Liu, X. (2015). Response of stomatal density and bound gas exchange in leaves of maize to soil water deficit, *Acta Physiology Plant*, 37: 1704. Doi. 10.1007/S11738-014-8.
- Zimmermann, U., Meinzer, F., Bentrup, F.W. (1995). How does water ascend in tall trees and other vascular plants?, *Annals of Botany*, 76: 545-551.