

DAFTAR PUSTAKA

- Afkhami S., “Transition in a numerical model of contact line dynamics and forced dewetting,” *J. Comput. Phys.*, vol. 374, pp. 1061–1093, 2018, doi: 10.1016/j.jcp.2018.06.078.
- Al-Sharafi, A. *et al.* (2018) ‘A Water Droplet Pinning and Heat Transfer Characteristics on an Inclined Hydrophobic Surface’, *Scientific Reports*. Springer US, 8(1), pp. 1–20. doi: 10.1038/s41598-018-21511-w.
- Bernardin, J. D. *et al.* (1997) ‘Contact angle temperature dependence for water droplets on practical aluminum surfaces’, *International Journal of Heat and Mass Transfer*, 40(5), pp. 1017–1033. doi: 10.1016/0017-9310(96)00184-6.
- Bernardin, J. D., Stebbins, C. J. and Mudawar, I. (1997) ‘Mapping of impact and heat transfer regimes of water drops impinging on a polished surface’, *International Journal of Heat and Mass Transfer*, 40(2), pp. 247–267. doi: 10.1016/0017-9310(96)00119-6.
- Chame, A., and Pierre-Louis, O., “Modeling dewetting of ultra-thin solid films,” *Comptes Rendus Phys.*, vol. 14, no. 7, pp. 553–563, 2013, doi: 10.1016/j.crhy.2013.06.004.
- Chen, L., Q. Kang, Y. Mu, Y. L. He, and W. Q. Tao (2014) ‘A critical review of the pseudopotential multiphase lattice Boltzmann model: Methods and applications’, *International Journal of Heat and Mass Transfer*. Elsevier Ltd, 76, pp. 210–236. doi: 10.1016/j.ijheatmasstransfer.2014.04.032.
- Connington, K., and Lee, T. , “A Review of Spurious Currents in the Lattice Boltzmann Method for Multiphase Flows,” no. December, 2012, doi: 10.1007/s12206-012-1011-5.
- Cui, Z., Yin, L., Wang, Q., Ding, J., and Chen, Q., “Journal of Colloid and Interface Science A facile dip-coating process for preparing highly durable superhydrophobic surface with multi-scale structures on paint films,” *J. Colloid Interface Sci.*, vol. 337, no. 2, pp. 531–537, 2009, doi: 10.1016/j.jcis.2009.05.061.
- Ding, H., Spelt, P. D. M. and Shu, C. (2007) ‘Diffuse interface model for incompressible two-phase flows with large density ratios’, *Journal of Computational Physics*, 226(2), pp. 2078–2095. doi: 10.1016/j.jcp.2007.06.028.
- Edwards, A. M. J., Ledesma-Aguilar, R. Newton, M. I., Brown, C. V., and McHale, G., “Not spreading in reverse: The dewetting of a liquid film into a single drop,” *Sci. Adv.*, vol. 2, no. 9, pp. 1–11, 2016, doi: 10.1126/sciadv.1600183.
- Ellinas, K., Tserepi, A., and Gogolides, E., “From Superamphiphobic to Amphiphilic Polymeric Surfaces with Ordered Hierarchical Roughness Fabricated with Colloidal Lithography and Plasma Nanotexturing,” pp. 3960–3969, 2011.
- Fallah Kharmiani, S., Passandideh-Fard, M. and Niazmand, H. (2016) ‘Simulation of a single droplet impact onto a thin liquid film using the lattice Boltzmann method’, *Journal of Molecular Liquids*. Elsevier B.V., 222, pp. 1172–1182. doi: 10.1016/j.molliq.2016.07.092.

Finn, R. (2006) 'The contact angle in capillarity', *Physics of Fluids*, 18(4). doi: 10.1063/1.2185655.

Ghia, U., Ghia, K. N. and Shin, C. T. (1982) 'High-Re Solutions for Incompressible Using the Navier-Stokes Equations Multigrid Method * Flow and a', *Journal of Computational Physics*, 411, pp. 387–411.

Guermond, J. L. and Quartapelle, L. (2000) 'A Projection FEM for Variable Density Incompressible Flows', *Journal of Computational Physics*, 165(1), pp. 167–188. doi: 10.1006/jcph.2000.6609.

He, X. *et al.* (1999) 'On the three-dimensional Rayleigh – Taylor instability On the three-dimensional Rayleigh – Taylor instability', 1143. doi: 10.1063/1.869984.

Huang, H., Sukop, M., and Lu, X., *Multiphase Lattice Boltzmann Methods Theory and Application*, vol. 1. 2015.

Kang, Q., Zhang, D. and Chen, S. (2002) 'Displacement of a two-dimensional *immiscible* droplet in a channel', *Physics of Fluids*, 14(9), pp. 3203–3214. doi: 10.1063/1.1499125.

Kim, T., and Kim, W., "Viscous dewetting of metastable liquid films on substrates with microgrooves," *J. Colloid Interface Sci.*, vol. 520, pp. 11–18, 2018, doi: 10.1016/j.jcis.2018.02.073.

Kruger, T., Kusumaatmaja, H., Kuzmin, A., Shardt, O., Goncalo, S. and Viggen, E. M., *The lattice boltzmann method, principles and practice*, no. 207. 2017.

Kull, H. J. *et al.* (1991) 'THEORY OF THE R A Y L E I G H - T A Y L O R INSTABILITY', *Physics Reports*, 5.

Lee, H. G., Kim, K. and Kim, J. (2011) 'On the long time simulation of the Rayleigh-Taylor instability', *International Journal for Numerical Methods in Engineering*, 85(13), pp. 1633–1647. doi: 10.1002/nme.3034.

Li, Q. and Luo, K. H. (2014) 'Thermodynamic consistency of the pseudopotential lattice Boltzmann model for simulating liquid-vapor flows', *Applied Thermal Engineering*, 72(1), pp. 56–61. doi: 10.1016/j.applthermaleng.2014.03.030.

Liang, G. *et al.* (2016) 'Contact vaporization of an impacting drop on heated surfaces', *Experimental Thermal and Fluid Science*. Elsevier Inc., 74, pp. 73–80. doi: 10.1016/j.expthermflusci.2015.11.027.

Liang, G. and Mudawar, I. (2017a) 'Review of drop impact on heated walls', *International Journal of Heat and Mass Transfer*, 106, pp. 103–126. doi: 10.1016/j.ijheatmasstransfer.2016.10.031.

Liang, G. and Mudawar, I. (2017b) 'Review of *spray* cooling – Part 1: Single-phase and nucleate boiling regimes, and critical heat flux', *International Journal of Heat and Mass Transfer*.

Elsevier Ltd, 115, pp. 1174–1205. doi: 10.1016/j.ijheatmasstransfer.2017.06.029.

Lu, G., Lin, L., Hui, S., Wang, S. L., Wang, X.D., and Lee, D. J., “Dewetting kinetics of metallic liquid films: Competition between unbalanced Young’s force and dissolutive reaction,” *Chem. Phys. Lett.*, vol. 687, pp. 91–95, 2017, doi: 10.1016/j.cplett.2017.09.009.

Manzello, S. L. and Yang, J. C. (2002) ‘On the collision dynamics of a water droplet containing an additive on a heated solid surface’, *Proceedings of the Royal Society A: Mathematical, Physical and Engineering Sciences*, 458(2026), pp. 2417–2444. doi: 10.1098/rspa.2002.0980.

di Marzo, M. (1989) ‘Evaporation of Water Droplet Deposited on a Hot High Thermal Conductivity Surface’, 111(February 1989), pp. 3–6.

Di Marzo, M. *et al.* (1993) ‘Evaporative cooling due to a gently deposited droplet’, *International Journal of Heat and Mass Transfer*, 36(17), pp. 4133–4139. doi: 10.1016/0017-9310(93)90075-H.

Mohammed, A. A. (2012) *Lattice Boltzmann Method: Fundamentals and Engineering Applications with Computer Codes*, *AIAA Journal*. doi: 10.2514/1.J051744.

Mousavi Tilehboni, S. E. *et al.* (2015) ‘Numerical simulation of droplet detachment from solid walls under gravity force using lattice Boltzmann method’, *Journal of Molecular Liquids*. Elsevier B.V., 212, pp. 544–556. doi: 10.1016/j.molliq.2015.10.007.

Nikolov, A., and Wasan, D., “Wetting-dewetting films: The role of structural forces,” *Adv. Colloid Interface Sci.*, vol. 206, pp. 207–221, 2014, doi: 10.1016/j.cis.2013.08.005.

Qi, D., Zhang, Z., Yu, X., and Zhang, Y. “Visualization of nanosecond laser-induced dewetting, ablation and crystallization processes in thin silicon films,” *Phys. Lett. Sect. A Gen. At. Solid State Phys.*, vol. 382, no. 23, pp. 1540–1544, 2018, doi: 10.1016/j.physleta.2018.04.014.

Qiao, Y. M. and Chandra, S. (1997) ‘Experiments on adding a surfactant to water drops boiling on a hot surface’, *Proceedings of the Royal Society A: Mathematical, Physical and Engineering Sciences*, 453(1959), pp. 673–689. doi: 10.1098/rspa.1997.0038.

Redon, C., Brochard-Wyart, F., and Rondelez, F., “PRL_Dynamics of Dewetting” *Phys. Rev. Lett.*, vol. 66, no. 6, 1991.

Seki, M. *et al.* (1978) ‘Transient Temperature Profile of a Hot wall due to an Impinging Liquid Droplet’, *Journal Heat Transfer*, 100(February 1978), pp. 167–169.

Shan, X. and Chen, H. (1993) ‘Lattice Boltzmann model for simulating flows with multi phases and components’, *Physical Review E*, 47(3), pp. 1815–1819. doi: 10.1103/PhysRevE.47.1815.

Sharp, D. . (1984) ‘An Overview of Rayleigh-taylor Instability’, *Physica 12D: Nonlinear Phenomena*, pp. 3–18.

Sivagurudassprakash, G. C. A. (2011) ‘*Immiscible Two Phase Flows Using Lattice Boltzmann Method*’, (June).

Son, S. *et al.* (2015) ‘Numerical study of gravity-driven droplet displacement on a surface using the pseudopotential multiphase lattice Boltzmann model with high density ratio’, *Computers and Fluids*. Elsevier Ltd, 117, pp. 42–53. doi: 10.1016/j.compfluid.2015.04.022.

Srinivasan, S., Chhatre, S. S., Mabry, J. M., Cohen, R. E. and McKinley, G. H., “Solution spraying of poly (methyl methacrylate) blends to fabricate microtextured , superoleophobic surfaces,” *Polymer (Guildf)*., vol. 52, no. 14, pp. 3209–3218, 2011, doi: 10.1016/j.polymer.2011.05.008.

Steele, A., Bayer, I., and Loth, E., “Inherently Superoleophobic Nanocomposite Coatings by Spray Atomization 2009,” pp. 3–7, 2009.

Tryggvason, G. (1988) ‘Numerical simulations of the Rayleigh-Taylor instability’, *Journal of Computational Physics*, 75(2), pp. 253–282. doi: 10.1016/0021-9991(88)90112-X.

Valipour Motlagh, N., Khani, R., and Rahnema, S., “Super dewetting surfaces: Focusing on their design and fabrication methods,” *Colloids Surfaces A Physicochem. Eng. Asp.*, vol. 484, no. 43, pp. 528–546, 2015, doi: 10.1016/j.colsurfa.2015.08.037.

Waddell, J. T., Niederhaus, C. E. and Jacobs, J. W. (2001) ‘Experimental study of Rayleigh-Taylor instability: Low atwood number liquid systems with single-mode perturbations’, *Physics of Fluids*, 13(5), pp. 1263–1273. doi: 10.1063/1.1359762.

Wahid, H. *et al.* (2017) *Prestasi kecekapan pengurusan kewangan dan agihan zakat: perbandingan antara majlis agama islam negeri di Malaysia*, *Jurnal Ekonomi Malaysia*. doi: 10.1017/CBO9781107415324.004.

Xu, A. *et al.* (2015) ‘A three-dimensional pseudo-potential-based lattice Boltzmann model for multiphase flows with large density ratio and variable surface tension’, *International Journal of Heat and Fluid Flow*, 56, pp. 261–271. doi: 10.1016/j.ijheatfluidflow.2015.08.001.

Yuan, P. and Schaefer, L. (2006) ‘Equations of state in a lattice Boltzmann model’, *Physics of Fluids*, 18(4). doi: 10.1063/1.2187070.

Yuan, Z., Xiao, J. and Wang, C. “Preparation of a superamphiphobic surface on a common cast iron substrate,” vol. 8, no. 6, pp. 773–777, 2011, doi: 10.1007/s11998-011-9365-7.

Zhou, S., Zheng, H., Li, G., Liu, J., and Liu, S., “Formation of controllable polymer micro-patterns through liquid film electro-dewetting,” *Appl. Surf. Sci.*, vol. 436, pp. 839–845, 2018, doi: 10.1016/j.apsusc.2017.12.070.

Zhou, Y. (2017) ‘Rayleigh–Taylor and Richtmyer–Meshkov instability induced flow, turbulence, and mixing. I’, *Physics Reports*. Elsevier B.V., 720–722, pp. 1–136. doi: 10.1016/j.physrep.2017.07.005.