

## DAFTAR PUSTAKA

Abe, M. *et al.* (2017) 'Effect of dialyzer membrane materials on survival in chronic hemodialysis patients : Results from the annual survey of the Japanese Nationwide Dialysis Registry', *PLOS ONE*, 12, pp. 1–18.

Adas, H. *et al.* (2014) 'Assessment of adequacy of hemodialysis dose at a Palestinian hospital.', *Saudi journal of kidney diseases and transplantation : an official publication of the Saudi Center for Organ Transplantation, Saudi Arabia*, 25(2), pp. 438–442. doi: 10.4103/1319-2442.128615.

Agar, J. W. M. (2016) 'Personal viewpoint: Limiting maximum ultrafiltration rate as a potential new measure of dialysis adequacy', *Hemodialysis International*, 20(1), pp. 15–21. doi: 10.1111/hdi.12288.

Aggarwal, H. K. *et al.* (2012) 'Effect of Dialyser Reuse on the Efficacy of Haemodialysis in Patients of Chronic Kidney Disease in Developing World', *JIMSA*, 25(2), pp. 81–83. Available at: <https://www.researchgate.net/publication/271839557>.

Anees, M. *et al.* (2014) 'Demographic factors affecting quality of life of hemodialysis patients', *Pakistan Journal of Medical Sciences*, 30(5). doi: 10.12669/pjms.305.5239.

Arbor Research Collaborative for Health (2021) *DOPPS Practice Monitor*. Available at: <https://www.dopps.org/DPM/DPMSlideBrowser.aspx>.

Argyropoulos, C. *et al.* (2015) 'Dialyzer reuse and outcomes of high flux dialysis', *PLoS ONE*, 10(6), pp. 1–23. doi: 10.1371/journal.pone.0129575.

Arif S. N, S., Hartono, R. and Indriyawati, N. (2012) ‘Quick Blood Volume (Qb) and Ultra Filtration Ureum at Haemodialysis Patient’, *Jurnal Riset Kesehatan*, 1(2).

Armelia, L. (2015) ‘Efektifitas pemakaian ulang ginjal buatan The effectiveness of dialyzer reuse’. Available at: <file:///C:/Users/Hp/Downloads/238-452-1-SM.pdf>.

Aslam, S. (2019) *Understanding Dialyzer Types*, *Fresenius Medical Care*. Available at: <https://fmcna.com/insights/education/Understanding-Dialyzer-Types/> (Accessed: 25 January 2021).

Association for the Advancement of Medical Instrumentation (2008) *AAMI Recommended Practice Reprocessing of Hemodialyzers ANSI/AAMI RD47:2008*. Arlington: Association for the Advancement of Medical Instrumentation. Available at: [www.aami.org](http://www.aami.org).

Azar, A. T. (2009) *Increasing Dialysate Flow Rate Increases Dialyzer Urea Clearance and Dialysis Efficiency: an in Vivo Study*, *Saudi J Kidney Dis Transpl*. Available at: <http://www.sjkdt.org>.

Barzegar, H. *et al.* (2016) ‘Evaluation of dialysis adequacy in hemodialysis patients: A systematic review’, *Urology Journal*, 13(4), pp. 2744–2749. doi: 10.22037/uj.v13i4.3314.

Bawazir, A. *et al.* (2019) ‘The impact of reusable dialyzer membrane on end-stage renal disease patients’ Quality of life: A multicenter study in Jakarta, Indonesia’, *Saudi journal of kidney diseases and transplantation : an official publication of the Saudi Center for Organ Transplantation, Saudi Arabia*, 30(6), pp. 1285–1294. doi: 10.4103/1319-2442.275472.

Burton, J. O. *et al.* (2009a) ‘Hemodialysis-induced cardiac injury: Determinants and associated outcomes’, *Clinical Journal of the American Society of Nephrology*, 4(5), pp. 914–920. doi: 10.2215/CJN.03900808.

Burton, J. O. *et al.* (2009b) 'Hemodialysis-induced repetitive myocardial injury results in global and segmental reduction in systolic cardiac function', *Clinical Journal of the American Society of Nephrology*, 4(12), pp. 1925–1931. doi: 10.2215/CJN.04470709.

Chandrashekar, A., Ramakrishnan, S. and Rangarajan, D. (2014) 'Survival analysis of patients on maintenance hemodialysis', *Indian Journal of Nephrology*, 24(4), pp. 206–213. doi: 10.4103/0971-4065.132985.

Cheung, A. K. (1990) 'Biocompatibility of Hemodialysis Membranes', *Journal of the American Society of Nephrology*, 1(2), pp. 150–161.

Cheung, A. K. *et al.* (1999) *Effects of Hemodialyzer Reuse on Clearances of Urea and  $\beta$ 2-Microglobulin*. Available at: <https://www.researchgate.net/publication/279371979>.

Chou, J. A. and Kalantar-Zadeh, K. (2017) 'Volume Balance and Intradialytic Ultrafiltration Rate in the Hemodialysis Patient', *Current Heart Failure Reports*, 14(5), pp. 421–427. doi: 10.1007/s11897-017-0356-6.

Chuang, F. R. *et al.* (2009) 'A quality and Cost-benefit Analysis of Dialyzer Reuse in Hemodialysis Patients', *Renal Failure*, 30(5), pp. 521–526. doi: 10.1080/08860220802064747.

Creese, A. and Parker, D. (1994) *Cost analysis in primary health care, Geneva, Switzerland*. Available at: [http://cdrwww.who.int/entity/immunization\\_financing/data/methods/en/caphc\\_creese.pdf](http://cdrwww.who.int/entity/immunization_financing/data/methods/en/caphc_creese.pdf).

Dashti, A. *et al.* (2020) 'How to Increase Dialysis Adequacy; a Randomized Clinical Trial', *Journal of Nephropathology*, 9(1), pp. 1–7. doi:

10.15171/jnp.2020.09.

Dember, L. M. *et al.* (2019) 'The time trial: A fully embedded, cluster-randomized, pragmatic trial of hemodialysis session duration', *Journal of the American Society of Nephrology*, 30(5), pp. 890–903. doi: 10.1681/ASN.2018090945.

Denny, G. B. and Golper, T. A. (2014) 'Does hemodialyzer reuse have a place in current ESRD care: "To Be or Not To Be?"', *Seminars in Dialysis*, 27(3), pp.256–258. doi: 10.1111/sdi.12232.

Departemen Kesehatan RI (2008) *Pedoman Pelayanan Hemodialisis di Sarana Pelayanan Kesehatan*. Jakarta.

Dewi, I. G. A. P. A., Malawat, K. Y. and Hariyati, T. S. (2010) *Hubungan antara QB dengan Adekuasi Hemodialisis pada Pasien yang Menjalani Terapi Hemodialisis di Ruang HD BRSU Daerah Tabanan Bali, Universitas Indonesia*.

Dewi, N. M., Suprpti, B. and Widianai, I. (2015) 'Effect of Dialyzer Reuse upon Urea Reduction Ratio (URR), KT/V Urea and Serum Albumin in Regular Hemodialysis Patient', *Indonesian J. Pharm*, 26(3), pp. 166–170. doi: 10.14499/indonesianjpharm26iss3pp1.

Djamhari, Eka Afrina, dkk. (2020) *Defisit Jaminan Kesehatan Nasional ( JKN ) : Mengapa dan Bagaimana Mengatasinya ?*, Cetakan 1. Available at: <https://repository.theprakarsa.org/media/302060-defisit-jaminan-kesehatan-nasional-jkn-m-4c0ac9c6.pdf>.

Drummon, M. F. *et al.* (2015) *Methods for the economic evaluation of health care programmes*. 4th edn, OXFORD UNIVERSITY PRESS. 4th edn. Edited by M. F. Drummon. OXFORD UNIVERSITY PRESS. Available at: <https://books.google.co.id/books?hl=id&lr=&id=yzZSCwAAQBAJ&oi=fnd&pg=PP1&dq=Drummond+MF.+Methods+for+the+economic+evaluation+of+health+c>

are+programmes.+Oxford+University+Press%3B+2015.+&ots=\_bOdiB7oJL&sig  
=70OK4rfspb1lYo7nBonc9ZifYco&redir\_esc=y#v=onepage&.

Duong, T. Van *et al.* (2019) 'Mid-arm circumference, body fat, nutritional and inflammatory biomarkers, blood glucose, dialysis adequacy influence all-cause mortality in hemodialysis patients: A prospective cohort study', *Medicine*, 98(12), p. e14930. doi: 10.1097/MD.00000000000014930.

Edens, C. *et al.* (2016) 'Hemodialyzer Reuse and Gram-Negative Bloodstream Infections', *American Journal of Kidney Diseases*, 69(6), pp. 726–733. doi: 10.1053/j.ajkd.2016.09.022.

El-Sheikh, M. and El-Ghazaly, G. (2016) 'Assessment of hemodialysis adequacy in patients with chronic kidney disease in the hemodialysis unit at Tanta University Hospital in Egypt', *Indian Journal of Nephrology*, 26(6), pp. 398–404. doi: 10.4103/0971-4065.168141.

Eldehni, M. T. and McIntyre, C. W. (2012) 'Are there Neurological Consequences of Recurrent Intradialytic Hypotension?', *Seminars in Dialysis*, 25(3), pp. 253–256. doi: 10.1111/j.1525-139X.2012.01057.x.

Fatati, A. (2013) 'Korelasi antara Tinggi Badan dan Panjang Jari Tangan', *Departemen Antropologi FAkultas Ilmu Sosial dan Ilmu Politik*, pp. 40–44.

Flythe, J. E., Kimmel, S. E. and Brunelli, S. M. (2011) 'Rapid Fluid Removal during Dialysis is Associated with Cardiovascular Morbidity and Mortality', *Kidney International*, 79(2), pp. 250–257. doi: 10.1038/ki.2010.383.

Galvao, T. F. *et al.* (2012) 'Dialyzer Reuse and Mortality Risk in Patients with End-Stage Renal Disease: A Systematic Review', *American Journal of Nephrology*, 35(3), pp. 249–258. doi: 10.1159/000336532.

Gerasimoula, K. *et al.* (2015) 'Quality of Life in Hemodialysis Patients', *Mater Sociomed*, 27(5), pp. 305–309. doi: 10.5455/msm.2015.27.305-309.

Ghali, E. and Malik, A. (2012) 'Effect of Blood Flow Rate on Dialysis Adequacy in Al-Kadhimiya Teaching Hospital', *Iraqi J Med Sci*, 10(3), pp. 260–264.

Hamid, A. *et al.* (2019) 'Comparison of Adequacy of Dialysis between Single-use and Reused Hemodialyzers in Patients on Maintenance Hemodialysis', *Journal of the College of Physicians and Surgeon Pakistan*, 29(8), pp. 720–723.

Hong, W. pyo and Lee, Y. J. (2019) 'The association of dialysis adequacy, body mass index, and mortality among hemodialysis patients', *BMC Nephrology*, 20(1), pp. 1–8. doi: 10.1186/s12882-019-1570-0.

Hopkins, K. and Bakris, G. L. (2009) 'Hypertension Goals in Advanced-Stage Kidney Disease', *Clinical Journal of the American Society of Nephrology*, 4(SUPPL. 1), pp. 92–94. doi: 10.2215/CJN.04090609.

Hou, X. *et al.* (2016) 'Study on the Reusing of Dialyzer', *International Journal of Science*, 3(9), pp. 27–32.

James, P. A. *et al.* (2014) '2014 Evidence-based Guideline for the Management of High Blood Pressure in Adults: Report from The Panel Members Appointed to The Eighth Joint National Committee (JNC 8)', *JAMA - Journal of the American Medical Association*. American Medical Association, pp. 507–520. doi: 10.1001/jama.2013.284427.

Jefferies, H. J. *et al.* (2014) 'Circulating endotoxaemia and frequent haemodialysis schedules', *Nephron - Clinical Practice*, 128(1–2), pp. 141–146. doi: 10.1159/000366519.

Jha, V. (2004) 'End-stage renal care in developing countries: The India experience', *Renal Failure*, 26(3), pp. 201–208. doi: 10.1081/JDI-120039516.

Kashem, A. *et al.* (2003) 'Dialyzer reuse and its logical practice', *Bangladesh Renal Journal*, 22(1), pp. 9–12.

Kaur, G. *et al.* (2018) 'Cost of Hemodialysis in a Public Sector Tertiary Hospital of India', *Clinical Kidney Journal*, 11(5), pp. 726–733. doi: 10.1093/ckj/sfx152.

Kementrian Kesehatan RI (2019) *Hasil Riset Kesehatan Dasar Tahun 2018*, Kementrian Kesehatan RI.

Komite Penilaian Teknologi Kesehatan, K. K. R. (2017) *Buku Panduan Penilaian Teknologi Kesehatan Efektivitas Klinis Buku Panduan Penilaian Teknologi Kesehatan Efektivitas Klinis*. Jakarta.

Kuipers, J. *et al.* (2019) 'The Prevalence of Intradialytic Hypotension in Patients on Conventional Hemodialysis: A Systematic Review with Meta-Analysis', *American Journal of Nephrology*, 49(6), pp. 497–506. doi: 10.1159/000500877.

Lacson, E. and Lazarus, J. M. (2006) 'Dialyzer Best Practice: Single Use or Reuse?', *Seminars in Dialysis*, 19, pp. 120–128.

Lemeshow (1997) *Besar Sampel Dalam Penelitian Kesehatan*. Gadjah Mada University Press.

Marants, R. *et al.* (2016) 'Renal Perfusion Falls during Hemodialysis: An Explanation for the Loss of Residual Renal Function in Dialysis Patients', *Journal of the American Society of Nephrology*, 27(Supplement), p. 327A.

McIntyre, C. W. *et al.* (2011) ‘Circulating endotoxemia: A novel factor in systemic inflammation and cardiovascular disease in chronic kidney disease’, *Clinical Journal of the American Society of Nephrology*, 6(1), pp. 133–141. doi: 10.2215/CJN.04610510.

Menteri Kesehatan Republik Indonesia (2016) *PMK 76 tentang Pedoman Indonesian Case Based Groups (INA CBG's) dalam Pelaksanaan Jaminan Kesehatan Nasional*, Menteri Kesehatan Republik Indonesia.

Modi, G. K. and Jha, V. (2006) ‘The Incidence of End-Stage Renal Disease in India: A Population-based Study’, *Kidney International*, 70(12), pp. 2131–2133. doi: 10.1038/sj.ki.5001958.

Movahed, S. M. *et al.* (2007) ‘Assessment of Adequacy of Dialysis in Patients under Continuous Hemodialysis in Kamkar and Hazrat Vali Asr Hospitals, State of Qom, 2006’.

Mulyadi (2007) *Sistem Perencanaan dan Pengendalian Manajemen*. Jakarta: Salemba Empat.

National Kidney Foundation (2015) ‘KDOQI Clinical Practice Guideline for Hemodialysis Adequacy : 2015 Update’, in *American Journal of Kidney Diseases*. Minneapolis, pp. 884–930. doi: 10.1053/j.ajkd.2015.07.015.

Okazaki, M. *et al.* (2020) ‘Impact of old age on the association between in-center extended-hours hemodialysis and mortality in patients on incident hemodialysis’, *PLoS ONE*, 15(7 July), pp. 1–15. doi: 10.1371/journal.pone.0235900.

Perhimpunan Nefrologi Indonesia (2003) *Konsensus Dialisis*.

Perhimpunan Nefrologi Indonesia (2006) *Rekomendasi Pengendalian Virus*



*Hepatitis B, Virus Hepatitis C dan Human Immunodeficiency Virus/HIV pada Unit Hemodialisis di Indonesia.* I. Jakarta : Perhimpunan Nefrologi Indonesia.

Perhimpunan Nefrologi Indonesia (2011) *Konsensus Manajemen Anemia Pada Penyakit Ginjal Kronik.* Jakarta.

Perhimpunan Nefrologi Indonesia (2016) ‘Surat Pemakaian Dialiser Ulang nomor 310/PB PERNEFRI/X/2016’. Jakarta: Perhimpunan Nefrologi Indonesia, p. 1.

Perhimpunan Nefrologi Indonesia (2019) *11 th Report Of Indonesian Renal Registry 2018.* Edited by Afiatin and I. Widiyana. Jakarta: Perhimpunan Nefrologi Indonesia.

Poveda, V. *et al.* (2017) ‘Frailty in End-Stage Renal Disease Patients under Dialysis and Its Association with Clinical and Biochemical Markers’, *The Journal of frailty & aging*, 6(2), pp. 103–106. doi: 10.14283/jfa.2017.14.

Pratiwi, I. A. and Herlina, S. (2020) ‘Relationship Between Reuse Dialyzer With Adequacy of the Dialysis in Hemodialysis Patients at RSUD Pasar Minggu South of Jakarta’, in *Advance in Health Sciences Research*, pp. 54–59. doi: 10.2991/ahsr.k.201125.010.

Purnama, Y. I. *et al.* (2015) *Pemakaian Ulang Dialiser Tidak Berpengaruh Terhadap Nilai Urea Reduction Rate dan Kt/V pada Pasien Hemodialisis Kronik.* Denpasar.

Qureshi, R., Dhrolia, Murtaza F., *et al.* (2016) ‘Comparison of total direct cost of conventional single use and mechanical reuse of dialyzers in patients of end-stage renal disease on maintenance hemodialysis: A single center study’, *Saudi journal of kidney diseases and transplantation : an official publication of the Saudi Center for Organ Transplantation, Saudi Arabia*, 27(4), pp. 774–780. doi: 10.4103/1319-2442.185242.

Qureshi, R., Dhrolia, Murtaza F, *et al.* (2016) ‘Renal Data from Asia-Africa Comparison of Total Direct Cost of Conventional Single Use and Mechanical Reuse of Dialyzers in Patients of End-stage Renal Disease on Maintenance Hemodialysis: A Single Center Study’, *Saudi J Kidney Dis Transpl*, 27(4), pp. 774– 780. Available at: <http://www.sjkdt.org>.

Rafik, H., Aatif, T. and El Kabbaj, D. (2018) ‘The Impact of Blood Flow Rate on Dialysis Dose and Phosphate Removal in Hemodialysis Patients’, *Saudi journal of kidney diseases and transplantation : an official publication of the Saudi Center for Organ Transplantation, Saudi Arabia*, 29(4), pp. 872–878. doi: 10.4103/1319-2442.239654.

Rezaiee, O., Shahgholian, N. and Shahidi, S. (2016) ‘Assessment of hemodialysis adequacy and its relationship with individual and personal factors’, *Iranian Journal of Nursing and Midwifery Research*, 21(6), pp. 577–582. doi: 10.4103/1735-9066.197673.

Ricardo, A. C. *et al.* (2019) ‘Sex-related disparities in CKD progression’, *Journal of the American Society of Nephrology*, 30(1), pp. 137–146. doi: 10.1681/ASN.2018030296.

Saeedi, M., Zareie, F. and Javaheri, F. (2015) ‘The Assessment of Dialysis Adequacy and Its Related Factors Among Hemodialysis Patients’, *Research-Analytical Journal of Aligoodarz School of Nursing (Mendish)*, 6(3), pp. 23-31(persian). Available at: [http://ndhj.lums.ac.ir/browse.php?a\\_code=A-10-1-16&sid=1&slc\\_lang=fa](http://ndhj.lums.ac.ir/browse.php?a_code=A-10-1-16&sid=1&slc_lang=fa).

Sakhuja, V. and Sud, K. (2003) ‘End-stage renal disease in India and Pakistan: Burden of disease and management issues’, *Kidney International, Supplement*, 63(83), pp. 115–118. doi: 10.1046/j.1523-1755.63.s83.24.x.

Samakoosh, M. A. *et al.* (2013) 'Assesment Dialysis Adequacy in Hemodialysis Patients of Qaemshar Razi Hospital in 2012', *J Mazand Univ Med Sci*, 23(107), pp. 20–27.

Saran, R. *et al.* (2006) 'Response to 'Longer treatment time and slower ultrafiltration in hemodialysis: Associations with mortality in the Dialysis Outcomes and Practice Patterns Study [2]', *Kidney International*, 70(10), pp. 1877–1878. doi: 10.1038/sj.ki.5001829.

Shariati AR *et al.* (2012) 'Comparison of dialysis adequacy in patient's that referred to Golestan province hemodialysis centers', *Journal of Health Promotion Management*, 1(3), pp. 55–63. Available at: <https://www.sid.ir/en/Journal/ViewPaper.aspx?ID=276920>.

Somji, S. S., Ruggajo, P. and Moledina, S. (2020) 'Adequacy of Hemodialysis and Its Associated Factors among Patients Undergoing Chronic Hemodialysis in Dar es Salaam, Tanzania', *International Journal of Nephrology*, 2020. doi: 10.1155/2020/9863065.

Sukardi and Rofii, M. (2013) 'Pemakaian Dializer Reuse yang Layak Digunakan pada Pasien dengan Hemodialisa', *Jurnal Keperawatan Medikal Bedah*, 1(1), pp. 8–14. Available at: <http://jurnal.unimus.ac.id/index.php/JKMB/article/view/936>.

Surendra, N. K. *et al.* (2018) 'The Cost of Dialysis in Malaysia: Haemodialysis and Continuous Ambulatory Peritoneal Dialysis', *Malaysian Journal of Public Health Medicine*, 18(2), pp. 70–81.

Tayyebi, A. *et al.* (2012) 'The relationship between blood pressure and dialysis adequacy in dialysis patients', *Iranian Journal of Critical Care Nursing*, 5(1), pp. 49–52. Available at: <http://jccnursing.com/article-1-214-en.pdf>.

Twardowski, Z. J. (2006) 'Dialyzer Reuse — Part II: Advantages and

Disadvantages Dialyzer Reuse-Part II: Advantages and Disadvantages', *Seminars in Dialysis*, 19(May-June), pp. 217–226. doi: 10.1111/j.1525-139X.2006.00158.x.

U.S. Departemen of Health & Human Services (2019) *Chronic Kidney Disease (CKD) Surveillance System*. Available at: <https://nccd.cdc.gov/ckd/detail.aspx?Qnum=Q68&Strat=Year%2C+Gender#refreshPosition>.

Upadhyay, A. and Jaber, B. L. (2017) 'Reuse and Biocompatibility of Hemodialysis Membranes : Clinically Relevant ?', *Seminars in Dialysis*, 30(2), pp. 121–124. doi: 10.1111/sdi.12574.

Vanholder, R. *et al.* (2016) 'Cost of renal replacement : how to help as many as possible while keeping expenses reasonable ?', *Nephrol Dial Transplant*, (June 2015), pp. 1251–1261. doi: 10.1093/ndt/gfv233.

Wang, M. *et al.* (2018) 'Impact of residual kidney function on hemodialysis adequacy and patient survival', *Nephrology Dialysis Transplantation*, 33(10), pp. 1823–1831. doi: 10.1093/ndt/gfy060.

Winata, L. C. W. P., Putranto, W. and Fanani, M. (2017) 'Association between Hemodialysis Adequacy, Family Support, and Quality of Life in Chronic Renal Failure Patients', *Indonesian Journal of Medicine*, 02(01), pp. 63–72. doi: 10.26911/theijmed.2016.01.03.07.

Yulianto, D. and Basuki, H. (2017) 'Analisis Ketahanan Hidup Pasien Penyakit Ginjal Kronis Dengan Hemodialisis Di RSUD Dr. Soetomo Surabaya', *Jurnal Manajemen Kesehatan Yayasan RS.Dr. Soetomo*, 3(1), p. 96. doi: 10.29241/jmk.v3i1.92.