

DAFTAR PUSTAKA

- Adjamian, P., Hall, D. A., Palmer, A. R., Allan, T. W., & Langers, D. R., 2014. Neuroanatomical abnormalities in chronic tinnitus in the human brain. *Neuroscience & Biobehavioral Reviews*, 45 :119-133.
- Albert M, DeKosky ST, Dickson D, Dubois B. The diagnosis of mild cognitive impairment due to Alzheimer's disease: Recommendations from the National Institute on Aging-Alzheimer's Association workgroups on diagnostic guidelines for Alzheimer's disease. *Alzheimers Dement*. 2011;7(3):270-79.
- Aggarwal, B.B., Young-Joon Surh and Shishir Shishodia (2007). *The molecular targets and therapeutic uses of curcumin in health and disease*. New York: Springer.
- Aswani, T., Manalu, W., Suprayogi, A., & Rahminiwati, M. (2015). Potensi ekstrak pegagan (*Centella Asiatica*) dan kunyit (*Curcuma longa*) untuk meningkatkan aktivitas enzim glutathione peroksidase (GSH Px) pada jaringan hati tikus. *Berita Biologi*, 14(3), 259-265.
- Ballard, C., Rowan, E., Stephens, S., Kalaria, R., Kenny, R.A, 2003. Prospective follow up study between 3 and 15 months after stroke: Improvements and decline in cognitive function among dementia-free stroke survivors >75 years of age. *Stroke* ; 34:2440-2444.
- Basu, NK., 2004. Human UDP glucuronosyltransferase show atypical metabolism of mycopenolic acid and inhibition by curcumin. *Drug Metab Dispos*. Jul;32(7)768-73
- Ballard, C., Stephens, S., Kenny, R., Kalaria, R., Tovee, M. and O'Brien, J. (2003). Profile of Neuropsychological Deficits in Older Stroke Survivors without Dementia. *Dementia and Geriatric Cognitive Disorders*, 16(1), pp.52–56.
- Baum, L., Lam, C.W., Cheung, S.K., *et al*. 2008. Six-month randomized, placebo- controlled, double-blind, pilot clinical trial of curcumin in patients with Alzheimer disease. *J Clin Psychopharmacol*, 28(1):110-113.
- Baum, L. and Ng, A. (2004). Curcumin interaction with copper and iron suggests one possible mechanism of action in Alzheimer's disease animal models. *Journal of Alzheimer's Disease*, 6(4), pp.367–377.
- Belcaro, G., Cesarone, M.R., Dugall, M., *et al.*, 2010. Product-evaluation registry of Meriva(R), a curcumin-phosphatidylcholine complex, for the complementary management of osteoarthritis. *Panminerva Med*, 52(2):55-62.
- Birks, J.S. and Harvey, R.J. (2018). Donepezil for dementia due to Alzheimer's disease. *Cochrane Database of Systematic Reviews*.
- BPOM, 2014. Peraturan Kepala Badan Pengawasan Obat dan Makanan Republik Indonesia tentang Pedoman Uji Klinik Obat Herbal No 12 tahun 2014.
- BPOM. 2014. Peraturan kepala badan pengawas obat dan makanan Republik Indonesia Nomor 7 tahun 2014 Tentang Pedoman Uji Toksisitas Nonklinik secara in vivo.
- Brattstrom, L., Cuskelly, 1998. Homocysteine lowering trialist collaboration lowering blood homocysteine with folic acid based supplements: Metaanalysis of Randomised Trial. *British Medical Journal*; 316:984-

- Bruscoli M, Lovestone S. Is MCI really just early dementia? A systematic review of conversion studies. . *Int Psychogeriatr*. 2004;16(2):128-40.45.
- Cai, T., Mazzoli, S., Bechi, A., *et al.*, 2009. *Serenoa repens* associated with *urtica dioica* (ProstaMEV) and curcumin and quercetin (FlogMEV) extracts are able to improve the efficacy of prulifloxacin in bacterial prostatitis patients: results from a prospective randomised study. *Int J Antimicrob Agents*, 33(6):549-553.
- Chaldarov, G. N., Tonchev, A. B., & Aloe, L. (2009). NGF and BDNF: from nerves to adipose tissue, from neurokinins to metabokines. *Rivista di psichiatria*, 44(2), 79-87.
- Cole, G.M., Teter, B., Frautschy, S.A., 2007. Neuroprotective effects of curcumin, in: Aggarwal, B.B., Surh, Y.-J., Shishodia, S. (Eds.), *The Molecular Targets and Therapeutic Uses of Curcumin in Health and Disease: Advances in Experimental Medicine and Biology*. Springer US, Boston, MA, pp. 197–212. https://doi.org/10.1007/978-0-387-46401-5_8
- Citrome, L. and Ketter, T.A. (2013). When does a difference make a difference? Interpretation of number needed to treat, number needed to harm, and likelihood to be helped or harmed. *International Journal of Clinical Practice*, 67(5), pp.407– 411.
- Chaisawang, P., Sirichoat, A., Chaijaroonkhanarak, W., Pannangrong, W., Sripanidkulchai, B., Wigmore, P., & Welbat, J. U. (2017). Asiatic acid protects against cognitive deficits and reductions in cell proliferation and survival in the rat hippocampus caused by 5-fluorouracil chemotherapy. *PLoS One*, 12(7), e0180650.
- Chauhan, P.K., Singh, V., 2012. Acute and subacute toxicity study of the acetone leaf extract of *Centella asiatica* in experimental animal models. *Asian Pacific Journal of Tropical Biomedicine* : 511 – 513.
- Chivapat, S., Chavalittumrong, P., and Tantisira, M.H., 2011. Acute and sub-chronic toxicity studies of a standardized extract of *Centella asiatica* ECa 233. *Thai J Pharm Sci*, 35:55-64.
- Chauhan, P.K., Singh, V., 2012. Acute and subacute toxicity study of the acetone leaf extract of *Centella asiatica* in experimental animal models. *Asian Pacific Journal of Tropical Biomedicine* : 511 – 51.
- Clifford R. Jack Jr., et al. 2011. [Introduction to the recommendations from the National Institute on Aging-Alzheimer's Association workgroups on diagnostic guidelines for Alzheimer's disease](#). Cole, G. M., Teter, B., & Frautschy, S. A. (2007). Neuroprotective effects of curcumin. *The molecular targets and therapeutic uses of curcumin in health and disease*, 197-212.
- Cox, K.H.M., Pipingas, A., and Scholey, A.B. 2014. Investigation of the effects of solid lipid curcumin on cognition and mood in a healthy older population. *J of Psychopharmacology*, 29(5):642-651
- Craker, L.E. and Simon, J.E. (n.d.). *Herbs, spices, and medicinal plants*. New York ; London: Food Products Press
- Cravotto, G., Boffa, L., Genzini, L., 2010. Phytotherapeutics: an evaluation of the potential of 1000 plants. *J Clin Pharm Ther*; 35(1): 1365-2710.
- Cohen, S., 2000. The subacute stroke patient: preventing recurrent stroke. In *management of ischemic stroke*. New York; Mc Graw Hill; pp 89-109

- Dev, R. D. O., 2009. Comparison of cognitive effects of centella asiatica in healthy middle age female and male volunteers. *Ann Nutr Metab* 55: 174-176.
- Dev, R. D. O., Mohamed, S., Hambali, Z., & Samah, B. A. (2009). Comparison on cognitive effects of *Centella asiatica* in healthy middle age female and male volunteers. *European Journal of Scientific Research*, 31(4), 553-565.
- Deshpande, O.P., Mohan, V., and Thakurdesai, P., 2015. Preclinical safety assessment of standardized extract of *Centella asiatica* (L.) urban leaves. *Toxicol Int*, 22(1): 10 – 20.
- Dhanaasekaran, M., Holcomb, L.A., Hitt, A.R., Tarakan, B., Porter, J.W., Young, K.A., dan Manyam, B.V., 2009. *Centella asiatica* extract selectively decreases amyloid β levels in hippocampus of Alzheimer's disease animal model. *Phytother Res*, 23: 14- 19.
- Dhanaasekaran, S., Devi, R.S., Srikumar, R., Manikandan, S., and Tangaraj, R., 2007, Protective effect of tripala on cold stress induced behavioural and biochemical abnormalities in rats, *Yakugaku Zasshi*, 127 (11): 1863-67.
- Dichgans, M., Markus, H.S., Salloway, S. 2008. Donepezilin patients with subcortical vascular cognitive impairment; a randomized double blind trial in CADASIL. *Lancet Neurology*; 7:310-318.
- Dichgans, M. and Leys, D. (2017). Vascular Cognitive Impairment. *Circulation Research*, 120(3), pp.573–591.
- Dou, K.-X., Tan, M.-S., Tan, C.-C., Cao, X.-P., Hou, X.-H., Guo, Q.-H., Tan, L., Mok, V. and Yu, J.-T. (2018). Comparative safety and effectiveness of cholinesterase inhibitors and memantine for Alzheimer's disease: a network meta-analysis of 41 randomized controlled trials. *Alzheimer's Research & Therapy*, [online] 10(1). Available at: <https://alzres.biomedcentral.com/articles/10.1186/s13195-018-0457-9> [Accessed 3 Feb.2020].
- Dwi Cahyani, 2015. Efek Neurotrofik dan Neuroprotektif Ekstrak Etanol Daun Pegagan (*Centella Asiatica*) terhadap Gangguan Memori Spasial Pasca Stress Kronis. FKKMK: 2015.
- Ethan, M., Balk, M., D., Gowri, R., et al., 2007. Vitamin B6, B12 and folic acid supplementation and cognitive function: Systematic review of Randomized trials. *Arch Intern me*; 167:21-30.
- Farhana, K. M., Malueka, R. G., Wibowo, S., & Gofir, A. (2016). Effectiveness of Gotu Kola Extract 750 mg and 1000 mg Compared with Folic Acid 3 mg in Improving Vascular Cognitive Impairment after Stroke. Evidence-Based Complementary and Alternative Medicine, *Evidence-Based Complementary and Alternative Medicine*, 2016, 2016, e2795915. <http://doi.org/10.1155/2016/2795915>, 10.1155/2016/2795915.
- Frautschy, S.A., Hu, W., Kim, P., et al., 2001. Phenolic anti-inflammatory antioxidant reversal of Abeta-induced cognitive deficits and neuropathology. *Neurobiol Aging*; 22(6): 993-1005.
- Garcea, G., Berry, DP., Jones, DJ., Singh, R., Dennison, AR., et al., 2005. Consumption of the putative chemopreventive agent curcumin by cancer patients: assessment of curcumin levels in the colorectum and their pharmacodynamic consequences. *Cancer Epidemiol Biomarkers*

- Gavrilova, S. I., Preuss, U. W., Wong, J. W. M., Hoerr, R., Kaschel, R., Bachinskaya, N., & GIMCIPlus Study Group. (2014). Efficacy and safety of Ginkgo biloba extract EGb 761® in mild cognitive impairment with neuropsychiatric symptoms: a randomized, placebo-controlled, double-blind, multi-center trial. *International journal of geriatric psychiatry*, 29(10), 1087-1095.
- Gohil, K.J., Patel, J.A., Gajjar, A.K., 2010. Pharmacological review on *Centella asiatica*: Apotential herbal cure-all. *Indian J Pharm Sci*; 72(5): 546-556
- Gorelick, P.B., Scuteri, A., Black, S.E., 2011. Vascular contributions to cognitive impairment and dementia. *Stroke*;42(9):2672-2713.
- Gouaille, 1999. Focus on Homocystein. Springer-Verlag.telos,Sweden:10.1-6.
- Gray, N. E., Sampath, H., Zweig, J. A., Quinn, J. F., & Soumyanath, A. (2015). *Centella asiatica* attenuates amyloid- β -induced oxidative stress and mitochondrial dysfunction. *Journal of Alzheimer's Disease*, 45(3), 933-946.
- Griffanti, L., Wilcock, G.K., Voets, N., Bonifacio, G., Mackay, C.E., Jenkinson, M. and Zamboni, G. (2016). Donepezil Enhances Frontal Functional Connectivity in Alzheimer's Disease: A Pilot Study. *Dementia and Geriatric Cognitive Disorders Extra*, 6(3), pp.518–528.
- Guilliams, T.G., 2004. Homocysteine A Risk factor for vascular disease: Guidelines for Clinical Practice. *Jour of the American Nutraceutical Association* Vol 7;1.
- Gupta, S.C., Patchva, S., and Aggarwal, B.B. 2013. Therapeutic roles of curcumin: lessons learned from clinical trials. *AAPS J*, 15(1):195-218.
- Haring, H.P., 2002. Cognitive impairment after stroke. *Lippincott Williams Wilkins*;15:79- 84.
- Hochstenbach, J., Mulder, T., van Limbeek, J., Donders, R., & Schoonderwaldt, H. (1998). Cognitive decline following stroke: a comprehensive study of cognitive decline following stroke. *Journal of clinical and experimental neuropsychology*, 20(4),503-517
- Howes, M.J.R., Houghton, P.J. 2009. The search for plants to manage neurodegenerative diseases. *Ethnopharmacology*; 2: 1-10
- Ireson, CR., Jones DJ, Orr S, Coughtrie MW, Boocock DJ, Williams ML, *et al.*, 2002. Metabolism of the cancer chemopreventive agent curcumin in human and rat intestine. *Cancer Epidemiol Biomarkers Prev*. Jan;11(1):105-11.
- Ivan, C.S., Seshadri, S., Beiser, A., *et al.*, 2004. Dementia After Stroke: The Framingham Study. *Stroke*;35:1264-9.
- Jaillard, A., Naegele, B., Trabucco-Miguel, S., LeBasJ.F. and Hommel, M. (2009). Hidden Dysfunctioning in Subacute Stroke. *Stroke*, 40(7), pp.2473–2479. Justin Thenmozhi, A. (2018). Asiatic acid nullified aluminium toxicity in in vitro model of Alzheimer's disease. *Frontiers in Bioscience*, 10(1), pp.287–299.
- Jiang, B., Ding, C., Yao, G., Yao, C., Zhang, Y., Ge, J., & Qiu, E. (2014). Intervention effect of folic acid and vitamin B12 on vascular cognitive impairment complicated with hyperhomocysteinemia. *Journal of Medical Biochemistry*, 33(2), 169-174.
- Jin, K., Zhu, Y., Sun, Y., Mao, X. O., Xie, L., & Greenberg, D. A. (2002). Vascular endothelial growth factor (VEGF) stimulates neurogenesis in vitro and in vivo. *Proceedings of the National Academy of*

- Johnson, J., Mukhtar, 2007. Curcumin for chemoprevention of colon cancer. *Cancer let.* Oct 8;255(2):170-81
- Jorge, O.A., Jorge, A.D., 2005, Hepatotoxicity associated with the ingestion of *Centella asiatica*, *Rev Esp Enferm Dig* ; 97:115-124, Madrid.
- Jurenka, JS., 2009. Anti-inflammatory properties of curcumin, a major constituent of *Curcuma longa*: a review of preclinical and clinical research. *Altern Med Rev.* 2009 Sep;14(3):277.
- Karting T. Clinical application of *Centella asiatica* (L) Urb. In: Herbs, spices, and medicinal plants (Cracker LE, Simon JE Eds.). Phoenix, AZ, USA: Oxyx Press. 1998: 145-73.
- Kavirajan, H., Schneider, L.S., 2007. Efficacy and adverse effects of cholinesterase inhibitors and memantine in vascular dementia: a meta-analysis of randomized controlled trials. *Lancet neurology*;6:782-792.
- Kinra, M., Ranadive, N., Gourishetti, K., Nayak, P. G., Jagdale, R. N., Ahmed, S. M., ... & Nandakumar, K. (2021). Neuroprotective effect of Mulmina™ against chemotherapy-induced cognitive decline in normal rats. *Biomedical reports*, 14(1), 1-1.
- Kim, Y and Szele, F.G., 2008. Activation of subventricular zone stem cells after neuronal injury. *Cell Tissue Res*; 331(1): 337-345.
- Krishnamurthy, R.G., Senut, M.C., Zemke, D., *et al.*, 2009. Asiatic acid, a pentacyclic triterpene from *Centella asiatica*, is neuroprotective in a mouse model of focal cerebral ischemia. *J Neurosci Res*; 87(11): 2541-2550.
- Kraeuter AK, Guest PC, and Sarnyai Z. The Y-Maze for assessment of spatial working and reference memory in mice. *Methods Mol Biol* 2019;1916:105-111. https://doi.org/10.1007/978-1-4939-8994-2_10.
- Krishnaraju, A. V., Sundararaju, D., Sengupta, K., Venkateswarlu, S., & Trimurtulu, G. (2009). Safety and toxicological evaluation of demethylated curcuminoids; a novel standardized curcumin product. *Toxicology mechanisms and methods*, 19(6-7), 447-460.
- Kulkarni, R., Shetty, S. K., Rajarajeshwari, N. M., Rao, P. N., & Nayan, J. (2016). Rasayana herbs of ayurveda to treat age related cognitive decline: An update. *Pharmacognosy Journal*, 8(5).
- Kumar, M.H., Gupta, Y.K., 2002. Effect of different extracts of *Centella asiatica* on cognition and markers of oxidative stress in rats. *J Ethnopharmacol*; 79(2): 253- 260
- Kumar, P., Ansari, S.H., Ali, J., 2009. Herbal remedies for the treatment of periodontal disease – a patent review. *Recent Pat Drug Deliv Formul*; 3(3): 221-228.
- Kumar, A., Prakash, A., Dogra, S., 2011. *Centella asiatica* attenuates D-Galactose Induced cognitive impairment, oxidative and mitochondrial dysfunction in mice. *Journal of Alzheimer's disease*; 347-569.
- Kusuma, F. R., & Zaky, B. M. (2005). *Tumbuhan liar berkhasiat obat*. AgroMedia.
- Kuszewski, J.C., Howe, P.R.C. and Wong, R.H.X. (2020). Evaluation of Cognitive Performance following Fish-Oil and Curcumin Supplementation in Middle-Aged and Older Adults with Overweight or

- Laurence, D.R. and Bacharach, A.L. (1964). *Evaluation of drug activities: pharmacometrics*, ed. by D.R. Laurence and A.L. Bacharach. London, Academic Press.
- Lawal, O. M., Wakel, F., & Dekker, M. (2021). Consumption of fresh *Centella asiatica* improves short term alertness and contentedness in healthy females. *Journal of Functional Foods*, 77, 104337.
- Lee, J. Y., Dong, W. L., Cho, S. J., Na, D. L., Hong, J. L., Kim, S. K., You, R. L., Youn, J. H., Kwon, M., Lee, J. H., Mang, J. C., 2008. Brief screening for mild cognitive impairment in elderly outpatient clinic: validation of the Korean version of the Montreal Cognitive Assessment. *J Geriatri Psychiatry Neurol*; 21 (2): 104-110
- Lemolo, F., Duro, G., Rizzo, C., *et al.*, 2009. Pathophysiology of vascular dementia. *Immun Ageing*; 6: 13
- Levine, D.A., Langa, K.M., 2011. Vascular cognitive impairment: disease mechanisms and therapeutic implications. *Neurotherapeutics*; 8(3): 361-373.
- Li, H., Guoying, Z., Huaiyun, Z., *et al.*, 2010. Chemical constituents and biological activities of saponin from the seed of *Camellia oleifera*. *Scientific Research and Essay*; 5(25): 4088-4092.
- Lim, G.P., Chu, T., Yang, F., *et al.*, 2001. The curry spice curcumin reduces oxidative damage and amyloid pathology in an Alzheimer transgenic mouse. *J Neurosci*; 21(21): 8370-8377.
- Lwanga, S. K., Lemeshow, S., & World Health Organization. (1991). *Sample size determination in health studies: a practical manual*. World Health Organization.
- Majeed, M., Rajendran, R., Srinivas, PS, 2007. Bioavailability of curcumin. *Molecular Pharmacology* 2007, 4(6):807-18.
- Markus, Hugs. S., 2003. An Introduction Of Stroke, Stroke Genetics, New York:OxfordUniversity Press;1-3.
- Martini, S., 2002. Gangguan Kognitif Pasca Stroke dan Faktor Risikonya. *J MedMasy*;18(4): 24-7.
- McClure R, Ong H, Janve V, Barton S, Zhu M, Li B, *et al.* Aerosol delivery of curcumin reduced amyloid- deposition and improved cognitive performance in transgenic model of Alzheimer's disease. *J Alzheimer Dis* 2016; 55 (2):797-811.<https://doi.org/10.3233/JAD-160289>
- Middleton, L.E., Lam, B., Fahmi, H., Black, S.E., McIlroy, W.E., Stuss, D.T., Danells, C., Ween, J. and Turner, G.R. (2014). Frequency of domain-specific cognitive impairment in sub-acute and chronic stroke. *NeuroRehabilitation*, 34(2), pp.305–312.
- Mizui, Toshiyuki, *et al.*, 2014. The biological actions and mechanisms of brain-derived neurotrophic factor in healthy and disordered brains." *Neuroscience and Medicine* 5.04 : 183.
- Munnik, W.A., 2011. The role of neurogenesis in stroke recovery. Mast thesis neuroscience& cognition. Utrecht university.
- Nadia, H.H., Lumepaw, S.F., Rramli, Y., 2009. Uji Validitas dan reliabilitas Montreal Cognitive Assesment versi Indonesia (MoCA-Ina) untuk

- Nagabhushan, M., Bhide, S.V., 1986. Nonmutagenicity of curcumin and its antimutagenic action versus chili and capsaicin. *Nutr Cancer*.(3):201-10.
- Nair, A & Jacob, S 2016, "A simple practice guide for dose conversion between animals and human," *Journal of Basic and Clinical Pharmacy*, vol. 7, no. 2, p. 27.
- Nasreddine, Z.S., 2005. The Montreal Cognitive Assesment, MoCA: A Brief Screening Tool For Mild Cognitive Impairment. *J Am Geriart Soc*;53:695-696. Nehlig, A. 2010. Is caffeine a cognitive enhancer? *J Alzheimers Dis*; 20: 85-94.
- Nehlig, A. 2010. Is caffeine a cognitive enhancer? *J Alzheimers Dis*; 20: 85-94
- Ng, T.P., Chiam, P.C., Lee, T., *et al.*, 2006. Curry consumption and cognitive function in the elderly. *Am J Epi*; 164(9): 898-906.
- Nys GMS, van Zandvoort MJE, de Kort PLM, Jansen BPW, Den Haal EHF, Kappelle LJ, *et al.* Cognitive disorders in acute stroke: prevalence and clinical determination. *Cerebrovasc Di* 2007; 23(5-6):408-16. <https://doi.org/10.1159/000101464>
- Organization for Economic Cooperation and Development (OECD). 2001. Guidelines for Testing of Chemicals. OECD. 407 – 408.
- Omar, R.D, Mohamed, S., Hambali, Z., Samah, B.A., 2009. Comparison on cognitive effects of centella asiatica in healthy middle age female and male volunteers. *European Journal of Scientific research*. Vol:31:pp 553-565.
- Orhan, I.E., 2012. *Centella asiatica* (L) urban : from traditional medicine to modern medicine with neuroprotective potential. *Based compl and Alternative medic*.
- Oruganti, M., Roy, B.K., Singh, K.K., Prasad, R., and Kumar, S., 2010. Safety assessment of centella asiatica in albino rats. *Phcog J*, 2(16):5-13.
- Palpu P, Rao CV, Kishore K, Gupta YK, Kartik R, Govindrajan R. U. S. Patent No. 7,429,397. Washington, DC: U. S. Patent and Trademark Office. 2008.
- Pantoni, L., Gorelick, P., 2011. Advances in vascular cognitive impairment. *Stroke*; 42:291-293.
- Paramasivam, 2009. The Agronomy and Economy of Turmeric and Ginger: The Invaluable Medicinal. *Elsevier*. London
- Perrone, D., Ardito, F., Giannatempo, G., Dioguardi, M., Troiano, G., Lo Russo, L., ... & Lo Muzio, L. (2015). Biological and therapeutic activities, and anticancer properties of curcumin. *Experimental and therapeutic medicine*, 10(5), 1615-1623.
- Petersen RC. Mild cognitive impairment as a diagnostic entity. *J Intern Med*. 2004;256(3):183-94.46. Albert M, DeKosky ST, Dickson D, Dubois B. The diagnosis of mild cognitive impairment due to Alzheimer's disease:
- Petersen RC, Smith GE, Waring SC. Mild cognitive impairment: clinical characterization and outcome. *Arch Neurol*. 1999;56(3):303-8.43.
- Praptiwi, Wulansari, D., & Chairul, 2010. Efek toksisitas ekstrak pegagan (*Centella asiatica* Linn.) pada organ dan jaringan mencit (*Mus musculus*). *Majalah Farmasi Indonesia*; 2(1): 40-47.
- Prasetyo, B., Lumempouw, S. and Ramli, Y. (2011). Nilai Normal Montreal Cognitive Assesment Versi Indonesia (MoCA-Ina). *Artikel Penelitian*

<http://www.neurona.web.id/paper/784.pdf>.

- Prins, N. D., Den Heijer, T., Hofman, A., Koudstaal, P. J., Jolles, J., Clarke, R., & Breteler, M. M. B. (2002). Homocysteine and cognitive function in the elderly: the Rotterdam Scan Study. *Neurology*, 59(9), 1375-1380.
- Provino, R. 2010. The role of adaptogens in stress management. *Australian J Med Herbalism*; 22(2): 41-49.
- Qadri, N. M., Ahmad, S., Qureshi, S., & Badar, Y. (2001). Acute toxicological evaluation of the aqueous extract of *Eclipta alba* Hassk. *Pakistan Journal of Scientific and Industrial Research (Pakistan)*.
- Rainey-Smith, S.R., Brown, B.M., Sohrabi, H.R., *et al.*, 2016. Curcumin and cognition: a randomised, placebo-controlled, double blind study of community-dwelling older adults. *British J Nutr*; 115: 2106-2113.
- Rao, K.G.M., Rao, S.M., 2005. *Centella asiatica* (L) leaf extract treatment during the growth spurt period in neonatal rats. *Neuroanatomy*, 4: 18-23.
- Rao, K.G.M., Rao, M. and Rao, S.G., 2007. Enhancement of hippocampal CA3 neuronal dendritic arborization by *Centella asiatica* (Linn) fresh leaf extract treatment in adult rats. *J Chin Med Assoc*, 71 (1): 6-13.
- Rasyid, A., & Lelo, A. (1999). The effect of curcumin and placebo on human gall-bladder function: an ultrasound study. *Alimentary Pharmacology and Therapeutics*, 13(2), 245-250.
- Rasquin, S., Lodder, J. and Verhey, F. (2005). The Association between Psychiatric and Cognitive Symptoms after Stroke: A Prospective Study. *Cerebrovascular Diseases*, 19(5), pp.309–316.
- Rather, M. A., Thenmozhi, A. J., Manivasagam, T., Nataraj, J., Essa, M. M., & Chidambaram, S. B. (2018). Asiatic acid nullified aluminium toxicity in in vitro model of Alzheimer's disease. *Front. Biosci.-Elite*, 10(2), 287-299.
- Rincon, F., Wright, C.B., 2013. Vascular cognitive impairment. *Curr Opin Neurol*; 26(1): 29-36.
- Ringman, J.M., Frautschy, S.A., Cole, G.M., *et al.* 2005. A potential role of the curry spice curcumin in Alzheimer's disease. *Curr Alzheimer Res*, 2(2):131-136.
- Roman, G.C., Salloway, S., Black, S.E., *et al.*, 2010. Randomized, placebocontrolled, clinical trial of Donepezil in vascular dementia: different effects by hippocampal size. *Stroke*; 41:1213-1221.
- Rosenberg, G.A, 2009. Inflammation and white matter damage in vascular cognitive impairment. *Stroke*; 40(3 Suppl):20-23.
- Rincon, F., & Wright, C. B. (2013). Vascular cognitive impairment. *Current opinion in neurology*, 26(1), 29-36.
- Santosa, HB., 2013, Kunyit, *Tumpas Penyakit dengan 40 daun dan 10 akar rimpang*, Cahaya Jiwa, Jakarta.
- Sari S, Aswin, S., Susilowati, R., Ar-Rochmah, M., Prakosa, D., Romi, M., Tranggono, U. and Arfian, N. (2014). Ethanol Extracts of *Centella asiatica* Leaf Improves Memory Performance in Rats after Chronic Stress via Reducing Nitric Oxide and Increasing Brain-Derived Neurotrophic Factor (BDNF) Concentration. *GSTF Journal of Psychology*, 1(1).
- Sastroasmoro, S., & Ismael, S. (2011). Dasar-dasar metodologi penelitian

- Serrano, S., Domingo, J., Garcia, E.R., Castro, M.D., Del Ser, T., 2007. Frequency of Cognitive Impairment Without Dementia in Patients With Stroke: A Two-Year Follow-Up Study. *Stroke*;38;105-10.
- Shah, B. H., Nawaz, Z., Pertani, S. A., Roomi, A., Mahmood, H., Saeed, S. A., & Gilani, A. H. (1999). Inhibitory effect of curcumin, a food spice from turmeric, on platelet-activating factor-and arachidonic acid-mediated platelet aggregation through inhibition of thromboxane formation and Ca²⁺ signaling. *Biochemical pharmacology*, 58(7), 1167-1172.
- Sharma, R.A., Euden, S.A., Platton, S.L., *et al.*, 2004. Phase I clinical trial of oral curcumin: biomarkers of systemic activity and compliance. *Clin Cancer Res*, 10(20):6847- 6854.
- Shekokar, S. S., & Nayak, S. U. A Study on Phytochemical Evaluation of Ardra and Shushka Dosage Forms of Eclipta Alba Hassk. (Bhringaraj) Panchanga According to Sharangdhar Samhita. *International Journal of Ayurvedic & Herbal Medicine* 8(3) May.-June. 2018; 3223-3234.
- Sidiarto, L.D., Kusumoputro, S., 2003. Memori setelah usia 50. Penerbit Universitas Indonesia, p 41-45.
- Simon, P., Gusseklo, J., Frolich, M., *et al.*, 2005. Homosisteine, vitamin B 12, and folic acid and the risk of cognitive decline in old age: The Leiden 85-Plus study. *Am J Clin Nutr*;82:866-71.
- Singh, R.H., Narsimhamurthy, K., Singh, G., 2008. Neuronutrient impact of Ayurvedic Rasayana therapy in brain aging. *Biogerontology*; 9: 369-374
- Small, G.W., Siddarth, P., Li, Z., Miller K.J., Ercoli L., Emerson D. *Et al.* 2017. Memory and brain amyloid and tau effects of a bioavailable form of curcumin in non- demented adults: A double-blind, placebo-controlled 18-month trial. *Am J Ger Psych*;26(3):266-277
- Smith, A.J. Oertle, J., Prato, D. 2015. Multiple actions of curcumin including anticancer, anti-inflammatory, antimicrobial and enhancement via cyclodextrin. *J. Cancer. Ther.*; 6: 257 – 272
- Smith, T., Gildeh, N., *et al.* 2007. The Montreal Cognitive Assessment ; Validity and Utility in a Memory Clinic Setting. *J Psychiatry*; 52:329-332.
- Snell, R.S. 2001. Clinical neuroanatomy for medical students. 5th ed. Washington DC: Lippincott Williams & Wilkins Inc. USA; . p. 67-70.
- Somchit, M.N., Sulaiman, M.R., Zuraini, A., *et al.*, 2004. Antinociceptive and antiinflammatory effects of centella asiatica. *Ind J Pharmacol*, 36 (8) : 377-380.
- Songvut, P., Chariyavilaskul, P., Khemawoot, P. and Tansawat, R. (2021). Publisher Correction: Pharmacokinetics and metabolomics investigation of an orally modified formula of standardized *Centella asiatica* extract in healthy volunteers. *Scientific Reports*, 11(1).
- Soumyanath, A., Zhong, Y.P., Henson, E., *et al.*, 2012. *Centella asiatica* extract improves behavioral deficits in a mouse model of Alzheimer's disease: Investigation of a possible mechanism of action. *Int J Alzheimers Dis*; 2012.
- Sperling RA, Aisen PS, Becker LA, Bennett DA, Craft S, Fagan AM. Toward defining the preclinical stages of Alzheimer's disease: Recommendations from the National Institute on Aging and the Alzheimer's Association workgroup. *Alzheimer's & Dementia*.

- Sulastri, F., Surastry, B., 2009. Uji Toksisitas akut yang diukur dengan penentuan LD50 ekstrak daun pegagan (*Centella asiatica* (L.) urban) terhadap mencit Balb/c, Universitas Diponegoro. Tesis
- Tatemichi, T.K., Desmond, D.W., Stern, Y., Paik, M., Sano, M. and Bagiella, E. (1994). Cognitive impairment after stroke: frequency, patterns, and relationship to functional abilities. *Journal of Neurology, Neurosurgery & Psychiatry*, 57(2), pp.202–207.
- Tiwari, S., Singh, S., Patwardhan, K., Gehlot, S., *et al.*, 2008. Effect of centella asiatica on mild cognitive impairment (MCI) and other common age-related clinical problems. *Digest journals of nonmaterials and biostructures* vol.3:p 215-220.
- Toglia, J., Fitzgarrld, K. A., Michael, W., Mastrogiovani, 2011. The mini mental state examination and montreal cognitive assesment in person with mild subacute stroke: relationship to functional outcome. *Arch hys Med Rehabil*; 92:792.
- Triantari, R., 2011. Hubungan asupan vitamin B6, B12, asam folat, aktivitas fisik, dan kadar homosistein pada gangguan kognitif lansia. Undip Semarang.
- Udani, Jay K. 2013. Effects of SuperUlam on supporting concentration and mood: a randomized, double-blind, placebo-controlled crossover study. *Evidence-Based Complementary and Alternative Medicine*.
- Yin, H. L., Wang, Y. L., Li, J. F., Han, B., Zhang, X. X., Wang, Y. T., & Geng, S. (2014). Effects of curcumin on hippocampal expression of NgR and axonal regeneration in A β -induced cognitive disorder rats. *Genet Mol Res*, 13(1), 2039-47.
- Walesiuk, A., Trofimuik, E. And Braszko, J., 2005, Ginkgo biloba extract diminishes stress induced memory deficit in rats, *Pharmacol. Rev.* 57:176-187.
- Wang, Y., Yin, H., Li, J., Zhang, Y., Han, B., Zeng, Z., ... & Li, J. (2013). Amelioration of β -amyloid-induced cognitive dysfunction and hippocampal axon degeneration by curcumin is associated with suppression of CRMP-2 hyperphosphorylation. *Neuroscience letters*, 557, 112-117.
- Wang, R., Li, Y.-B., Li, Y.-H., Xu, Y., Wu, H. and Li, X.-J. (2008). Curcumin protects against glutamate excitotoxicity in rat cerebral cortical neurons by increasing brain-derived neurotrophic factor level and activating TrkB. *Brain Research*, 1210, 84–91.
- Wathanattorn, J., Mator, L., Muchimapura, S., *et al.*, 2008. Positive modulation of cognition and mood in healthy elderly volunteer following the administration of centella asiatica. *Elsevier Ireland Ltd.* doi:10.1016/j.jep.2007.11.038.
- Waxmann, S.G., 2007. The Limbic System In: *Lange neuroanatomy*. New York. The Mac Graw Hill Company; p28-30.
- Wijayakusuma, H. M. (1992). Tanaman berkhasiat obat. Jilid I. Jakarta: Pustaka Kartini.
- Winblad, B., Kilander, L., Eriksson, S., Minthon, L., Båtsman, S., Wetterholm, A. L. & Severe Alzheimer's Disease Study Group. (2006). Donepezil in patients with severe Alzheimer's disease: double-blind, parallel-group, placebo-controlled study. *The Lancet*, 367(9516), 1057-1065.

- Wijewecera, P., Arnison, J. P., Roszycki, D., *et al.*, 2006. Evaluation of anxiolytic properties of Gotukola (*Centella asiatica*) extracts and asiaticoside in rat behavioral models. *Phytomedicine*; 13(9-10): 668-676
- Xu, Y., Cao, Z., Khan, I., *et al.*, 2008. Gotu Kola (*Centella Asiatica*) extract enhances phosphorylation of cyclic AMP response element binding protein in neuroblastoma cells expressing amyloid beta peptide. *J Alzheimers Dis*; 13(3): 341-349.
- Xu, Y., Lin, D., Li, S., Li, G., Shyamala, S. G., Barish, P. A., ... & Ogle, W. O. (2009). Curcumin reverses impaired cognition and neuronal plasticity induced by chronic stress. *Neuropharmacology*, 57(4), 463-471.
- Zeng, J., Too, H.P., Ma, Y., *et al.*, 2004. A synthetic peptide containing loop 4 of nerve growth factor for targeted gene delivery. *J Gene Med*; 6(11): 1247-1256
- Zhang, L., Li, H., Gong, X., *et al.*, 2010. Protective effects of Asiaticoside on acute liver injury induced by lipopolysaccharide/D-galactosamine in mice. *Phytomedicine*; 17(10): 811-819.
- Zheng, C.J., Qin, L.P. 2007. Chemical components of *Centella asiatica* and their bioactivities. *Zhong Xi Yi Jie He Xue Bao*; 5(3): 348-351.
- Zhao, Q.L., Zhou, Y., Wang, Y.L., Dong, K.H., Wang, Y.J., 2010, A new diagnostic algorithm for vascular cognitive impairment: the proposed criteria and evaluation of its reliability and validity. *Chin Med J*; 123(3): 311-9