

DAFTAR PUSTAKA

- Aziz, N. A., Amin, N. A. M., Majid, M. S. A., & Zaman, I. (2018). Thermal energy storage (TES) technology for active and passive cooling in buildings: A Review. *MATEC Web of Conferences*, 225, 1–9. <https://doi.org/10.1051/mateconf/201822503022>
- Badan Standar Nasional. (2011). *SNI 6389:2011, tentang Konservasi energi selubung bangunan pada bangunan gedung*.
- Bahadori, M. N. (1978). Passive Cooling Systems in Iranian Architecture. *Scientific American*, 238(2), 144–154. <https://doi.org/10.1038/scientificamerican0278-144>
- Bahdad, A. A. S., Fadzil, S. F. S., & Taib, N. (2020). Optimization of daylight performance based on controllable light-shelf parameters using genetic algorithms in the tropical climate of malaysia. *Journal of Daylighting*, 7(1), 122–136. <https://doi.org/10.15627/jd.2020.10>
- Barozzi, M., Lienhard, J., Zanelli, A., & Monticelli, C. (2016). The Sustainability of Adaptive Envelopes: Developments of Kinetic Architecture. *Procedia Engineering*, 155, 275–284. <https://doi.org/10.1016/j.proeng.2016.08.029>
- Carrier. (2012). *The Invention That Changed the World*. Carrier. <http://www.williscarrier.com/m/1876-1902.php>
- Fântână, G. I., & Oae, S. A. (2013). *Evolution of Smart Buildings*. 223–225.
- Gaspari, J., Naboni, E., Ponzio, C., & Ricci, A. (2019). A study on the impact of climate adaptive building shells on indoor comfort. *Journal of Facade Design and Engineering*, 7(1), 27–39. <https://doi.org/10.7480/jfde.2019.1.2778>
- Groat, L. N., & Wang, D. (2013). *Architectural Research Methods, 2nd Edition*. John Wiley & Sons, Inc.
- Han, Y., Taylor, J. E., & Pisello, A. L. (2015). Toward mitigating urban heat island effects: Investigating the thermal-energy impact of bio-inspired retro-reflective building envelopes in dense urban settings. *Energy and Buildings*, 102, 380–389. <https://doi.org/10.1016/j.enbuild.2015.05.040>
- Hassan, A. S., & Nasir, M. H. A. (2017). Analysis on the OTTV of modern-style apartment facades in Bandar sri Permaisuri, Kuala Lumpur. *Pertanika Journal of Science and Technology*, 25(S4), 215–226.
- Hwang, R. L., Shih, W. M., Lin, T. P., & Huang, K. T. (2018). Simplification and adjustment of the energy consumption indices of office building envelopes in response to climate change. *Applied Energy*, 230(1), 460–470. <https://doi.org/10.1016/j.apenergy.2018.08.090>
- IEA. (2019a). Key World Energy Statistics. In *INTERNATIONAL ENERGY AGENCY*.
- IEA. (2019b). *World Energy Outlook 2019*. IEA. <https://www.iea.org/reports/world-energy-outlook-2019>
- Kamal, M. A. (2012). An Overview of Passive Cooling Techniques in Buildings: Design Concepts and Architectural Interventions. *Civil Engineering & Architecture*, 55(1), 84–97.
- Kim, H., & Clayton, M. J. (2020). A multi-objective optimization approach for climate-adaptive building envelope design using parametric behavior maps. *Building and Environment*, 185(September). <https://doi.org/10.1016/j.buildenv.2020.107292>



- Lasky, J. (2015). *Designing Distraction: Executive Toys*. The New York Times. <https://www.nytimes.com/2015/02/05/garden/designing-distraction-executive-toys.html>
- Loonen, R. C. G. M., Trčka, M., Cóstola, D., & Hensen, J. L. M. (2013). Climate adaptive building shells: State-of-the-art and future challenges. *Renewable and Sustainable Energy Reviews*, 25, 483–493. <https://doi.org/10.1016/j.rser.2013.04.016>
- Nabil, A., & Mardaljevic, J. (2006). Useful daylight illuminances: A replacement for daylight factors. *Energy and Buildings*, 38(7), 905–913. <https://doi.org/10.1016/j.enbuild.2006.03.013>
- Natephra, W., Yabuki, N., & Fukuda, T. (2018). Optimizing the evaluation of building envelope design for thermal performance using a BIM-based overall thermal transfer value calculation. *Building and Environment*, 136(November 2017), 128–145. <https://doi.org/10.1016/j.buildenv.2018.03.032>
- Neufert, E. (2002). *Data Arsitek*. Erlangga.
- Oh, E. (2019). *Spotlight: Santiago Calatrava*. Archdaily. <https://www.archdaily.com/531290/spotlight-santiago-calatrava>
- Oropeza-Perez, I., & Østergaard, P. A. (2018). Active and passive cooling methods for dwellings: A review. *Renewable and Sustainable Energy Reviews*, 82(July 2016), 531–544. <https://doi.org/10.1016/j.rser.2017.09.059>
- Pérez-Lombard, L., Ortiz, J., & Pout, C. (2008). A review on buildings energy consumption information. *Energy and Buildings*, 40(3), 394–398. <https://doi.org/10.1016/j.enbuild.2007.03.007>
- Rabbani, B. A. (2019). Comparative Study of Energy Consumption between OTTV and Sefaira in a House. *IOP Conference Series: Earth and Environmental Science*, 248(1). <https://doi.org/10.1088/1755-1315/248/1/012089>
- Ramawangsa, P. A. (2015). *Eksplorasi Sun Shading Fasad Apartemen Dengan Metode Transfer Arsitektur Biomimetik (Implementasi Putri Malu)*.
- Rastegari, M., Pournaseri, S., & Sanaieian, H. (2021). Daylight optimization through architectural aspects in an office building atrium in Tehran. *Journal of Building Engineering*, 33(January 2020), 101718. <https://doi.org/10.1016/j.job.2020.101718>
- Ricci, A., Ponzio, C., Fabbri, K., Gaspari, J., & Naboni, E. (2020). Development of a self-sufficient dynamic façade within the context of climate change. *Architectural Science Review*, 8628. <https://doi.org/10.1080/00038628.2020.1713042>
- Richman-Abdou, K. (2018). *Kinetic Toy Transforms From a Pinecone to a Helix with the Simple Flick of a Wrist*. My Modern Met. <https://mymodernmet.com/john-edmark-helicone/>
- Rizi, R. A., & Eltaweel, A. (2021). A user detective adaptive facade towards improving visual and thermal comfort. *Journal of Building Engineering*, 33(July 2020). <https://doi.org/10.1016/j.job.2020.101554>
- Shafavi, N. S., Tahsildoost, M., & Zomorodian, Z. S. (2020). Investigation of illuminance-based metrics in predicting occupants' visual comfort (case study: Architecture design studios). *Solar Energy*, 197(January), 111–125. <https://doi.org/10.1016/j.solener.2019.12.051>
- Shahin, H. S. M. (2019). Adaptive building envelopes of multistory buildings as an example of high performance building skins. *Alexandria Engineering Journal*, 58(1), 345–352.

<https://doi.org/10.1016/j.aej.2018.11.013>

- Sinopoli, J. (2010). What Is a Smart Building? *Smart Building Systems for Architects, Owners and Builders*, 1–5. <https://doi.org/10.1016/b978-1-85617-653-8.00001-6>
- Tabadkani, A., Valinejad Shoubi, M., Soflaei, F., & Banihashemi, S. (2019). Integrated parametric design of adaptive facades for user's visual comfort. *Automation in Construction*, 106(August 2018), 102857. <https://doi.org/10.1016/j.autcon.2019.102857>
- U.S. Department of Energy. (2012). 2011 Buildings Energy Databook. In *U.S. Department of Energy*. <http://buildingsdatabook.eren.doe.gov/DataBooks.aspx>
- Wienold, J. (2010). *Daylight Glare in Offices*. Fraunhofer-Verlag.
- Wienold, J., & Christoffersen, J. (2006). Evaluation methods and development of a new glare prediction model for daylight environments with the use of CCD cameras. *Energy and Buildings*, 38(7), 743–757. <https://doi.org/10.1016/j.enbuild.2006.03.017>
- Yamín Garretón, J., Villalba, A. M., Rodriguez, R. G., & Pattini, A. (2021). Roller blinds characterization assessing discomfort glare, view outside and useful daylight illuminance with the sun in the field of view. *Solar Energy*, 213(November 2020), 91–101. <https://doi.org/10.1016/j.solener.2020.11.027>
- Yan, S., Li, X., Wang, B., Shi, W., & Lyu, W. (2019). A method to describe the thermal property of pipe-embedded double-skin façade: Equivalent glass window. *Energy and Buildings*, 195, 33–44. <https://doi.org/10.1016/j.enbuild.2019.04.041>
- Yi, H., Kim, M. J., Kim, Y., Kim, S. S., & Lee, K. I. (2019). Rapid simulation of optimally responsive façade during schematic design phases: Use of a new hybrid metaheuristic algorithm. *Sustainability (Switzerland)*, 11(9). <https://doi.org/10.3390/su11092681>