



## **DAFTAR PUSTAKA**

- Ahuja, A., Khar, R.K. and Ali, J., 1997. Mucoadhesive drug delivery systems. *Drug Development and industrial pharmacy*, 23(5), pp.489-515.
- Anand, P., Kunnumakkara, A. B., Newman, R. A., Aggarwal, B. B., Anand, P., Kunnumakkara, A. B., dan Newman, R. A. (2007). *Bioavailability of Curcumin : Problems and Promises reviews Bioavailability of Curcumin : Problems and Promises. Molecular Pharmaceutics*, 4(November), 807–818.
- Aryaei, A., Jayatissa, A. H., & Jayasuriya, A. C. (2014). Mechanical and biological properties of chitosan/carbon nanotube nanocomposite films. *Journal of Biomedical Materials Research Part A*, 102(8), 2704-2712.
- Ayawei, N., Ebelegi, A. N. dan Wankasi, D. (2017) “Modelling and Interpretation of Adsorption Isotherms,” *Journal of Chemistry*, 2017. doi: 10.1155/2017/3039817
- Balasubramanian, K. and Burghard, M., 2005. Chemically functionalized carbon nanotubes. *small*, 1(2), pp.180-192.
- Bambagioni, V., C. Bianchini, A. Marchionni, J. Filippi, F. Vizza, J. Teddy, P. Serp, dan M. Zhiani, 2009, Pd and Pt–Ru anode electrocatalysts supported on multi-walled carbon nanotubes and their use in passive and active direct alcohol fuel cells with an anion-exchange membrane (alcohol=methanol, ethanol, glycerol), *Journal of Power Sources*, Volume 190, Issue 2.
- Bhumkar DR. dan Pokharkar VB, 2006, Studies on effect of pH on Cross-linking of Chitosan with Sodium Tripolyphosphate: A Technical Note, *AAPS PharmSciTech*, 7(2): E1-E6



**Studi Kinetika dan Kesetimbangan Adsorpsi pada Functionalized Multi-Walled Carbon Nanotube (MWCNT) dengan Variasi Biopolimer sebagai Drug Carrier**

FRANCISCA LARASATI, Yuni Kusumastuti, S.T., M.Eng., D.Eng; Dr. Ir. Aswati Mindaryani, M.Sc.

Universitas Gadjah Mada, 2021 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Boncel, S., Zajac, P. and Koziol, K.K., 2013. Liberation of drugs from multi-wall carbon

nanotube carriers. *Journal of Controlled Release*, 169(1-2), pp.126-140.

Carson, L., Kelly-Brown, C., Stewart, M., Oki, A., Regisford, G., Luo, Z., & Bakhmutov, V.

I. (2009). Synthesis and characterization of chitosan–carbon nanotube composites.

*Materials letters*, 63(6-7), 617-620.

Chegeni, M., Rozbahani, Z. S., Ghasemian, M., & Mehri, M. (2020). Synthesis and application

of the calcium alginate/SWCNT-Gl as a bio-nanocomposite for the delivery.

*International journal of biological macromolecules*, 156, 504-513.

Chiou, C.T., 2003. Fundamentals of the adsorption theory. Partition and Adsorption of Organic

Contaminants in Environmental Systems, pp.39-52.

Cirillo, G., Hampel, S., Spizzirri, U.G., Parisi, O.I., Picci, N. and Iemma, F., 2014. Carbon

nanotubes hybrid hydrogels in drug delivery: a perspective review. *BioMed research*

international, 2014.

Datsyuk, V., Kalyva, M., Papagelis, K., Parthenios, J., Tasis, D., Siokou, A., ... & Galiotis, C.

(2008). Chemical oxidation of multiwalled carbon nanotubes. *carbon*, 46(6), 833-840.

Dening, T. J., Zemlyanov, D. dan Taylor, L. S. (2019) “Application of an adsorption isotherm

to explain incomplete drug release from ordered mesoporous silica materials under

supersaturating conditions,” *Journal of Controlled Release*. Elsevier, 307(March), hal.

186–199. doi: 10.1016/j.jconrel.2019.06.028.

Erol, O., Uyan, I., Hatip, M., Yilmaz, C., Tekinay, A.B. and Guler, M.O., 2018. Recent

advances in bioactive 1D and 2D carbon nanomaterials for biomedical applications.

*Nanomedicine: Nanotechnology, Biology and Medicine*, 14(7), pp.2433-2454.



**Studi Kinetika dan Kesetimbangan Adsorpsi pada Functionalized Multi-Walled Carbon Nanotube (MWCNT) dengan Variasi Biopolimer sebagai Drug Carrier**

FRANCISCA LARASATI, Yuni Kusumastuti, S.T., M.Eng., D.Eng; Dr. Ir. Aswati Mindaryani, M.Sc.

Universitas Gadjah Mada, 2021 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Feng, W., Li, Y., & Ji, P. (2012). Interaction of water soluble chitosan with multiwalled carbon

nanotubes. *AICHE journal*, 58(1), 285-291.

Fernandes, R. M. F. (2015). *Dispersing Carbon Nanotubes: Towards Molecular Understanding*. Universidade do Porto (Portugal).

Gerber, I., Oubenali, M., Bacsa, R., Durand, J., Gonçalves, A., Pereira, M. F. R., ... & Serp, P. (2011). Theoretical and Experimental Studies on the Carbon-Nanotube Surface Oxidation by Nitric Acid: Interplay between Functionalization and Vacancy Enlargement. *Chemistry—A European Journal*, 17(41), 11467-11477.

Guo, M., Wang, J., Wang, C., Strong, P.J., Jiang, P., Ok, Y.S. and Wang, H., 2019. Carbon nanotube-grafted chitosan and its adsorption capacity for phenol in aqueous solution. *Science of The Total Environment*, 682, pp.340-347.

Habibizadeh, M., Rostamizadeh, K., Dalali, N. and Ramazani, A., 2017. Preparation and characterization of PEGylated multiwall carbon nanotubes as covalently conjugated and non-covalent drug carrier: A comparative study. *Materials Science and Engineering: C*, 74, pp.1-9.

Hernández-Ortiz, M., Lozano-López, J.D., Durón, S.M., Galván-Valencia, M., Estevez-Martínez, Y., Durán-Muñoz, H.A., Carrera-Escobedo, J., Guirette-Barbosa, O., Ortiz-Medina, I., Ramírez-Hernández, L.A. and Castaño-Meneses, V.M., 2019. Quantitative measurement of functional groups on nanocarbon allotropes surface by Boehm titration. *Journal of Micro and Nano-Manufacturing*, 7(1), p.011002.

Ho, Y.S. and McKay, G., 1999. A kinetic study of dye sorption by biosorbent waste product pith. *Resources, conservation and recycling*, 25(3-4), pp.171-193.



carbon dioxide by chitosan grafted multi-walled carbon nanotubes. *Journal of CO<sub>2</sub>*

*Utilization*, 41, 101237.

Jacob, J., Haponiuk, J.T., Thomas, S. and Gopi, S., 2018. Biopolymer based nanomaterials in drug delivery systems: A review. *Materials today chemistry*, 9, pp.43-55.

Kariim, I., Abdulkareem, A.S. and Abubakre, O.K., 2020. Development and characterization of MWCNTs from activated carbon as adsorbent for metronidazole and levofloxacin sorption from pharmaceutical wastewater: Kinetics, isotherms and thermodynamic studies. *Scientific African*, 7, p.e00242.

Kim, D., Lee, T., Kwon, M., Paik, H. J., Han, J. H., Kang, M., ... & Kim, Y. A. (2020). Polymer wrapping-induced dispersion of single walled carbon nanotubes in ethylene glycol under mild sonication. *RSC Advances*, 10(44), 26262-26267.

Kristbergsson, K., Einarsson, J.M., Hauksson, S., Peter, M.G. and Gislason, J., 2003. Recent developments in deacetylation of chitin, and possible applications in food formulations. Trans Atlantic fisheries technology. Iceland: Reykjavik.

Kurwadkar, S., Hoang, T.V., Malwade, K., Kanel, S.R., Harper, W.F. and Struckhoff, G., 2019. Application of carbon nanotubes for removal of emerging contaminants of concern in engineered water and wastewater treatment systems. *Nanotechnology for Environmental Engineering*, 4(1), p.12.

Kwok, Karl & Vincent, Erica & Gibson, James. (2017). Antineoplastic Drugs. 10.1016/B978-0-323-39307-2.00036-9.



Studi Kinetika dan Kesetimbangan Adsorpsi pada Functionalized Multi-Walled Carbon Nanotube (MWCNT)

dengan Variasi Biopolimer sebagai Drug Carrier

FRANCISCA LARASATI, Yuni Kusumastuti, S.T., M.Eng., D.Eng; Dr. Ir. Aswati Mindaryani, M.Sc.

Universitas Gadjah Mada, 2021 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Kwon, S., Singh, R. K., Perez, R. A., Abou Neel, E. A., Kim, H.-W., dan Chrzanowski, W.

(2013). Silica-based mesoporous nanoparticles for controlled drug delivery. *Journal of*

*Tissue Engineering*, 4, 204173141350335.

Le Hoa, T.M., 2018. Characterization of multi-walled carbon nanotubes functionalized by a

mixture of HNO<sub>3</sub>/H<sub>2</sub>SO<sub>4</sub>. *Diamond and Related Materials*, 89, pp.43-51.

Li, Y., Li, R., Fu, X., Wang, Y. and Zhong, W.H., 2018. A bio-surfactant for defect control:

multifunctional gelatin coated MWCNTs for conductive epoxy nanocomposites.

*Composites Science and Technology*, 159, pp.216-224.

Li, D., Li, S., Liu, J., Zhan, L., Wang, P., Zhu, H. and Wei, J., 2020. Surface modification of

carbon nanotube with gelatin via mussel inspired method. *Materials Science and*

*Engineering: C*, p.110887.

Lombardo, D., Kiselev, M.A. and Caccamo, M.T., 2019. Smart nanoparticles for drug delivery

application: development of versatile nanocarrier platforms in biotechnology and

nanomedicine. *Journal of Nanomaterials*, 2019.

Ma, P.C., Siddiqui, N.A., Marom, G. and Kim, J.K., 2010. Dispersion and functionalization of

carbon nanotubes for polymer-based nanocomposites: a review. *Composites Part A:*

*Applied Science and Manufacturing*, 41(10), pp.1345-1367.

Madani, S.Y., Mandel, A. and Seifalian, A.M., 2013. A concise review of carbon nanotube's

toxicology. *Nano reviews*, 4(1), p.21521.

Mahajan, S., Patharkar, A., Kuche, K., Maheshwari, R., Deb, P.K., Kalia, K. and Tekade, R.K.,

2018. Functionalized carbon nanotubes as emerging delivery system for the treatment

of cancer. *International journal of pharmaceutics*, 548(1), pp.540-558.



Nodeh, H.R., 2019. Adsorption and in vitro release study of curcumin form polyethyleneglycol functionalized multi walled carbon nanotube: kinetic and isotherm study. DARU Journal of Pharmaceutical Sciences, 27(1), pp.9-20.

Maria, K. H., & Mieno, T. (2018). Production of Water Dispersible Carbon Nanotubes and Nanotube/Cellulose Composite. *Carbon Nanotubes: Recent Progress*, 235.

Martien, R., K Irianto, I. D., Farida, V., Purwita Sari, D., Farmasi Universitas Gadjah Mada, F., Studi Rekayasa Biomedis, M., ... Kedokteran dan Ilmu Kesehatan Universitas Muhammadiyah Yogyakarta, F. (2012). Perkembangan Teknologi Nanopartikel Sebagai Sistem Penghantaran Obat Technology Developments Nanoparticles As Drug Delivery Systems. Majalah Farmaseutik, 8(1), 133–144.

Moore, T.L., Grimes, S.W., Lewis, R.L. and Alexis, F., 2014. Multilayered polymer-coated carbon nanotubes to deliver dasatinib. *Molecular pharmaceutics*, 11(1), pp.276-282.

Oyetade, O. A. (2015). *Adsorption of selected pollutants from aqueous solutions onto modified carbon nanotubes* (Doctoral dissertation).

Pistone, A., Ferlazzo, A., Lanza, M., Milone, C., Iannazzo, D., Piperno, A., ... & Galvagno, S. (2012). Morphological modification of MWCNT functionalized with HNO<sub>3</sub>/H<sub>2</sub>SO<sub>4</sub> mixtures. *Journal of nanoscience and nanotechnology*, 12(6), 5054-5060.

Prato, M., Kostarelos, K. and Bianco, A., 2008. Functionalized carbon nanotubes in drug design and discovery. *Accounts of chemical research*, 41(1), pp.60-68.

Proctor, A. dan Toro-Vazquez, J. F. (2009) *The Freundlich Isotherm in Studying Adsorption in Oil Processing*. Second Edi, *Bleaching and Purifying Fats and Oils: Theory and*



Rashid, M., & Ralph, S. F. (2017). Carbon nanotube membranes: synthesis, properties, and future filtration applications. *Nanomaterials*, 7(5), 99.

Robinson, J.T., Hong, G., Liang, Y., Zhang, B., Yaghi, O.K. and Dai, H., 2012. In vivo fluorescence imaging in the second near-infrared window with long circulating carbon nanotubes capable of ultrahigh tumor uptake. *Journal of the American Chemical Society*, 134(25), pp.10664-10669.

Ruby, A. J., Babub, K. D., dan Rajasekharanb, K. N. (1995). *Anti-tumour and Antioxidant Activity of Natural Curcuminoids. Cancer letters*, 94, (1995), 79-83.

Rungrotmongkol, T., Arswang, U., Iamsamai, C., Vongachariya, A., Dubas, S. T., Ruktanonchai, U., ... & Hannongbua, S. (2011). Increased dispersion and solubility of carbon nanotubes noncovalently modified by the polysaccharide biopolymer, chitosan: MD simulations. *Chemical physics letters*, 507(1-3), 134-137.

Saleh, T. A. (2011). The influence of treatment temperature on the acidity of MWCNT oxidized by HNO<sub>3</sub> or a mixture of HNO<sub>3</sub>/H<sub>2</sub>SO<sub>4</sub>. *Applied surface science*, 257(17), 7746-7751.

Saleh, T.A., Siddiqui, M.N. and Al-Arfaj, A.A., 2016. Kinetic and intraparticle diffusion studies of carbon nanotubes-titania for desulfurization of fuels. *Petroleum Science and Technology*, 34(16), pp.1468-1474.

Samimi Gharaie, S., Habibi, S. and Nazockdast, H., 2018. Fabrication and characterization of chitosan/gelatin/thermoplastic polyurethane blend nanofibers. *Journal of Textiles and Fibrous Materials*, 1, p.2515221118769324.



**Studi Kinetika dan Kesetimbangan Adsorpsi pada Functionalized Multi-Walled Carbon Nanotube (MWCNT) dengan Variasi Biopolimer sebagai Drug Carrier**

FRANCISCA LARASATI, Yuni Kusumastuti, S.T., M.Eng., D.Eng; Dr. Ir. Aswati Mindaryani, M.Sc.

Universitas Gadjah Mada, 2021 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Sarangdevot, K. and Sonigara, B.S., 2015. The wondrous world of carbon nanotubes: Structure,

synthesis, properties and applications. *Journal of Chemical and Pharmaceutical Research*, 7(6), pp.916-933.

Sharmeen, S., Rahman, A. M., Lubna, M. M., Salem, K. S., Islam, R., & Khan, M. A. (2018).

Polyethylene glycol functionalized carbon nanotubes/gelatin-chitosan nanocomposite: An approach for significant drug release. *Bioactive materials*, 3(3), 236-244.

Shen, S., Wu, Y., Liu, Y. and Wu, D., 2017. High drug-loading nanomedicines: progress, current status, and prospects. *International journal of nanomedicine*, 12, p.4085.

Sifuentes-Nieves, I., Rendón-Villalobos, R., Jiménez-Aparicio, A., Camacho-Díaz, B. H., Gutierrez Lopez, G. F., & Solorza-Feria, J. (2015). Physical, physicochemical, mechanical, and structural characterization of films based on gelatin/glycerol and carbon nanotubes. *International Journal of Polymer Science*, 2015.

Singh, N., Sachdev, A., & Gopinath, P. (2018). Polysaccharide functionalized single walled carbon nanotubes as nanocarriers for delivery of curcumin in lung cancer cells. *Journal of nanoscience and nanotechnology*, 18(3), 1534-1541.

Sobh, R. A., Nasr, H. E. S., & Mohamed, W. S. (2019). Formulation and in vitro characterization of anticancer drugs encapsulated chitosan/multi-walled carbon nanotube nanocomposites. *J Appl Pharm Sci*, 9, 32-40.

Sohn, S. and Kim, D., 2005. Modification of Langmuir isotherm in solution systems—definition and utilization of concentration dependent factor. *Chemosphere*, 58(1), pp.115-123.

Tchoul, M. N., Ford, W. T., Lolli, G., Resasco, D. E., & Arepalli, S. (2007). Effect of mild nitric acid oxidation on dispersability, size, and structure of single-walled carbon nanotubes. *Chemistry of Materials*, 19(23), 5765-5772.



- Tofighy, M. A., & Mohammadi, T. (2011). Adsorption of divalent heavy metal ions from water using carbon nanotube sheets. *Journal of hazardous materials*, 185(1), 140-147.
- Tran, H.N., You, S.J. and Chao, H.P., 2016. Thermodynamic parameters of cadmium adsorption onto orange peel calculated from various methods: a comparison study. *Journal of Environmental Chemical Engineering*, 4(3), pp.2671-2682.
- Wang, Y., Zhu, J., Huang, H. and Cho, H.H., 2015. Carbon nanotube composite membranes for microfiltration of pharmaceuticals and personal care products: Capabilities and potential mechanisms. *Journal of membrane science*, 479, pp.165-174.
- Wang, Y., Wei, X., Zhang, R., Wu, Y., Farid, M.U. and Huang, H., 2017. Comparison of chemical, ultrasonic and thermal regeneration of carbon nanotubes for acetaminophen, ibuprofen, and triclosan adsorption. *RSC advances*, 7(83), pp.52719-52728.
- Wisdom, K. S., Bhat, I. A., Chanu, T. I., Kumar, P., Pathakota, G. B., Nayak, S. K., ... & Sharma, R. (2020). Chitosan grafting onto single-walled carbon nanotubes increased their stability and reduced the toxicity in vivo (catfish) model. *International journal of biological macromolecules*, 155, 697-707.
- Wise, A. J., Smith, J. R., Bouropoulos, N., Yannopoulos, S. N., van der Merwe, S. M., & Fatouros, D. G. (2008). Single-wall carbon nanotube dispersions stabilised with N-trimethyl-chitosan. *Journal of Biomedical Nanotechnology*, 4(1), 67-72.
- Wong, B.S., Yoong, S.L., Jagusiak, A., Panczyk, T., Ho, H.K., Ang, W.H. and Pastorin, G., 2013. Carbon nanotubes for delivery of small molecule drugs. *Advanced drug delivery reviews*, 65(15), pp.1964-2015.
- Wulan, P.P., Ulwani, S.H., Wulandari, H., Purwanto, W.W. and Mulia, K., 2018, March. The effect of hydrochloric acid addition to increase carbon nanotubes dispersibility as drug



Studi Kinetika dan Kesetimbangan Adsorpsi pada Functionalized Multi-Walled Carbon Nanotube (MWCNT)

dengan Variasi Biopolimer sebagai Drug Carrier

FRANCISCA LARASATI, Yuni Kusumastuti, S.T., M.Eng., D.Eng; Dr. Ir. Aswati Mindaryani, M.Sc.

UNIVERSITAS GADJAH MADA

Universitas Gadjah Mada, 2021 | Diunduh dari <http://etd.repository.ugm.ac.id/>

delivery system by covalent functionalization. In *IOP Conference Series: Materials*

*Science and Engineering* (Vol. 316, No. 1, p. 012013). IOP Publishing.

Xie, Xiaofeng., Gao, Lian. (2007), Characterization of a Manganese Dioxide/Carbon Nanotube

Composite Fabricated Using an In Situ Coating Method, *Carbon*, 45 (12), 2365-2373.

Yang, Z., Chaieb, S., Hemar, Y., de Campo, L., Rehm, C. and McGillivray, D.J., 2015.

Investigating linear and nonlinear viscoelastic behaviour and microstructures of gelatin-multiwalled carbon nanotube composites. *RSC advances*, 5(130), pp.107916-107926.

Yhee, J.Y., Son, S., Son, S., Joo, M.K. and Kwon, I.C., 2013. The EPR effect in cancer therapy.

In *Cancer Targeted Drug Delivery* (pp. 621-632). Springer, New York, NY.

Zawawi, N. A., Majid, Z. A., & Rashid, N. A. A. (2017). Adsorption and desorption of

curcumin by poly (vinyl) alcohol-multiwalled carbon nanotubes (PVA-MWCNT).

*Colloid and Polymer Science*, 295(10), 1925-1936.

Zhuang, W.R., Wang, Y., Cui, P.F., Xing, L., Lee, J., Kim, D., Jiang, H.L. and Oh, Y.K., 2019.

Applications of  $\pi$ - $\pi$  stacking interactions in the design of drug-delivery systems. *Journal*

of controlled release, 294, pp.311-326.