

## DAFTAR PUSTAKA

- Ab Wahab, S.Z., Abdul Kadir, A., Nik Hussain, N.H., Omar, J., Yunus, R., Baie, S., dkk., 2015. The Effect of *Channa striatus* (Haruan) Extract on Pain and Wound Healing of Post-Lower Segment Caesarean Section Women. *Evidence-based Complementary and Alternative Medicine : eCAM*, **2015**: 6.
- Abraham, J., 2010. International Conference On Harmonisation Of Technical Requirements For Registration Of Pharmaceuticals For Human Use. *Handbook of Transnational Economic Governance Regimes*, 1041–1053.
- Adeoti, I.A. dan Hawboldt, K., 2014. A review of lipid extraction from fish processing by-product for use as a biofuel. *Biomass and Bioenergy*, **63**: 330–340.
- Akmal, N.L.H.B.I.A. dan Roy, A., 2017. Free Radical Scavenging Activity of Fish Oil - an In-Vitro Study. *International Journal of Pharmaceutical Sciences and Research*, **8**: .
- Akoh, C.C. dan Min, D.B. (Editor), 2008. *Food Lipids: Chemistry, Nutrition, and Biotechnology*, 3rd ed. ed, Food science and technology. CRC Press/Taylor & Francis Group, Boca Raton.
- Amit, Jamwal, R., Kumari, S., Dhaulaniya, A.S., Balan, B., dan Singh, D.K., 2020a. Application of ATR-FTIR spectroscopy along with regression modelling for the detection of adulteration of virgin coconut oil with paraffin oil. *LWT*, **118**: 108754.
- Amit, Jamwal, R., Kumari, S., Kelly, S., Cannavan, A., dan Singh, D.K., 2020b. Rapid detection of pure coconut oil adulteration with fried coconut oil using ATR-FTIR spectroscopy coupled with multivariate regression modelling. *LWT*, **125**: 109250.
- AOAC, 2000. Oils and Fats, dalam: *AOAC Official Method*. USA.
- AOCS, 1998. *Official Method and Recommended Practices of the AOCS*. American Oil Chemists' Society.
- Archibong, A.E., Rideout, M.L., Harris, K.J., dan Ramesh, A., 2018. Oxidative stress in reproductive toxicology. *Current Opinion in Toxicology*, **7**: 95–101.
- Arruda, L.F. de, Borghesi, R., dan Oetterer, M., 2007. Use of fish waste as silage: a review. *Brazilian Archives of Biology and Technology*, **50**: 879–886.
- Baie, S.H. dan Sheikh, K.A., 2000. The wound healing properties of *Channa striatus*-cetrinide cream-wound contraction and glycosaminoglycan measurement. *Journal of Ethnopharmacology*, **73**: 15–30.
- Ball, D.W., Hill, J.W., dan Scott, R.J., 2011. 'The Basics of General, Organic, and Biological Chemistry', *Open Textbook Library*. URL: <https://open.umn.edu/opentextbooks/textbooks/the-basics-of-general-organic-and-biological-chemistry> (diakses tanggal 2/6/2020).
- Bonilla, J.R. dan Hoyos, C.J.L., 2018. Methods of extraction, refining and concentration of fish oil as a source of omega-3 fatty acids. *Ciencia y Tecnología Agropecuaria*, **19**: 645–668.

- Boran, G., Karaçam, H., dan Boran, M., 2006. Changes in the quality of fish oils due to storage temperature and time. *Food Chemistry*, **98**: 693–698.
- Chakraborty, K. dan Joseph, D., 2015a. Production and characterization of refined oils obtained from Indian oil sardine (*Sardinella longiceps*). *Journal of Agricultural and Food Chemistry*, **63**: 998–1009.
- Chakraborty, K. dan Joseph, D., 2015b. Cooking and pressing is an effective and eco-friendly technique for obtaining high quality oil from *Sardinella longiceps*: Cooking and pressing to obtain high quality sardine oil. *European Journal of Lipid Science and Technology*, **117**: 837–850.
- Che Man, Y.B., Syahariza, Z.A., Mirghani, M.E.S., Jinap, S., dan Bakar, J., 2005. Analysis of potential lard adulteration in chocolate and chocolate products using Fourier transform infrared spectroscopy. *Food Chemistry*, **90**: 815–819.
- Chebet, J., Kinyanjui, T., dan Cheplogoi, P.K., 2016. Impact of frying on iodine value of vegetable oils before and after deep frying in different types of food in Kenya. *Journal of Scientific and Innovative Research*, **5**: 4.
- Chedoloh, R., Karrila, T.T., dan Pakdeechanuan, P., 2011. Fatty acid composition of important aquatic animals in Southern Thailand. *International Food Research Journal*, **18**: 783–790.
- Chong, C.L., 2012. Measurement and Maintenance of Palm Oil Quality, dalam: *Palm Oil: Production, Processing, Characterization, and Uses*. AOCS Press, hal. 431–470.
- Corrêa, A.P.A., Peixoto, C.A., Gonçalves, L.A.G., dan Cabral, F.A., 2008. Fractionation of fish oil with supercritical carbon dioxide. *Journal of Food Engineering*, **88**: 381–387.
- Dahlan-Daud, C.K., Mat Jais, A.M., Ahmad, Z., MD Akim, A., dan Adam, A., 2010. Amino and fatty acid compositions in Haruan traditional extract (HTE). *Boletín Latinoamericano y del Caribe de Plantas Medicinales y Aromáticas*, 414–429.
- Damongilala, L.J., 2002. KANDUNGAN ASAM LEMAK TAK-JENUH MINYAK HATI IKAN CUCUT BOTOL (*Centrophorus* sp) YANG DIEKSTRAKSI DENGAN CARA PEMANASAN. *Jurnal Ilmiah Sains*, **8**: 5.
- Dijkstra, A.J., 2016. Vegetable Oils: Composition and Analysis, dalam: *Encyclopedia of Food and Health*. Elsevier, hal. 357–364.
- Dominguez, L.J. dan Barbagallo, M., 2018. Not All Fats Are Unhealthy, dalam: *The Prevention of Cardiovascular Disease Through the Mediterranean Diet*. Elsevier, hal. 35–58.
- FAO, 1986. *The Production of Fish Meal and Oil - Contents*. FAO, Roma, Italia.
- FAO, 2017. STANDARD FOR FISH OILS CODEX STAN 329-2017.
- Farmer, A., Montori, V., Dinneen, S., dan Clar, C., 2001. Fish oil in people with type 2 diabetes mellitus. *The Cochrane Database of Systematic Reviews*, CD003205.
- Fessenden, R.J. dan Fessenden, J.S., 1999. *Kimia Organik*, 3rd ed. Erlangga, Jakarta.

- Gandjar, I.G. dan Rohman, A., 2007. *Kimia Farmasi Analisis*. Pustaka Pelajar, Yogyakarta.
- Ghassem, M., Arihara, K., Babji, A.S., Said, M., dan Ibrahim, S., 2011. Purification and identification of ACE inhibitory peptides from Haruan (*Channa striatus*) myofibrillar protein hydrolysate using HPLC–ESI-TOF MS/MS. *Food Chemistry*, **129**: 1770–1777.
- Grob, R.L., 2004. Theory of Gas Chromatography, dalam: *Modern Practice of Gas Chromatography*. John Wiley & Sons, Ltd, hal. 23–63.
- Guillén, M.D. dan Cabo, N., 1997. Characterization of edible oils and lard by fourier transform infrared spectroscopy. Relationships between composition and frequency of concrete bands in the fingerprint region. *Journal of the American Oil Chemists' Society*, **74**: 1281–1286.
- Guthrie, J.A., 2005. 'ROBUSTNESS OF NIR CALIBRATIONS FOR ASSESSING FRUIT QUALITY', . Central Queensland University, Rockhampton.
- Haile, M., Duguma, H.T., Chameno, G., dan Kuyu, C.G., 2019. Effects of location and extraction solvent on physico chemical properties of Moringa stenopetala seed oil. *Heliyon*, **5**: e02781.
- Haniffa, M.A.K., Sheela, P.A.J., Kavitha, K., dan Jais, A.M.M., 2014. Salutary value of haruan, the striped snakehead *Channa striatus* – a review. *Asian Pacific Journal of Tropical Biomedicine*, **4**: S8–S15.
- Hanke, L.D., 2001. *Handbook of Analytical Methods for Materials*. Materials Evaluation and Engineering, Inc., 1st Avenue North, Suite 400 Plymouth.
- Ibrahim, A.I., Nurjanah, S., Kramadibrata, A.M., Naufalin, R., Erminawati, dan Dwiyantri, H., 2019. Influence of different extraction methods on physico-chemical characteristics and chemical composition of coconut oil (*Cocos nucifera* L). *IOP Conference Series: Earth and Environmental Science*, **250**: 012102.
- Jadid, N., Hidayati, D., Hartanti, S.R., Arraniry, B.A., Rachman, R.Y., dan Wikanta, W., 2017. 'Antioxidant activities of different solvent extracts of Piper retrofractum Vahl. using DPPH assay', . Dipresentasikan pada PROCEEDING OF INTERNATIONAL BIOLOGY CONFERENCE 2016: Biodiversity and Biotechnology for Human Welfare, Surabaya, Indonesia, hal. 020019.
- Jais, A.M.M., 2007. Pharmacognosy and pharmacology of Haruan (*Channa striatus*), a medicinal fish with wound healing properties. *Boletín Latinoamericano y del Caribe de Plantas Medicinales y Aromáticas*, **6**: 52–60.
- Jais, A.M.M., Matori, Mohd.F., Kittakoo, P., dan Sowanborirux, K., 1998. Fatty Acid Compositions in Mucus and Roe of Haruan, *Channa Striatus*, for Wound Healing. *General Pharmacology: The Vascular System*, **30**: 561–563.
- Jais, A.M.M., McCulloch, R., dan Croft, K., 1994. Fatty acid and amino acid composition in haruan as a potential role in wound healing. *General Pharmacology: The Vascular System*, **25**: 947–950.

- Jamwal, R., Amit, Kumari, S., Balan, B., Dhaulaniya, A.S., Kelly, S., dkk., 2020. Attenuated total Reflectance–Fourier transform infrared (ATR–FTIR) spectroscopy coupled with chemometrics for rapid detection of argemone oil adulteration in mustard oil. *LWT*, **120**: 108945.
- Jolliffe, I.T. dan Cadima, J., 2016. Principal component analysis: a review and recent developments. *Philosophical Transactions of the Royal Society A: Mathematical, Physical and Engineering Sciences*, **374**: 20150202.
- Karmakar, S., Das, T., Ghosh, A., Dasgupta, S.C., Biswas, A.K., dan Gomes, A., 2004. Isolation and partial structural evaluation of a cardiotoxic factor from Indian common murrel (*Channa striatus* L.) skin extract. *Indian Journal of Experimental Biology*, **42**: 271–278.
- Kikuzaki, H., Hisamoto, M., Hirose, K., Akiyama, K., dan Taniguchi, H., 2002. Antioxidant Properties of Ferulic Acid and Its Related Compounds. *Journal of Agricultural and Food Chemistry*, **50**: 2161–2168.
- Ladniya, V., Moghal, M.M., dan Pradhan, V., 2018. Fatty Acid Composition of Oil Extracted from Murrel Fish (*Channa striata*) From Marathwada Region. *Haya: The Saudi Journal of Life Science*, **3**: 22–25.
- Latheef, M.B., 2012. 'Pulsed ultrasound-assisted solvent extraction of oil from soybeans and microalgae', . McGill University, Montreal, Canada.
- Latip, L.D., Zzaman, W., dan Yang, T.A., 2014. Application of Response Surface Methodology to Optimize the Extraction of Asian Catfish (*Clarias Batrachus*) Oil Using Superheated Steam Treatment. *Food Science and Technology*, **8**.
- Leger, T., Azarnoush, K., Traoré, A., Cassagnes, L., Rigaudière, J.-P., Jouve, C., dkk., 2019. 'Antioxidant and Cardioprotective Effects of EPA on Early Low-Severity Sepsis through UCP3 and SIRT3 Upholding of the Mitochondrial Redox Potential', , *Research Article, Oxidative Medicine and Cellular Longevity*. URL: <https://www.hindawi.com/journals/omcl/2019/9710352/> (diakses tanggal 22/10/2020).
- Listyanto, N. dan Andriyanto, S., 2009. Ikan Gabus (*Channa striata*) Manfaat Pengembangan dan Alternatif Teknik Budidayanya. *Media Akuakultur*, **4**: 18.
- Lumakso, F.A., Riyanto, S., Ahmad, S.A.S., Rosman, A.S., Yusoff, F.M., dan Rohman, A., 2015. Application of chemometrics in combination with Fourier Transform Mid Infrared spectroscopy for authentication of avocado oil. *J.Food Pharm.Sci*, **12**–17.
- Marikkar, J.M.N., Ghazali, H.M., Che Man, Y.B., Peiris, T.S.G., dan Lai, O.M., 2005. Distinguishing lard from other animal fats in admixtures of some vegetable oils using liquid chromatographic data coupled with multivariate data analysis. *Food Chemistry*, **91**: 5–14.
- Mat Jais, A.M., Dambisya, Y.M., dan Lee, T.L., 1997. Antinociceptive activity of *Channa striatus* (haruan) extracts in mice. *Journal of Ethnopharmacology*, **57**: 125–130.

- Mathew, S. dan Abraham, T.E., 2006. In vitro antioxidant activity and scavenging effects of *Cinnamomum verum* leaf extract assayed by different methodologies. *Food and Chemical Toxicology*, **44**: 198–206.
- Milićević, D., Vranić, D., Mašić, Z., Parunović, N., Trbović, D., Nedeljković-Trailović, J., dkk., 2014. The role of total fats, saturated/unsaturated fatty acids and cholesterol content in chicken meat as cardiovascular risk factors. *Lipids in Health and Disease*, **13**: 42.
- Miller, J.N. dan Miller, J.C., 2005. *Statistics and Chemometrics for Analytical Chemistry*, 5th ed. ed. Pearson Prentice Hall, Harlow, England ; New York.
- Mohd Shafri, M. dan Abdul Manan, M., 2012. Therapeutic Potential of the Haruan (*Channa striatus*): From Food to Medicinal Uses. *Mal J Nutr*, **18**: 125–136.
- Molla, Md.R., Asaduzzaman, A.K.M., Mia, Md.A.R., Uddin, M., Biswas, S., dan Udin, M.S., 2016. Nutritional Status, Characterization and Fatty Acid Composition of Oil and Lecithin Isolated from Fresh Water Fish Shoul (*Channa striata*). *International Journal of Nutrition and Food Sciences*, **5**: 9–15.
- Molla, Md.R., Asaduzzaman, A.K.M., Mia, Md.A.R., Zeb, Md.A., dan Uddin, Md.S., 2015. Extraction and Characterization of Oil and Lecithin from Boal (Wallago attu) Fish. *Journal of Food and Nutrition Research*, **3**: 661–666.
- Molyneux, P., 2004. The use of the stable free radical diphenylpicryl- hydrazyl (DPPH) for estimating antioxidant activity **26**: 9.
- Montoya, C., Cochard, B., Flori, A., Cros, D., Lopes, R., Cuellar, T., dkk., 2014. Genetic Architecture of Palm Oil Fatty Acid Composition in Cultivated Oil Palm (*Elaeis guineensis* Jacq.) Compared to Its Wild Relative *E. oleifera* (H.B.K) Cortés. *PLoS ONE*, **9**: e95412.
- Moreno, A.O., Dorantes, L., Galíndez, J., dan Guzmán, R.I., 2003. Effect of Different Extraction Methods on Fatty Acids, Volatile Compounds, and Physical and Chemical Properties of Avocado ( *Persea americana* Mill.) Oil. *Journal of Agricultural and Food Chemistry*, **51**: 2216–2221.
- Moros, J., Garrigues, S., dan Guardia, M. de la, 2010. Vibrational spectroscopy provides a green tool for multi-component analysis. *TrAC Trends in Analytical Chemistry*, **29**: 578–591.
- Mustafa, A., Widodo, M.A., dan Kristianto, Y., 2012. Albumin And Zinc Content Of Snakehead Fish (*Channa striata*) Extract And Its Role In Health **1**: 9.
- Ngui, W.S.Y., Hassan, N.H., Ramlan, N., dan Zubairi, S.I., 2017. Malaysia snakehead *channa striatus* and micropeltes: physico-chemical properties of fillet fish oil and water-soluble extract. *Chemical Engineering Transactions*, **56**: 61–66.
- Osman, H., Suriah, A.R., dan Law, E.C., 2001. Fatty acid composition and cholesterol content of selected marine fish in Malaysian waters. *Food Chemistry*, **73**: 55–60.
- Ou, B., Huang, D., Hampsch-Woodill, M., Flanagan, J.A., dan Deemer, E.K., 2002. Analysis of Antioxidant Activities of Common Vegetables Employing Oxygen Radical Absorbance Capacity (ORAC) and Ferric Reducing Antioxidant Power (FRAP) Assays: A Comparative Study. *Journal of Agricultural and Food Chemistry*, **50**: 3122–3128.



- Paradkar, M.M. dan Irudayaraj, J., 2002. A Rapid FTIR Spectroscopic Method for Estimation of Caffeine in Soft Drinks and Total Methylxanthines in Tea and Coffee. *Journal of Food Science*, **67**: 2507–2511.
- Pavia, D.L., Lampman, G.M., Kriz, G.S., dan Vyvyan, J.A., 2008. *Introduction to Spectroscopy*, 4th ed. Cengage Learning, Washington.
- Peak, D., 2005. Fourier Transform Infrared Spectroscopy, dalam: *Encyclopedia of Soils in the Environment*. Elsevier Ltd.
- Pontoh, J., 2019. Extraction and Characterization of Fish oil from various parts of Snakehead fish (*Channa striata*). *International Journal of ChemTech Research*, **12**: 323–328.
- Pontoh, J. dan Tumiwa, D., 2018. Gas chromatographic analysis of fatty acid composition in the fresh water fishes in North Sulawesi. *Malaysian Journal of Fundamental and Applied Sciences*, **14**: 179–183.
- Putri, A.R., Rohman, A., dan Riyanto, S., 2019. Authentication of Patin (*Pangasius micronemus*) Fish Oil Adulterated with Palm Oil using FTIR Spectroscopy Combined with Chemometrics. *International Journal of Applied Pharmaceuticals*, **11**: .
- Rahayu, P., Marcelline, F., Sulistyaningrum, E., Suhartono, M.T., dan Tjandrawinata, R.R., 2016. Potential effect of striatin (DLBS0333), a bioactive protein fraction isolated from *Channa striata* for wound treatment. *Asian Pacific Journal of Tropical Biomedicine*, **6**: 1001–1007.
- Rahman, M., Molla, M., Sarker, M., Chowdhury, S., dan Shaikh, M., 2018. Snakehead Fish (*Channa striata*) and Its Biochemical Properties for Therapeutics and Health Benefits. *ScienceForecast*, **1**: 6.
- Ratnavathi, C.V. dan Komala, V.V., 2016. Chapter 1 - Sorghum Grain Quality, dalam: *Sorghum Biochemistry*. Academic Press, hal. 1–61.
- Reid, L.M., O'Donnell, C.P., dan Downey, G., 2006. Recent technological advances for the determination of food authenticity. *Trends in Food Science & Technology*, **17**: 344–353.
- Richard, D., Kefi, K., Barbe, U., Bausero, P., dan Visioli, F., 2008. Polyunsaturated fatty acids as antioxidants. *Pharmacological Research*, **57**: 451–455.
- Ritz, M., 2007. Identification of origin of coal from the Ostrava-Karvina Mining District by infrared spectroscopy and discriminant analysis. *Vibrational Spectroscopy*, **43**: 319–323.
- Rohman, A., 2017. Infrared spectroscopy for quantitative analysis and oil parameters of olive oil and virgin coconut oil: A review. *International Journal of Food Properties*, **20**: 1447–1456.
- Rohman, A., Arsanti, L., Erwanto, Y., dan Pranoto, Y., 2016. The use of vibrational spectroscopy and chemometrics in the analysis of pig derivatives for halal authentication. *International Food Research Journal*, **23**: 1839–1848.
- Rohman, A. dan Che Man, Y.B., 2009. Monitoring of Virgin Coconut Oil (VCO) Adulteration with Palm Oil using Fourier Transform Infrared Spectroscopy. *Journal of Food Lipids*, **16**: 612–628.
- Rohman, A. dan Che Man, Y.B., 2011. Application of Fourier transform infrared (FT-IR) spectroscopy combined with chemometrics for authentication of cod-liver oil. *Vibrational Spectroscopy*, **55**: 141–145.

- Rohman, A. dan Man, Y.B.C., 2010. Fourier transform infrared (FTIR) spectroscopy for analysis of extra virgin olive oil adulterated with palm oil. *Food Research International*, **43**: 886–892.
- Rohman, A., Riyanto, S., Sasi, A.M., dan Yusof, F.Mohd., 2014. The use of FTIR spectroscopy in combination with chemometrics for the authentication of red fruit (*Pandanus conoideus* Lam) oil from sunflower and palm oils. *Food Bioscience*, **7**: 64–70.
- Rohman, A., Riyanto, S., Windarsih, A., Irnawati, Khadijah, dan Putri, A.R., 2020. *Karakterisasi Minyak Dan Lemak*. Pustaka Pelajar, Yogyakarta.
- Rohman, A. dan Sumantri, 2013. *Analisis makanan*. UGM PRESS.
- Rubalya Valantina, S. dan Neelamegam, P., 2015. Selective ABTS and DPPH-radical scavenging activity of peroxide from vegetable oils. *International Food Research Journal*, **22**: 289–294.
- Rubio-Rodríguez, N., Beltrán, S., Jaime, I., de Diego, S.M., Sanz, M.T., dan Carballido, J.R., 2010. Production of omega-3 polyunsaturated fatty acid concentrates: A review. *Innovative Food Science & Emerging Technologies*, **11**: 1–12.
- Schaich, K.M., Tian, X., dan Xie, J., 2015. Hurdles and pitfalls in measuring antioxidant efficacy: A critical evaluation of ABTS, DPPH, and ORAC assays. *Journal of Functional Foods*, **14**: 111–125.
- Sebastian, E.W., Smrke, S., Goodman, B.A., dan Yeretizian, C., 2014. Methodology for the Measurement of Antioxidant Capacity of Coffee: A Validated Platform Composed of Three Complementary Antioxidant Assays, dalam: *Processing and Impact on Antioxidants in Beverages*. Academic Press, hal. 253–264.
- Settle, F.A., 1997. *Handbook of Instrumental Techniques for Analytical Chemistry*. Prentice Hall PTR, New Jersey.
- Shah, P. dan Modi, H.A., 2015. Comparative Study of DPPH, ABTS and FRAP Assays for Determination of Antioxidant Activity. *International Journal For Research in Applied Science and Engineering Technology*, **3**: 8.
- Smith, B.C., 2011. *Fundamentals of Fourier Transform Infrared Spectroscopy*, 2nd ed. CRC Press, Boca Raton.
- Sudarmadji, S., 1989. *Analisa bahan makanan dan pertanian*. Liberty Yogyakarta bekerja sama dengan Pusat Antar Universitas Pangan dan Gizi Universitas Gadjah Mada.
- Suseno, S.H., Jacoeb, A.M., Yocinta, H.P., dan Kamini, K., 2018. Quality of Comercial Import Fish Oil (Softgel) in Central Java. *Jurnal Pengolahan Hasil Perikanan Indonesia*, **21**: 556.
- Swanson, D., Block, R., dan Mousa, S.A., 2012. Omega-3 Fatty Acids EPA and DHA: Health Benefits Throughout Life. *Advances in Nutrition*, **3**: 1–7.
- Tang, B. dan Row, K.H., 2013. Development of Gas Chromatography Analysis of Fatty Acids in Marine Organisms. *Journal of Chromatographic Science*, **51**: 599–607.
- Teixeira, L.S.G., Oliveira, F.S., dos Santos, H.C., Cordeiro, P.W.L., dan Almeida, S.Q., 2008. Multivariate calibration in Fourier transform infrared

- spectrometry as a tool to detect adulterations in Brazilian gasoline. *Fuel*, **87**: 346–352.
- Turchini, G.M., Torstensen, B.E., dan Ng, W.-K., 2009. Fish oil replacement in finfish nutrition. *Reviews in Aquaculture*, **1**: 10–57.
- Ulven, S.M., Kirkhus, B., Lamglait, A., Basu, S., Elind, E., Haider, T., dkk., 2011. Metabolic Effects of Krill Oil are Essentially Similar to Those of Fish Oil but at Lower Dose of EPA and DHA, in Healthy Volunteers. *Lipids*, **46**: 37–46.
- Werdhasari, A., 2014. Peran Antioksidan Bagi Kesehatan. *Jurnal Biotek Medisiana Indonesia*, **3**: 59–68.
- Windarsih, A., Irnawati, dan Rohman, A., 2021. The use of FTIR spectroscopy in combination with chemometrics for the authentication of milk fat from palm oil. *IOP Conference Series: Materials Science and Engineering*, **980**: 012025.
- Wootton-Beard, P.C., Moran, A., dan Ryan, L., 2011. Stability of the total antioxidant capacity and total polyphenol content of 23 commercially available vegetable juices before and after in vitro digestion measured by FRAP, DPPH, ABTS and Folin–Ciocalteu methods. *Food Research International*, **44**: 217–224.
- Zakaria, Z., Mat Jais, A., Goh, Y., Sulaiman, M., dan Somchit, M., 2007. Amino Acid and Fatty Acid Composition of an Aqueous Extract of *Channa Striatus* (haruan) That Exhibits Antinociceptive Activity. *Clinical and Experimental Pharmacology and Physiology*, **34**: 198–204.
- Zhang, X., Lin, L., Chen, Z., Zhang, J., Wang, X., dan Tao, N., 2020. Characterization of refined fish oil from small fish in Mauritania. *Aquaculture and Fisheries*, .
- Zuraini, A., Somchit, M.N., Solihah, M.H., Goh, Y.M., Arifah, A.K., Zakaria, M.S., dkk., 2006. Fatty acid and amino acid composition of three local Malaysian *Channa* spp. fish. *Food Chemistry*, **97**: 674–678.