

## DAFTAR PUSTAKA

- Ah-See, K. W. dan Evans, A. S. (2007) "Sinusitis and its management," *British Medical Journal*. doi: 10.1136/bmj.39092.679722.BE.
- Akil, M. A. *et al.* (2017) "Correlation between septal body and quality of life based on sinonasal outcome test 20 (SNOT-20)," *Journal of Medical Sciences (Faisalabad)*, 17(4), hal. 162–166. doi: 10.3923/jms.2017.162.166.
- Ameet, S. (2017) *Paranasal Sinus Anatomy, Medscape*. Tersedia pada: <https://emedicine.medscape.com/article/1899145-overview>.
- Aritonang, M. H., Ibrahim, M. dan Simanjuntak, M. (2018) "Gambaran Penderita Sinusitis Maksilaris Kronis di Poliklinik THT Rumah Sakit TK II Putri Hijau Kesdam I/ BB Medan Tahun 2016," *Jurnal Kedokteran Methodist*, 11, hal. 251–256.
- Augesti, G., Oktarlina, R. Z. dan Imanto, M. (2016) "Sinusitis Maksilaris Sinistra Akut Et Causa Dentogen," *JPM Ruwa Jurai*, 2(1), hal. 33–37.
- Azila, A. *et al.* (2011) "The Prevalence of Anatomical Variations in Osteomeatal Unit in Patients with Chronic Rhinosinusitis," *Medical Journal of Malaysia*, 66(3), hal. 191–194.
- Bagri, N. *et al.* (2018) "Nasal septal angle deviation: effect on lateral wall in nasal obstruction," *International Journal of Research in Medical Sciences*. doi: 10.18203/2320-6012.ijrms20185095.
- Balikci, H. H. *et al.* (2016) "Relationships among Concha Bullosa, Nasal Septal Deviation, and Sinusitis: Retrospective Analysis of 296 Cases," *Ear, Nose & Throat Journal*, 95(12), hal. 487–491. doi: 10.1177/014556131609501209.
- Battisti, A., Modi, P. dan Pangia, J., 2020. *Sinusitis*. [online] Ncbi.nlm.nih.gov. Available at: <https://www.ncbi.nlm.nih.gov/books/NBK470383/#!po=2.77778> [Accessed 21 October 2020].
- Bhandary, S.K. dan Kamath P, S.D. (2009). Study of relationship of concha bullosa to nasal septal deviation and sinusitis. *Indian Journal of Otolaryngology and Head & Neck Surgery*, 61(3), pp.227–229.
- Bolger, W. E., Butzin, C. A. dan Parsons, D. S. (1991) "Paranasal sinus bony anatomic variations and mucosal abnormalities: CT analysis for endoscopic sinus surgery," *The Laryngoscope*, 101(1 Pt 1), hal. 56–64. doi: 10.1288/00005537-199101000-00010.
- Brook, I., 2021. *Chronic Sinusitis: Background, Anatomy, Pathophysiology*. [online] Emedicine.medscape.com. Available at: <https://emedicine.medscape.com/article/232791-overview#a6> [Accessed 15 March 2021].
- Budiman, B. J. dan Asyari, A. (2012) "Pengukuran Sumbatan Hidung pada Deviasi Septum Nasi," *Jurnal Kesehatan Andalas*. doi: 10.25077/jka.v1i1.4.
- Cappello, Z. J. dan Dublin, A. B. (2019) *Anatomy, Head and Neck, Nose Paranasal Sinuses, StatPearls*.

- Chan, Y. dan Kuhn, F. A. (2009) "An update on the classifications, diagnosis, and treatment of rhinosinusitis," *Current Opinion in Otolaryngology and Head and Neck Surgery*. doi: 10.1097/MOO.0b013e32832ac393.
- Cellina, M. *et al.* (2020) "Nasal cavities and the nasal septum: Anatomical variants and assessment of features with computed tomography," *Neuroradiology Journal*, 33(4), hal. 340–347. doi: 10.1177/1971400920913763.
- Cukurova, I., Yaz, A., Gumussoy, M., Yigitbasi, O.G. dan Karaman, Y. (2012). A patient presenting with concha bullosa in another concha bullosa: a case report. *Journal of Medical Case Reports*, [online] 6(1), p.87. Available at: <http://www.jmedicalcasereports.com/content/6/1/87> [Accessed 3 Mar. 2021].
- DRETTNER, B. (2009) "Pathophysiology of paranasal sinuses with clinical implications," *Clinical Otolaryngology & Allied Sciences*, 5(4), hal. 277–284. doi: 10.1111/j.1365-2273.1980.tb02145.x.
- Emilia, J. *et al.* (2013) "Korelasi Variasi Anatomi Hidung dan Sinus Para Nasalis Berdasarkan Gambaran CT Scan Terhadap Kejadian Rinosinusitis Kronik," hal. 1–10.
- Etigadda, D. Y. dan Majeed, D. J. (2017) "Clinical and Radiological Evaluation of Deviated Nasal Septum in Classifying and Surgical Management of the Deviated Septums," *IOSR Journal of Dental and Medical Sciences*. doi: 10.9790/0853-1602031320.
- Fatterpekar, G. M., Delman, B. N. dan Som, P. M. (2008) "Imaging the Paranasal Sinuses: Where We Are and Where We Are Going," *The Anatomical Record: Advances in Integrative Anatomy and Evolutionary Biology*, 291(11), hal. 1564–1572. doi: 10.1002/ar.20773.
- Fitch, K. dan Zinner, G. (1996) "Kathleen Fitch, MSN, APRN,BC, FNP Gennine Zinner, RNC, ANP."
- Frinadya, N. *et al.* (2018) "Sinonasal Anatomical Variation in Chronic Rhinosinusitis Patients Based on CT Scan Finding," *International Journal of Health and Medical Sciences*, 4(2), hal. 196–202. doi: 10.20469/ijhms.40003-2.
- Harar, R. P. S., Chadha, N. K. dan Rogers, G. (2004) "The role of septal deviation in adult chronic rhinosinusitis: a study of 500 patients.," *Rhinology*, 42(3), hal. 126–30. Tersediapada: <http://www.ncbi.nlm.nih.gov/pubmed/15521664>
- Hasan, O. A., Hassan, M. A. dan Fawzy, E. K. (2017) "Anatomical Variations of Nasal Structures in Chronic Rhinosinusitis as Detected by Computed Tomography Scan," *The Egyptian Journal of Hospital Medicine*, 68(3), hal. 1390–1394. doi: 10.12816/0039679.
- Hatipoglu, H. G., Cetin, M. A. dan Yuksel, E. (2008) "Nasal septal deviation and concha bullosa coexistence: CT evaluation," *B-ENT*.
- Husni, T. (2015) "Diagnosis dan Penanganan Rinosinusitis," *J Majority*, hal. 212–229. Tersedia pada: <http://conference.unsyiah.ac.id/TIFK/1/paper/viewFile/783/78>.

- İla, K., Yilmaz, N., Öner, S., Başaran, E. dan Öner, Z. (2018). Evaluation of superior concha bullosa by computed tomography. *Surgical and Radiologic Anatomy*, 40(7), pp.841–846.
- Kalaierasi, R., Ramakrishnan, V. dan Poyyamoli, S. (2018) “Anatomical Variations of the Middle Turbinate Concha Bullosa and its Relationship with Chronic Sinusitis: A Prospective Radiologic Study,” *International Archives of Otorhinolaryngology*, 22(03), hal. 297–302. doi: 10.1055/s-0038-1625978.
- Kantarci, M. *et al.* (2004) “Remarkable anatomic variations in paranasal sinus region and their clinical importance,” *European Journal of Radiology*, 50(3), hal. 296–302. doi: 10.1016/j.ejrad.2003.08.012.
- Kapusuz Gencer, Z. *et al.* (2013) “The effect of nasal septal deviation on maxillary sinus volumes and development of maxillary sinusitis,” *European archives of oto-rhino-laryngology: official journal of the European Federation of Oto-Rhino-Laryngological Societies (EUFOS): affiliated with the German Society for Oto-Rhino-Laryngology - Head and Neck Surgery*. doi: 10.1007/s00405-013-2435-y.
- Kayalioglu, G., Oyar, O. dan Govsa, F. (2000) “Nasal cavity and paranasal sinus bony variations,” *Rhinology*, 38(3), hal. 108–113. Tersedia pada: <http://eutils.ncbi.nlm.nih.gov/entrez/eutils/elink.fcgi?dbfrom=pubmed&id=11072655&retmode=ref&cmd=prlinks%5Cnpapers3://publication/uuid/2DA5ED77-10BD-414C-826A-DBF1E1ADF46A>.
- Knipe, H., 2021. *Nasal cavity | Radiology Reference Article | Radiopaedia.org*. [online] Radiopaedia.org. Available at: <<https://radiopaedia.org/articles/nasal-cavity>> [Accessed 15 May 2021].
- Kurniasih, C. dan Ratnawati, L. M. (2019) “Distribusi penderita rinosinusitis kronis yang menjalani pembedahan di RSUP Sanglah Denpasar Periode Tahun 2014 – 2016,” *Medicina*. doi: 10.15562/medicina.v50i1.272.
- Lazim, N. M. *et al.* (2019) “Significance of nasal septum angulation and its association with rhinosinusitis symptom scores,” *Medeniyet Medical Journal*, 34(4), hal. 333–339. doi: 10.5222/MMJ.2019.25986.
- Moorthy, P. N. S. *et al.* (2014) “Clinical Study on Deviated Nasal Septum and Its Associated Pathology,” *International Journal of Otolaryngology and Head & Neck Surgery*. doi: 10.4236/ijohns.2014.32016.
- Mustafa, M., Iftikhar, M. dan Choudhury Shimmi, S. (2015) “Acute and Chronic Rhinosinusitis, Pathophysiology and Treatment Both project View project Multi Drug View project Acute and Chronic Rhinosinusitis, Pathophysiology and Treatment,” ||, 4(February 2017), hal. 30–36. Tersedia pada: [www.ijpsi.org](http://www.ijpsi.org)[www.ijpsi.org](http://www.ijpsi.org)30%7C.

- Neskey, D., Eloy, J. A. dan Casiano, R. R. (2009) "Nasal, Septal, and Turbinate Anatomy and Embryology," *Otolaryngologic Clinics of North America*. doi: 10.1016/j.otc.2009.01.008.
- Nurmalasari, Y. *et al.* (2017) "Faktor-Faktor Prognostik Kesembuhan Pengobatan Medikamentosa Rinosinusitis Kronis Di Poli Tht Rsud a. Dadi Tjokrodipo Bandar Lampung Tahun 2017," 3(April), hal. 188– 197.
- Onwuchekwa, R. C. dan Alazigha, N. (2017) "Computed tomography anatomy of the paranasal sinuses and anatomical variants of clinical relevants in Nigerian adults," *Egyptian Journal of Ear, Nose, Throat and Allied Sciences*. doi: 10.1016/j.ejenta.2016.11.001.
- Osguthorpe, J., 2020. *Adult Rhinosinusitis: Diagnosis And Management*. [online] Aafp.org. Available at: <<https://www.aafp.org/afp/2001/0101/p69.html>> [Accessed 21 October 2020].
- Poorey, V. K. dan Gupta, N. (2014) "Endoscopic and Computed Tomographic Evaluation of Influence of Nasal Septal Deviation on Lateral Wall of Nose and Its Relation to Sinus Diseases," *Indian Journal of Otolaryngology and Head and Neck Surgery*, 66(3), hal. 330–335. doi: 10.1007/s12070-014- 0726-2.
- Prasad, S. *et al.* (2013) "Correlation Study Between Nasal Septal Deviation and Rhinosinusitis," *Indian Journal of Otolaryngology and Head and Neck Surgery*, 65(4), hal. 363–366. doi: 10.1007/s12070-013-0665-3.
- Ranjan Das, S. dan Kumar Sahoo, R. (2016) "SURVEILLANCE OF SINO-NASAL ABNORMALITIES DIAGNOSED BY COMPUTED TOMOGRAPHY SCAN OF PARANASAL SINUSES IN A TEACHING HOSPITAL," *Journal of Evolution of Medical and Dental Sciences*. doi: 10.14260/jemds/2016/153.
- Rao, J. J. *et al.* (2005) "Classification of nasal septal deviations - Relation to sinonasal pathology," *Indian Journal of Otolaryngology and Head and Neck Surgery*, 57(3), hal. 199–201. doi: 10.1007/BF03008013.
- Rinaldi, R. *et al.* (2016) "Sinusitis pada Anak," *Sari Pediatri*, 7(4), hal. 244. doi: 10.14238/sp7.4.2006.244-8.
- Romadhona, S., Sam, B. dan Oscandar, F. (2016) "Prevalensi suspek sinusitis maksilaris odontogenik ditinjau dari radiograf panoramik di instalasi radiologi RSGM UNPAD Prevalence of odontogenic maxillary sinusitis suspects based on the panoramic radiographs at Universitas Padjadjaran Academic D," *Jurnal Kedokteran Gigi Universitas Padjadjaran*, 28(3). doi: 10.24198/jkg.v28i3.18692.
- Scarupa, M., 2020. *Rhinosinusitis: Synopsis* | World Allergy Organization. [online] Worldallergy.org. Available at: <<https://www.worldallergy.org/education-andprograms/education/allergic-disease-resource-center/professionals/rhinosinusitis-synopsis>> [Accessed 21 October 2020].
- Singh, A., 2020. *Paranasal Sinus Anatomy: Overview, Gross*

- Anatomy, Microscopic Anatomy*. [online] Emedicine.medscape.com. Available at: <<https://emedicine.medscape.com/article/1899145-overview#a1>> [Accessed 20 October 2020].
- Slavin, R. G. *et al.* (2005) "The diagnosis and management of sinusitis: A practice parameter update," *Journal of Allergy and Clinical Immunology*. doi: 10.1016/j.jaci.2005.09.048.
- Sonone, J. K., Garg, D. dan Solanke, P. S. (2020) "Occurrence of deviated nasal septum in terms of angles and its relation with sinus disease in patients of chronic rhinosinusitis: a computed tomography scan study," *International Journal of Otorhinolaryngology and Head and Neck Surgery*. doi: 10.18203/issn.2454-5929.ijohns20201681.
- Stallman, J. S., Lobo, J. N. dan Som, P. M. (2004) "The incidence of concha bullosa and its relationship to nasal septal deviation and paranasal sinus disease.," *AJNR. American journal of neuroradiology*, 25(9), hal. 1613–8. Tersedia pada: <http://www.ncbi.nlm.nih.gov/pubmed/15502150>.
- Sutanegara, S. W. D. dan Suditha, I. B. S. (2018) "Characteristics sinusitis of out patients ENT clinic in sanglah hospital, period January to December 2014," *Biomedical and Pharmacology Journal*. doi: 10.13005/bpj/1362.
- Swain, S. (2018) "A Study of Anatomical Variations in Patients with Chronic Rhinosinusitis," *Annals of International medical and Dental Research*, 4(2), hal. 15–17. doi: 10.21276/aimdr.2018.4.2.en1.
- Toluhula, T. T., Punagi, A. Q. dan Perkasa, M. F. (2014) "Hubungan tipe deviasi septum nasi klasifikasi Mladina dengan kejadian rinosinusitis dan fungsi tuba Eustachius," *Oto Rhino Laryngologica Indonesiana*, 43(2), hal. 120. doi: 10.32637/orli.v43i2.69.
- Uygun, K., Tüz, M. dan Doğru, H. (2003) "The correlation between septal deviation and concha bullosa.," *Otolaryngology--head and neck surgery: official journal of American Academy of Otolaryngology-Head and Neck Surgery*, 129(1), hal. 33–6. doi: 10.1016/s0194-5998(03)00479-0.
- Wang, Y. dan Bonaparte, J. P. (2019) "Diagnosis and management of septal deviation and nasal valve collapse-a survey of Canadian otolaryngologists," *Journal of Otolaryngology-Head and Neck Surgery*.doi: 10.1186/s40463-019-0394-z.
- Wyler, B. dan Mallon, W. K. (2019) "Sinusitis Update," *Emergency Medicine Clinics of North America*. doi: 10.1016/j.emc.2018.09.007.
- Yasan, H. *et al.* (2005) "What is the relationship between chronic sinus disease and isolated nasal septal deviation?," *Otolaryngology - Head and Neck Surgery*. doi: 10.1016/j.otohns.2005.04.013.
- Yiğit, Ö. *et al.* (2010) "Concha bullosa and septal deviation," *European Archives of Oto-Rhino-Laryngology*, 267(9), hal. 1397–1401. doi: 10.1007/s00405-010-1228-9.