

DAFTAR PUSTAKA

- Abdulamir, A.S., Hafidh, R.R, Abdulmuhammen, N.,
Abubakar, F., dan Abbas, K.A. 2008. The distinctive
profile of risk factors of nasopharyngeal carcinoma in
comparison with other head and neck cancer types. *BMC
Public Health*. 8:400, doi:10.1186/1471-2458-8-400.
- Adham, M., Kurniawan, A.N., Muhtadi, A.I., Roezin, A.,
Hermani, B., Gondhowiardjo, S., Tan, I.B., and
Middeldorp, J.M. 2011. Nasopharyngeal carcinoma in
Indonesia: epidemiology, incidence, sign and symptom in
presentation. *Chinese Journal Cancer*. 13(4):185-196, doi:
10.5732/cjc.011.10328.
- Armstrong, R.W., Imrey, P.B., Lye, M.N., Armstrong, M.J.,
Yu, M.C., Shani, S. 2000. Nasopharyngeal Carcinoma In
Malaysian Chinese: occupational exposure to
particle, formaldehyde and heat. *International Journal of
Epidemiology* 29:991-998.
- Bruce, N., Padilla, N.P., Albalak, R. 2000. Indoor Air
Pollution in Developing Countries: A Major Environmental
and Public Health Challenge. *Bulletin of the World Health
Organization*. 78(9):1078-92.
- Chan, J, Pilch, B, Kuo, T, Wenig, B, Lee, A. 2005.
Tumours of the nasopharynx. In Barnes L EJRPSD, editor.
WHO classification of tumours: head & neck tumours. Lyon:
IARC Press. p. 81 - 106.

Chang, E.T., Adami, H.O. 2006. Review: The Enigmatic Epidemiology of Nasopharyngeal Carcinoma. *Cancer Epidemiol Biomarkers Prevention*, 15(10):1765-77.

Cohen, J.I. 2000. Epstein-Barr Virus Infection. *The New England Journal of Medicine*. 343(7): 481-492.

Danielsen, P.H., Møller, P., Jensen, K.A., Sharma, A.K., Wallin, H., Bossi, R., et al. 2011. Oxidative Stress, DNA Damage, and Inflammation Induced by Ambient Air and Wood Smoke Particulate Matter in Human A549 and THP-1 Cell Lines. *Chemical Research Toxicology*, 24 (2), pp. 168-184.

Demers, P.A., Boffetta, P., Kogevinas, M., Blair, A., Miller, B.A., Robinson, C.F., Roscoe, R.J., Winter, P.D., Colin, D., Matos, E., Vainio, H. 1995. Pooled reanalysis of cancer mortality among five cohorts of workers in wood-related industries. *Scandinavia Journal Work Environmental Health* 21:179-90.

Ekpanyaskul, C., Sangrajang, S., Ekburanawat, W., Brennan, P., Mannetje, A., Thetkathuek, A. et al. 2015. Semi-Quantitative Exposure Assessment of Occupational Exposure to Wood Dust and Nasopharyngeal Cancer Risk. *Asian Pac J Cancer Prev*, 16 (10), 4339-4345.

Fachiroh, J., Paramita, D.K., Hariwiyanto, B., Harijadi, A., Dahlia, H., L., Indrasari, S.R., Kusumo, H., Zeng, Y.S., Schouten, T., Haryana, S.M., & Middeldorp, J., M. 2006. Single-Assay Combination of Epstein-Barr Virus (EBV) EBNA1 and Viral Capsid Antigen-p18-derived Synthetic Peptides for Measuring Anti-EBV Immunoglobulin

G (IgG) and IgA Antibody levels in Sera from Nasopharyngeal Carcinoma Patients: Option for Field Screening. *Journal of Clinical Microbiology*, 44: 1459-67.

Feng, B.J., Khyatti, M., Ayoub, W.B., Dahmoul, S., Ayad, M., Maachi, F. et al. 2009. Cannabis, tobacco and domestic fumes intake are associated with nasopharyngeal carcinoma in North Africa. *British Journal of Cancer*, 101(7): 1207-1212.

Guo, X., Johnson, R. C., Deng, H., Liao, J., Guan, L., Nelson, G. W., Tang, M., Zheng, Y., The, G. D., O'Brien, S. J., Winkler, C. A., & Zeng, Y., 2009. Evaluation of Non-Viral Risk Factors for Nasopharyngeal Carcinoma in a High-Risk Population of Southern China. *International Journal of Cancer*, 124: 2942-2947.

He, Y.Q., Xue, W.Q., Shen, G.P., Tang, L.L, Zeng, Y.X, dan Jia, W.H, 2015. Household inhalants exposure and nasopharyngeal carcinoma risk: a large-scale case-control study in Guangdong, China. *Bio Medical Central*, vol.15:1022.

Hildesheim, A., Dosemeci, M., Chan, C.C., Chen, C.J., Hsu, M.M et al. 2001. Occupational Exposure to Wood, Formaldehyde, and Solvents and Risk of Nasopharyngeal Carcinoma. *Cancer Epidemiology, Biomarkers & Prevention* vol.10: 1145-1153.

Hildesheim, A., Wang, C.P. 2012. Review Genetic predisposition factors and nasopharyngeal carcinoma risk: A review of epidemiological association studies, 2000-2011

Rosetta Stone for NPC: Genetics, viral infection, and other Environmental factors. *Seminars In Cancer Biology.*, doi:10.1016/ j. semcancer.2012.01.007.

Hsu, W.L., Pan, W.H., Chien, Y.C., Yu, K.J., Cheng, Y.J., Chen, J.Y. 2012. Lowered Risk of Nasopharyngeal Carcinoma and Intake of Plant Vitamin, Fresh Fish, Green Tea and Coffee: A Case-Control Study in Taiwan. *PLoS ONE* 7(7): e41779. doi: 10.1371/journal.pone.0041779.

IARC. 1997. IARC Monograph on the Evaluation of Carcinogenic Risks to Humans Epstein-Barr Virus and Kaposi's Sarcoma Herpesvirus/Human Herpesvirus 8. Volume 70. *IARC Monograph Evaluation Carcinogenesis Risks Human*: Lyon. France.

IARC. 2012. IARC Monographs on the Evaluation of Carcinogenic risks to humans: Arsenic, Metals, Fibres, and Dusts Volume 100 C, A review of Human Carcinogens. *IARC Monograph Evaluation Carcinogenesis Risks Human*: Lyon. pp. 407-31.

IARC. 2010. IARC Monographs on the Evaluation of Carcinogenic risks to humans: Household Use of Solid Fuels and High-temperature Frying vol. 95. *IARC Monograph Evaluation Carcinogenesis Risks Human*: Lyon.

Jia, W.H., Qin, H.D., 2012. Non-viral environmental risk factors for nasopharyngeal carcinoma: A systematic review. *Seminar Cancer of Biology*, doi: 10.1016/j.semcancer.2012.01.009.

Lo, K. W., To, K. F., Huang, D.P. 2004. Focus on nasopharyngeal carcinoma. *Cancer Cell* 5: 423-428.

National Comprehensive Cancer Network. 2013. NCCN clinical practice guidelines in Oncology: Head and Neck Cancer. ed 2. *National Comprehensive Cancer Network*.

Slack, R., Young, C., dan Rushton, L. 2012. Occupational cancer in Britain Nasopharynx and sinonasal cancers. *British Journal of Cancer* 107: s49-S55.
doi:10.1038/bjc.2012.118.

Stevens, S. J. C., Verkuijlen, S.A.W.M., Harijadi, H.B., Fachiroh, J., Paramita, D. K., Tan, I. B., Haryana, S. M., Middeldorp, J. M. 2005. Diagnostic Value of Measuring Epstein-Barr Virus (EBV) DNA Load and Carcinoma-Specific Viral mRNA in Relation to Anti-EBV Immunoglobulin A (IgA) and IgG Antibody Levels in Blood of Nasopharyngeal Carcinoma Patients from Indonesia. *Clinical and Vaccine Immunology* 43(7): 3066-3073, doi:10.1128/JCM.43.7.3066-3073.2005.

Sun, X., Tong, L.P., Wang, Y.T., Wu, Y.X., Sheng, H.S., Lu, L.J. et al. 2011. Can Global Variation of Nasopharynx Cancer Be Retrieved from the Combined Analyses of IARC Cancer Information (CIN) Databases. *PLoS ONE* 6(7): e22039. doi: 10.1371/journal.pone.0022039.

Tabuchi, K., Nakayama, M., Nishimura, B., Hayashi, K., dan Hara, A., 2011. Early Detection of Nasopharyngeal Carcinoma. *International Journal of Otolaryngology*.
doi:10.1155/2011/638058.

Wei, W. I., & Sham, J. S. 2005. Nasopharyngeal carcinoma. *Lancet*, 365: 2041-54.

Wildeeman, M.A., Fles, R., Herdini, C., Indrasari, R.S., Vincent, A.D., Tjokronagoro, M. et al. 2013. Primary Treatment Results of Nasopharyngeal Carcinoma (NPC) in Yogyakarta, Indonesia. *PLoS ONE* 8(5): e63706. doi: 10.1371/journal.pone.0063706.

Yang, X., Diehl, S., Pfeiffer, R., Chen, C.J., Hsu, W.L., Dosemeci, M et al. 2005. Evaluation of Risk Factors for Nasopharyngeal Carcinoma in High-Risk Nasopharyngeal Carcinoma Families in Taiwan. *Cancer Epidemiol Biomarkers Prevention* 14(4):900-905.

Young, L. S., & Rickinson, A. B. 2004. Epstein-Barr virus:40 Years On. *Natures Review Cancer*, 4(10), pp.757-768.

Young, L. S., & Dawson, C. W. 2014. Epstein-Barr virus and nasopharyngeal carcinoma. *Chinese Journal of Cancer*, 33(12), 581-90.

Zhang, J.X., Xu, H., Shen, T. dan Zhu, Q.X. 2014. Wood Dust Exposure and Risk of Sinonasal and Nasopharyngeal Cancer: A Meta-Analysis. *Austin Journal Dermatolog.* 1(2): pp. 1009.

Zheng, Y.M., Tuppin, P., Hubert, A., Jeannel, D., Pan, Y.J., Zeng, Y. et al. 1994. Environmental and dietary risk factors for nasopharyngeal carcinoma: a case-control

study in Zangwu County, Guangxi, China. *British Journal
Cancer*, 69, pp.508-514.