

DAFTAR PUSTAKA

- Aldric, S.H., Thomas, L.S., Maura, C. and Puerto, R.L, 1984, Oil Recovery Method Using Sulfonate Surfactants Derived from Extracted Aromatic Feedstocks, *US patent* 4452708.
- Al-Ghouthi, M.A. and Al-Degs, Y.S., 2011, New Adsorption Based on Microemulsion Modified Diamite and Activated Carbon for Removing Organic and Anorganic Pollutans from Waste Lubricants, *Chem. Eng. J.*, 173, 115-128.
- Al-Sabagh, A. M., Betiha, M. A., Osman, D. I., Hashim, A. I., El-Sukkary, M. M. and Mahmoud, I., 2016, A New Covalent Strategy for Functionalized Montmorillonite–Poly(Methyl Methacrylate) for Improving the Flowability of Crude Oil, *RCS. Adv*, DOI: 10.1039/c6ra21319g.
- Andarini, M., 2012, Daur Ulang Pelumas menggunakan Asam Sulfat dan Ekstraksi dengan Surfaktan, *Skripsi*, FMIPA IPB, Bogor.
- Anonim, 2016, Material Safety Data Sheet Pelumas Full Synthetic 0W-50 API SM, PERTAMINA
- Anonim, ASTM 562-55, 1983, OECD Guidline for Testing of Chemical: Viscosity of liquids, OECD guideline book: 114.
- Anton, L., 1985, *Teknologi Pelumas*, Lembaran Publikasi Lemigas, PPTMGB Lemigas, Jakarta
- Arpa, O., Yumrutas, R. and Demirbas, A., 2010, Production of Diesel-Like Fuel from Waste Engine Oil By Pyrolytic Distillation, *J. Appl. Energy*, Vol. 87, pp. 122-127.
- Artur, Wolak., 2016, Condition Monitoring of In Service Lubricants-The Analysis of Color, IGWT Symposium, Commodity Science in a changing world, Unuversity of economics, Varna, Bulgaria.
- Aryanti, N., Indah, P., Diyono, I., dan Dyah H.W., 2013, Kinerja Membran Ultrafiltrasi untuk Pengolahan Limbah Emulsi Minyak-Air Sintetis, *Reaktor* Vol 14 No. 4, Universitas Diponegoro, Semarang.
- ASTM D 97.-05, 1993, *Standar Test Method for Pour Point of Petroleum Products*, Annual Book of ASTM Standards.
- ASTM D 1481-12. 2011, *Standar Test Method for Density and Relative Density (Specific Grafity) of Liquids by Lipkin Bicapillary Pycnometer*, Annual Book of ASTM Standards, Vol. 05.01.
- ASTM D 1500-03, 2011, *Standar Test Method for ASTM Color of Petroleum Product (ASTM Color Scale)*, Annual Book of ASTM Standards, Vol.05.01
- ASTM D 974, 2011, *Standard Test Methods for Total Acid Number (TAN in Lubricant by Color Indicator Titration*, ASTM, West Conshohochen.

- Aziz, B.K., Abdullah, M. A. and Jubrael, K.J., 2011, Acid Activation and Bleaching Capacity of Some Clays for Decolourizing Used Oils, *Asian J. Chem.*: Vol.23 No. 6, 2449-2455.
- Azouaou, N., Belmedani, M., Mokaddem, H. and Sadaoui, Z., 2013, Adsorption of Lead from Aqueous Solution onto Untreated Orange Barks, *Chem. Eng. Trans*, 32, 55-60.
- Bhattacharyya, K.G. and Gupta, S.S., 2008, Adsorption of a Few Heavy Metal on Natural and Modified Kaolinite and Montmorillonite: A review, *Adv. Colloid Interface Sci*, (Accepted Manuscript).
- Beuther, H., 1956, Hydrogenation and Distillation of Lubricating, *U.S. Patent* 622, 312.
- Boyde, Steve., 2002, Green Lubricant. Environmental Benefit and Impacts of Lubricant, *Green. Chem.*, 4, 293-307.
- Carretero, M.I., 2002, Clay Minerals and Their Beneficial Effects Upon Human Health, A review, *Appl. Clay Sci.*, 21, 155-163.
- Chavali, R.V.P., Vindula, S. K., Reddy, H.P., Babu, A. and Pillai, .R.J., 2016, Swelling Behavior of Kaolinitic Clays Contaminated with Alkali Solutions: A micro-level study, *Appl. Clay Sci.*, Science direct.
- Dang, C.S., 1997, Pemulihan of Used Oil- A review of Commercial Process, *Tribotest*, 3, 445-457.
- De Paiva, L.B., Morales, A.R. and Diaz. F.R, 2008, Organoclays: Properties, Preparation and Applications, *Appl. Clay Sci*, 42(1-2), 8-24.
- Elella, R.A, Ossman, M.E., Farouq, R. and Abd-Elfatah, M., 2015, Used Motor Oil Treatment: Turning Waste Oil into Valuable Products, *Int. J. Chem. Biol. Sci*, 7, 57-67.
- Falah, B.H and Hussien Al-Wedyan, 2011, Regeneration of Base-Oil from Waste-Oil Under Different Conditions And Variables. *Afr. J. Biotechnol*, 1150-1153.
- Fox, M.F., 2007, *Sustainability and Environmental Aspect of Lubricant. In handbook of lubricant and Tribology*, Goerge, E.D., Totten, E., Taylor and Francis, New York.
- Frost, H., He, R., Bostrom, T., Yuan, P., Xi, Y. and Klopogge, T, 2006, Changes in The Morphology of Organoclays with HDTMA surfactant loading. *Appl. Clay Sci*, 31(3), 262-271.
- Geach, A., 1996, Infrared Analysis as A Tool for Assessing Degradation in Used Engine Lubricant, <http://www.wearcheck.ca/literature/techdoc/WZA002>.
- Grim, R. E., 1959, *Clay Mineralogy*, Mc.Graw-Hill Book Company: New York.
- Hamawand, I., Yusaf, T. and Rafat, S., 2013, Recyclig of Waste Engine Oils a New Washing Agent, *Energies*, 6, 1023-1049.

- Holtz, R. D., and Kovacs, W. D. 1981. *An Introduction to Geotechnical Engineering*, Prentice-Hall: United States of America.
- Hussein, M., Amer, A.A and Gaberah, A.S., 2014, Used Lubricating Oils Re-Pemulihan by Solvent Extraction, *J. Environ.Eng.Sci.* Vol. 1, No. 3, 2014, pp. 44-50.
- Johnson EW and Fritz E., 1989, *Fatty Acid in Industries*, Morcel Dekker, New York.
- Jönsson, A. and Jönsson, B., 1991, The Influence of Nonionic and Ionic Surfactants on Hydrophobic and Hydrophilic Ultrafiltration Membrane, *J. Membr. Sci.*, 56, pp.49-76.
- Kamal, A. and Khan, F., 2009, Effect of Extraction and Adsorption on Re-Pemulihan of used Lubricating Oil, *Oil & Gas Science and Technology*, Vol. 64, No. 2 191-197.
- Kusumah, A.M., 2013, Perolehan Kembali Bahan Dasar Pelumas dari Limbah Pelumas Mesin dengan Metode Adsorpsi dan Penciriannya, *Skripsi*, FMIPA Institut Pertanian Bogor: Bogor.
- Komadell, P., 2003, Chemically Modified Smectites, Slovak Academy of Sciences, Slovakia, *Clay Miner*, 38, 127-138.
- Kosmulski, M., 2001, *Chemical Properties of Material Surfaces*, 491-509, Marcel Dekker, Inc, New York.
- Lagaly, G., 2006, Colloid Clay Science, dalam *Handbook of Clay Sciences Development in Clay Sciences*, vol.1. Eds Bergaya, F., Theng, B.K.G. and Lagaly, G., Elsevier., Netherlands.
- Lianna, J., Karyati, Y. dan Santosa, H., 2012, Penjernihan Minyak Pelumas Bekas Dengan Metode Penjerapan Suatu Usaha untuk Pemanfaatan Kembali Minyak Pelumas Bekas Sebagai Base Oil, *Jurnal Teknik Kimia dan Industri*, Fakultas Teknik. Universitas Diponegoro, Semarang.
- Mackenzi, R. C., 1959, *The Classification and Nomenclature of Clay Minerals*, The Macaulay Institute for Soil Research, Craigiebuckler, Aberdeen: Scotland.
- Majano, G. and Mintova, S., 2010, Mineral Oil Regeneration using Selective Molecular Sieves as Sorbents, *Chemosphere* 78, 591–598.
- Mang, T., and Dresel, W., 2007, *Lubricants and Lubrication*, Wiley, Weinheim.
- Mara, I.M dan Kurniawan, A., 2015, Analisa Pemurnian Minyak Pelumas Bekas dengan Metode Acid Clay, *Dinamika Teknik Mesin*, Vol. 5 No. 2, ISSN: 2088-008X
- Megawati, Sri., 2012, Linear Alkylbenzena Sulphonat terhadap Tegangan Antar Muka dan Viskositas Sistem Air-Minyak Tanah, *Skripsi*, FMIPA Universitas Sumatera Utara: Medan.
- Mekonnen, H.A., 2014, Recycling of used Lubricating Oils using Acid Clay Treatment Process, *Tesis*, Addis Ababa University.

- Mohammed, R.R., Ibrahim, I.A.R., Taha, A.H and McKay, G., 2013, Waste Lubricating Oil Treatment by Extraction and Adsorption, *Chem. Eng. J.*, 220 (343-351).
- Monica, I dan Umar, D. F., 2008, Pemanfaatan Bentonit sebagai Penjerihan Minyak Pelumas Bekas Hasil Proses Daur Ulang dengan Batubara. *Jurnal Bahan Galian* Vol. 12 No. 33, 17-21.
- Mortensen, Egsgraad H, Ambus P, Jensen E.S. and Gron C, 2001, Influence of Plant Growth on Degradation of Linear Alkylbenzene Sulphonate in Sludge Amended Soil. *Environ, Qual* 30:12661270.
- Newton, 2001, *Base Oil Handbook*, Stjantryak, Stockholm, Sweden.
- Owring, F., Mattsson, H., Olsson, J. and Pedersen, J., 2004, Investigation of Oxidation of a Mineral and a Synthetic Engine Oil, *Thermochim. Acta*, 413, 241-248.
- Pavia, D.L., Lampman, G.M., Goerg, S., and Vyvyan, J.G. 2009. *Introduction to Spectroscopy*. Book/Cole Cengage Learning. Washington.
- Petder, 2012, Selection of The Most Appropriate Technology for Waste Mineral Oil Pemulihan Project Technical Research Report, Direct Operation Support Program of Istanbul Development Agency.
- Peraturan Pemerintah Republik Indonesia Nomor 8 Tahun 1999 tentang *Pengelolaan Limbah Bahan Berbahaya dan Beracun*.
- Prasaji, R., Conny.D.U. dan Herry.S., 2013, Pemanfaatan Kombinasi Fly Ash Batubara-Alkilbenzenesulfonat-Zeolit pada Penjernihan Minyak Pelumas Bekas dengan Metode Penjerapan, *Jurnal Teknologi Kimia dan Industri* Vol.2, No. 4, Universitas Diponegoro, Semarang.
- Princewill, N.J. and Sunday, S.I., 2010, The Effect of Desludging and Adsorption Ratios on The Recovery of Low Pour Fuel Oil (LPFO) from Spent Engine Oil, *Chem. Eng. Res. Bull.*, 25-28.
- Priyatno, A.N dan Suparno, 2016, Pengaruh Penambahan Konsentrasi Sufaktan Na₂EDTA Terhadap Tegangan Permukaan dan Viskositas Oli Pertamina Enduro 4 Stroke, *Jurnal Fisika* Vol.5 No.1, FMIPA UNY, Yogyakarta.
- Ramli, M.R., Siew, W.-L., Ibrahim, N.A., Hussein, R., Kuntom, A., Razak, R.A.A. and Nesaretnam, K., 2011, Effects of Degumming and Bleaching on 3-MPCD Esters Formation during Physical Pemulihan. *J. Am. Oil Chem. Soc.*, **88**, 1839-1844 (DOI: [10.1007/s11746-011-1858-0](https://doi.org/10.1007/s11746-011-1858-0)).
- Reid, R.C., Pransuitz, J.M., and Poling, B.E., 1987, *The Properties of Gases and Liquids*, McGraw-Hill, New York.
- Rincon, J., Canizares, P. and Gracia, M.T., 2005, Regeneration of used lubricating Oil by Polar Solvent Extraction, *Ind Eng.Chem.Res.*, 44, 43-73.
- Rolly F., 2009, *Pelumas Menurut Bahan Dasar dan Aditif*. Jakarta (ID): Gramedia.

- Rosado, E.D and Pichtel, J., 2003, Chemical Characterization of Fresh, Used and Weathered Motor Oil Via GC/MS, NMR and FTIR techniques, *Indiana Acad. Sci.* 112(2): 109-116.
- Rusmini, Maharani, Kartika dan Dina, 2011, Adsorpsi Pengotor Solar Produksi Tradisional Bojonegoro dengan Variasi Ukuran dan Massa clay, Jurusan Kimia, FMIPA, Universitas Negeri Surabaya.
- Rudnick, L.R., 2009, *Lubricant Additives Chemistry and Applications*, Second edition, CRC Press: London New York.
- Salem, S., Salem, A. and Babaei, A. A., 2015, Application of Iranian Nano-Porous Ca-Bentonite for Recovery of Waste Lubricant Oil by Distillation and Adsorption Techniques, *J. Ind. Eng. Chem.* (23) 154-162.
- Salih, N., Salimon, J., and Yousif, E., 2011, The Physicochemical and Tribological Properties of Oleic Acid Based Triester Biolubricants, *Ind. Crops Prod.*, 34, 1089-1096.
- Sailon, 2009, Penanggulangan Kontaminasi dan Degradasi Minyak Pelumas pada Mesin, *Jurnal Austenit*, Vol. 1 No. 2.
- Setiyono, 2006, Potensi Limbah Bahan Berbahaya dan Beracun (B3) Di Wilayah DKI Jakarta dan Strategi Pengelolaannya. *J Teknol Lingk.* 3(1):1-20.
- Slaty, F., Khoury, H., Wastiels, J. and Rahier, H., 2013, Characterization of Alkali Activated Kaolinite Clay, *Appl. Clay Sci.*, Science direct.
- Steudel, A., Batenburg, L.F., Fischer, H.R., Weidler, P.G., & Emmerich. K. 2009. Alteration of Swelling Clay Minerals by Acid Activation. *Appl Clay Sci*, 44 (1-2), 105-115.
- Suarya, P., 2008, Adsorpsi Pengotor Minyak Daun Cengkeh oleh Lempung Teraktivasi Asam, *Jurnal Kimia FMIPA Universitas Udayana* 2 (1). 19-24.
- Sukirno, 2005, *Teknologi Pelumas*, Gramedia: Jakarta.
- Sunardi, 2009, Modifikasi Kaolin Alam menggunakan Cethyltrimethylammonium bromide dan Pemanfaatannya sebagai Carrier Material untuk Asam Giberelin, *Tesis*, FMIPA UGM: Yogyakarta.
- Svarovsky, L., 2000, *Solid-Liquid Separation, Fourth Edition*, Butterworth-Heinemann, Oxford.
- Toor, M. and Jin, B, 2012, Adsorption Characteristic, Isotherm, Kinetic and Diffusion of Modified Bentonite for Removing Diazo Dye, *J. Chem. Eng.* (187), 79-88
- Udonne. J.D., 2010, A Comparative Study of Recycling of Used Lubrication Oils Using Distillation, Acid and Activated Charcoal with Clay Methods, *J. Petroleum. Gas. Eng.* Vol. 2 (2), pp. 12-19.
- Udonne, J.D., Efevbokhan, V.E., Ayoola, A.A. and Babatunde, D.E., 2016, Recycling used Lubricant Oil Using Untreated, Activated and Calcined Clay Methods, *J. Eng. Appl. Sci.*, 11 (6):1396-1401.

Ugochukwu, U.C., Jones, M. D., Head, I. M. and Manning, D. A. C., 2014, Effect of Acid Activated Clay Mineral on Biodegradation of Crude Oil Hydrocarbon, *Int. biodeterior. Biodegradation*, 88: 185-1



UNIVERSITAS
GADJAH MADA

**STUDI PEMULIHAN MINYAK PELUMAS BEKAS MENGGUNAKAN LEMPUNG DAN ALKIL BENZENA
SULFONAT**

NURA LAILATUSSOIMAH, Prof. Bambang Rusdiarso, DEA;Dr. Suyanta, M.Si

Universitas Gadjah Mada, 2017 | Diunduh dari <http://etd.repository.ugm.ac.id/>