

## DAFTAR PUSTAKA

- Aadil, M., S. Nitesh, K. D. Sharad, K. Tarun, Thakur, A. Noam, N. Subha, D dan K. Anirudh. 2020. Phytochemical characterization and assessment of crude extracts from *Lantana camara L.* for antioxidant and antimicrobial activity. *Journal Frontiers in Agronomy*. 2 : 58.
- Amarowicz, R dan F. Shahidi. 2017. Antioxidant activity of broad bean seed extract and its phenolic composition. *Journal of Functional Foods*. 38: 656- 662.
- Antony, M., D. Menon, J. James, L. Dev, K. Arun dan V. Thankamani (2011). Phytochemical analysis and antioxidant activity of *Alstonia scholaris*. *Pharmacognosy Journal*. 3 (26) : 13-18.
- Arulmozhi, S., P. M. Mazumder, P. Ashok dan L. S. Narayanan. (2007). In vitro antioxidant and free radical scavenging activity of *Alstonia scholaris Linn*. *Iranian Journal of Pharmacology dan Therapeutics*. 6 : 191-196.
- Ashish, D. G., K. B. Vipin, B. Vikash dan M. Nishi. 2013. Chemistry, antioxidant and antimicrobial potential of nutmeg (*Myristica fragrans Houtt*). *Journal of Genetic Engineering and Biotechnology*. 11 : 25-31.
- Banjarnahor, S. D. S. dan A. Nina. 2014. Antioxidant properties of flavonoids. *Medical Journal of Indonesia*. 23 (4) : 185-244.
- Balasundram, N., S. Kalyana dan S. Samir. 2006. Phenolic compounds in plants and agri-industrial by-products : Antioxidant activity, occurrence, and potential uses. *Journal of Food Chemistry*. 99 : 191-203.
- Bimakr, M. 2010. Comparison of different extraction methods for the extraction of major bioactive flavonoid compounds from spearmint (*Mentha Spicata L.*) leaves. *Journal Food Bioproducts Process*. 89 (1) : 67-72.
- Binawati G., Mustanir, H. Helwati, S. L. Desiyana, Eralisa dan R. Mujahid. 2017. Antioxidant activity of n-hexane extract of nutmeg plants from south aceh province. *Jurnal Natural*. 17 (1) : 1411-8513.

- Blainski, A., C. L. Gisely dan C. P. D. Jolio. 2013. Application and analysis of the folin ciocalteu method for the determination of the total phenolic content from *Limonium brasiliense* L. *Journal of Molecules*. 18 : 6852-6865.
- Chang C. C., M. H. Wang, H. M. Wen dan J. C. Chern . 2002. Estimation of total flavonoid content in propolis by two complementary colorimetric methode. *Journal of Food and Drug Analysis*. 10 (2) : 178-182.
- Christina, T. D., E. Suryanto dan I. L. Momuat. 2020. Karakterisasi dan aktivitas antioksidan serat pangan dari daging buah pala (*Myristica fragrans Houtt*). *Journal of Chem Prog*. 13 (1) : 48 – 55.
- Cowan, M. M. 1999. Plant products as antimicrobial agents. *Journal of Clinical Microbiology Reviews*. 12 : 564 – 582.
- Cushnie, T. P. T. dan A. J. Lamb. 2005. Antimicrobial activity of flavonoids. *International Journal of Antimicrobial Agents*. 26 : 343 – 356
- Davis dan Stout. 1971. Disc plate method of microbiological antibiotic essay. *Journal Of Microbiology*. 22 (4) : 659 – 665.
- Diniyah, N., A. M. Badrul and S. H. Lee. 2020. Antioxidant potential of non-oil seed legumes of Indonesian's ethnobotanical extracts. *Arabian Journal of Chemistry*. 13 (5) : 5208-5217.
- Dorman, H., J. D. dan S. G. Deans. 2002. Antimicrobial agents from plants : antibacterial activity of plant volatile oils. *Journal of Appl. Microbiology*. 88 : 308-316.
- Egwaikhide, P. A. dan C. E. Gimba. 2007. Analys of the phytochemical content and anti microbial activity of *Plectranthus glandulosis* whole plant. *Middle East Journal of Scientific Research*. 2 (34) :135-138
- Fauziah, L. 2008. Studi Dimerisasi Asam. FMIPA. UI : Jakarta.
- Fitriya, L. Anwar dan E. Novitasari. 2010. Isolasi senyawa fenolat dari fraksi etil asetat kulit batang tumbuhan gandaria. *Jurnal Penelitian Sains*. 13 (1) :

10 -14

- Gagola, C. 2004. Aktivitas antioksidan dari ekstrak fenolik cortex umbi kayu (*Manihot esculent*) daging putih dan daging kuning yang diambil dari kota melonguane kabupaten kepulauan talaud. Jurnal Ilmiah Farmasi Pharmacon. 3 (2) : 127 – 133.
- Gillespie, dan R. J. Paul. 2001. Chemical Bonding and Molecular Geometry. Oxford University Press, London.
- Gunawan, T., Chikmawati, Sobir, dan Sulistijorini. 2016. Review : fitokimia genus *Baccaurea* spp. *Bioeksperimen*. 2 (2) : 96 – 110
- Gutzeit H. O. dan J. Ludwig-Muller. 2014. Plant Natural Products: Synthesis, Biological Functions and Practical Applications. <sup>1st</sup> Edition. New York: Wiley-VCH Verlag GmbH dan Co.
- Haminiuk, C., G. Maciel, M. Plato-Oviedo dan R. Peralta. 2012. Phenolic compounds in fruits - An overview. International Journal of Food Science and Technology. 47 (10): 2023 - 2044.
- Harbone, J. B. 1996. Metode Fitokimia : Penuntun cara modern menganalisis tumbuhan terbitan ke dua. Bandung : ITB.
- Harborne, J. B. 1987. Metode fitokimia penentuan cara modern menganalisis tumbuhan. Bandung : ITB.
- Hayatus, S. dan H. Nurhasnawati. 2015. Perbandingan pelarut ethanol dan air pada pembuatan ekstrak umbi bawang tiwai (*Eleutherine americana merr*) menggunakan metode maserasi. Jurnal Ilmiah Manuntung. 1 : (2). 149-153
- Ismiyarto, Ngadiwiyana dan R. Mustika. 2009. Isolasi, identifikasi minyak astiri fuli pala (*Myristica fragrans*) dan uji aktivitas sebagai larvasida. Jurnal Kimia Sains dan Aplikasi. 12 (1) : 23 – 30.
- Jaiswal, P. dan D. K. Singh. 2009. Molluscicidal activity of nutmeg and mace (*Myristica fragrans houtt*) against the vector snail *lymnaea acuminata*. J. Herbs Spices Med Plants. 15 (2) :177 – 86.

- Kelly, S. G. 2011. Quersetin. *Journal of Alternative Medicine Review*. 16 (2) : 94 – 172.
- Kemit, N., R. W. Wayan dan A. N. Komang. 2010. Pengaruh Jenis Pelarut Dan Waktu Maserasi Terhadap Kandungan Senyawa Flavonoid Dan Aktivitas Antioksidan Ekstrak Daun Alpukat (*Persen Americana Mill*). Universitas Udayana. Bali.
- Kiessoun, K., A. Souza, N. T. R. Meda, A. Y. Coulibaly, M. Kiendrebeogo, A. Lamien-Meda, M. Lamidi, J. Millogo-Rasolodimby dan O. G. Nacoulma. 2010. Polyphenol contents, antioxidant and anti-inflammatory activities of six *malvaceae* species traditionally used to treat hepatitis b in burkina faso. *European Journal of Scientific Research*. 44 (4) : 570 - 580.
- Kristianti, A. N. 2008. Buku Ajar Fitokimia. Airlangga University Press. Unair : Surabaya.
- Martin, A., P. Bustamante dan A. H. C. Chun. 1993. *Physical Pharmacy*. New Delhi : B.I. Waverly Pvt Ltd.
- Marzouk, M. M. 2016. Flavonoid constituents and cytotoxic activity of *erucaria hispanica* (L.) druce growing wild in egypt. *Arabian Journal Of Chemistry*. 9 : 411–415
- Molyneux. 2004. The use of the stable free radical diphenylpicrylhydrazyl (DPPH) for estimating atioxidant activity. *Songklanakarin J.Sci. Technol*. 26 (2) : 211 – 219.
- Nakiboglu, M., R. O. Urek, H. A. Kayali dan L. Tarhan. 2007. Antioxidant capacities of endemic sideritis sipylea and origanum sipyleum from turkey. *Journal of Food Chemistry*. 104 : 630 – 635.
- Nanan, N. 2007. Teknologi Pengolahan Pala. Badan Besar Penelitian dan Pengembangan Pascapanen Pertanian.
- Nila, S. D. 2016. Faktor meningkatnya ekspor buah pala Indonesia-Uni Eropa. *JOM Fisip*. 3 (2) : 1 – 13.
- Nuria, M. C., A. Faizatun dan Sumantri. 2009. Uji antibakteri ekstrak etanol

daun jarak pagar (*Jatropha curcas l*) terhadap bakteri *Staphylococcus aureus* atcc 25923, *Escherichia coli* atcc 25922, dan *Salmonella enterica typhi* atcc 1408. Jurnal Ilmu – Ilmu Pertanian. 5 : 26 – 37.

Nursalam, S. 2016. Pala (*Myristica fragrans* tanaman rempah banyak manfaat. Jurnal Penelitian dan Pengembangan Tanaman Industri. 22 (2) : 27 - 31.

Pardede, A., R. Devi dan M. H. P. Agus. 2012. Ekstraksi dan karakterisasi pektin dari kulit kemiri (*Alleurites mollucana Wild*). Media Sains. 5 (1). pp 1 - 6.

Padmapriya, K., D. Abishek dan D. Dutta. 2012. Nicowave assisted extraction of mangiferin from *Curcuma amada*. Biotech. 2 (1) : 27 – 30.

Panizzi, L., C. Caponi, S. Catalano, P. L. Cioni dan I. Morelli. 2002. Ethnopharmacol. Journal of Ethnopharmacology. 79 : 165 – 168.

Parwata, I. M. O. A. dan P. F. S. Dewi. 2008. Isolasi dan uji aktivitas antibakteri atsiri dari rimpang lengkuas (*Alpinia galanga l*). Jurnal Farmasi. 2 (2) : 4 - 10.

Preedy, V. R. 2009. Beer In Health And Disease Prevention. UK : Elsevier Inc.

Putri, D. D., E. N. Dwi dan A. C. Agung. 2014. Kandungan total fenol dan aktivitas antibakteri kelopak buah rosela merah dan ungu sebagai kandidat feed additive alami pada broiler. Jurnal Penelitian Pertanian Terapan. 14 (3) : 174 -180.

Qinghu, W., J. Jinmei, D. Nayintai, H. Narenchaoketu, H. Jingjing dan B. Baiyinmuqier. (2016). Antiinflammatory effects, nuclear magnetic resonance identification and high performance liquid chromatography isolation of the total flavonoids from artemisia frigida. Journal Of Food And Drug Analysis. 24 : 385 – 391.

Rohman, A., S. Riyanto, N. Yuniarti, W. R. Saputra, R. Utami dan W. Mulatsih. 2010. Antioxidant activity, total phenolic and total flavonoid of extracts and fractions of red fruit (*Padanus conoideus lam*). International Food Research Journal.. 17 : 97 -106.

- Saifudin, A. 2014. *Senyawa Alam Metabolit Sekunder*. Deepublish. Yogyakarta.
- Septyaningsih, D. 2010. *Isolasi dan Identifikasi Komponen Ekstrak Biji Buah Merah (*Pandanus conoideus lanik*)*. FMIPA. UNS : Surakarta.
- Shahidi, F. and P. Ambigaipalan. 2015. Phenolics and polyphenolics in foods, beverages and spices: Antioxidant activity and health effects - A review. *Journal of Functional Foods*. 18 : 82 - 897.
- Singh, J. P., A. Kaur, K. Shevkani dan N. Singh. 2015. Influence of jambolan (*Syzygium cumini*) and xanthan gum incorporation on the physicochemical, antioxidant and sensory properties of gluten-free eggless rice muffins. *International Journal of Food Science and Technology*. 50 (5): 1190-1197.
- Siti, M. W., P. W. Asep dan K. D. Harsi. 2009. Kapasitas dan kadar antioksidan ekstrak tepung kulit buah manggis (*Garcinia mangostana L.*) pada berbagai pelarut dengan metode maserasi. *Jurnal Pascapanen*. 6 (2) : 61 – 68.
- Sovia, L. 2006. *Senyawa Flavonoida, Fenil Propanoida, Alkaloida*. USU Repository. USU : Sumatera Utara.
- Tatang, S. H. 2019. *Fitokimia : Tinjauan Metabolit Sekunder dan Skrining Fitokimia*. UII Press. UII : Yogyakarta.
- Tan, K. P., H. E. Khoo dan A. Azrina. 2013. Comparison of antioxidant components and antioxidant capacity in different parts of nutmeg (*Myristica fragrans*). *International Food Research Journal*. 20 (3) : 1049 – 1052.
- Thompson, L. U. 1998. Experimental studies on lignans and cancers. *Baillière's Clinical Endocrinology and Metabolism Journal*. 12 (4): 691–705.
- Tian-yang, Wang, Qing Li dan Kai-shun Bi. 2018. Bioactive flavonoids in medicinal plants: structure, activity and biological fate. *Journal Of Pharmaceutical Sciences*. 13 : 12 – 23

- Ukheyanna, E., Suryani, dan A. P. Roswiem. 2012. Aktivitas Antioksidan, Kadar Fenolik, dan Flavonoid Tumbuhan Suruhan (*Peperomia pellucida* L. *Kuntch*). Skripsi. IPB University. Bogor
- Vanessa, M., R. L. Munhoza, R. P. José, A. C. João, E. Zequic, M. Leite, C. Gisely, J. P. Lopesa dan Melloa. 2014. Extraction of flavonoids from *Tagetes patula* : process optimization and screening for biological activity. *Journal of Rev Bras Farmacon.* 24 : 576 - 583
- Winarsi, H. 2007. Antioksidan Alami dan Radikal Bebas. Kanisius. Yogyakarta.
- Yohed, I. dan A. K. Rachel. 2017. Pengaruh Jenis Pelarut Dan Temperatur Terhadap *Total Phenolic Content*, *Total Flavonoid Content*, Dan Aktivitas Antioksidan Di Ekstrak Daun Nyemplung (*Calophyllum inohyllum*). Skripsi. Institut Teknologi Sepuluh Nopember. Surabaya.
- Yu, H., Y. Tao, D. Chen, Y. Wang, Z. Liu, Y. Pan, L. Huang, D. Peng, M. Dai dan Z. Yuan, 2010. Development of high performance liquid chromatography method and liquid chromatography-tandem mass spectrometry method with pressurized liquid extraction for simultaneous quantification and confirmation of cyromazine, melamine, and its metabolites in foods of animal origin. *Anal Chim Acta.* 682 (1) : 48 – 58.