

## DAFTAR PUSTAKA

- Akili, M. S., Ahmad, U., dan Suyatma, N. A., 2012, Karakteristik Edible Film dari Pektin Hasil Ekstraksi Kulit Pisang, *J. Keteknikan Pertanian*, 26(1).
- Alaslai, N., Ghanem, B., Alghunaimi, F., Litwiller, E., and Pinnau, I., 2016, Pure and Mixed Gas Permeation Properties of Highly Selected and Plastisization Resistant Hydroxyl-diamine-based 6FDA Polyimides for CO<sub>2</sub>/CH<sub>4</sub> Separation, *J. Membr. Sci.*, 505, 100-107.
- Álvarez-Ayuso, E., Gracia-Sánchez, A., and Querol, X., 2003, Purification of Metal Electroplating Waste Waters using Zeolites, *Water. Res.*, 37, 4855-4862.
- Anonim, 2013, *World Energy Outlook 2013*, International Energy Agency (IEA) PUBLICATIONS, U.S.
- Anonim, 2014, *Peta Jalan Kebijakan Gas Bumi Nasional 2014-2030 (Neraca Gas)*, Kementerian Energi dan Sumber Daya Mineral, Jakarta.
- Bastani, D., Esmaeli, N., and Asadollahi, M., 2013, Polymeric Mixed Matrix Membranes Containing Zeolite as a Filler for Gas Separation, *J. Ind. Eng. Chem.*, 19, 373-393.
- Bonnardeaux, J., 2006, *Glycerin Overview*, Department of Agriculture and Food, Australia.
- Cervera, M. F., Heinamaki, J., Krogars, K., and Jorgensen, A. C., 2004, Solid-State and Mechanical Properties of Aqueous Chitosan-Amylose Starch Films Plasticized with Polyols, *AAPS Pharm. Sci. Tech.*, 5, 15-20.
- Chattopadhyay, S., 2000, Compatibility Studies on Solution of Polymer Blends by Viscometric and Phase Separation Technique, *J.App. Polym. Sci.*, 77, 880-889.
- Chung, T., Jianga, L. Y., Li, Y., and Kulprathipanja, S., 2007, Mixed matrix Membranes (Membran) Comprising Polymers with Dispersed Inorganic Fillers for Gas Separation, *Prog. Polym. Sci.*, 32, 483-507.
- Da Silva, M. A., Bierhalz, A. C. K., and Kieckbush, T. G., 2009, Alginate and Pectin Composite Films Crosslinked with Ca(II) Ions: Effect of The Plastisizer Concentration, *Carbohydr. Polym.*, 77, 736-742.
- Delvia, V., 2006, Kajian Pengaruh Penambahan Dietilen Glikol sebagai Pemplastis pada Karakteristik Bioplastik dari Poli-β-hidroksialkanoat (PHA) yang Dihasilkan Ralstronia Eutropha Pada Substrat Hidrolisat Pati Sagu, *Skripsi*, Fakultas Teknologi Pertanian IPB, Bogor.
- Dortmundt, D., and Doshi, K., 1999, *Recent Developments in CO<sub>2</sub> Removal Membrane Technology*, UOP LCC, USA.

- Elkhalifah, A. E., Bustam, M. A., Shariff, A. M., and Murugusen, T., 2015, Selective Adsorption of CO<sub>2</sub> on Regenerable Amine-bentonite Hybrid Adsorbent, *Appl. Clay Sci.*, 107, 213-219.
- Galiotta, Gioia, D., Guilbert and Cuq, 1998, Mechanical and Thermomechanical Properties of Films Based on Whey Proteins as Affected by Plasticizer and Crosslinking Agents, *J. Dairy Sci.*, 81, 3123 – 3130.
- Gao, C., Pollet, E., and Averous, L., 2016, Properties of Glycerol-plasticized Alginate Films Obtained by Thermomechanical Mixing, *Food Hydrocoll.*, 63, 414-420.
- Hammann, F., and Schmid, M., 2014, Determination and Quantification of Molecular Interactions in Protein films: A review, *Mater. Sci.*, 7, 7975-7996.
- Harasimowicz, M., Orluk, P., Zakrzewska-Trznadel, G., and Chmielewski, A. G., 2007, Application of Polyimide Membranes for Biogas Purification and Enrichment, *J. Hazard. Mater.*, 144, 698–702.
- Haris, H., 1999, Kajian Teknik Formulasi Terhadap Karakteristik Edible Film dari Pati Ubi Kayu, Aren, dan Sagu untuk Pengemas Produk Pangan Semi Basah, *Disertasi*, Program Doktor Ilmu Pertanian IPB, Bogor.
- Jestyssa, A. H., dan Maygasari, D. A., 2010, *Optimasi Proses Aktivasi Katalis Zeolit Alam dengan Uji Proses Dehidrasi Etanol*, Jurusan Teknik Kimia UNDIP, Semarang.
- Jiang, Q., Rentschler, J., Sethia, G., Weinman, S., Perrone, R., and Liu, K., 2013, Synthesis of T-Type Zeolite Nanoparticles for The Separation of CO<sub>2</sub>/N<sub>2</sub> and CO<sub>2</sub>/CH<sub>4</sub> by Adsorption Process, *Chem. Eng. J.*, 230, 380-388.
- Jonathan, R., 2016, Modifikasi Nanofiber PVA/alginate dengan Penambahan Zeolit Sebagai Adsorben CO<sub>2</sub>, *Skripsi*, Program Studi Kimia FMIPA UGM, Yogyakarta.
- Jost, V., Kobsik, K., Schmid, M., and Noller, K., 2014, Influence of Plasticiser on The Barrier, Mechanical and Grease Resistance Properties of Alginate Cast Films, *Carbohydr. Polym.*, 110, 309–319.
- Junaidi, M., Leo, C. P., Ahmad, A. L., and Ahmad, N. A., 2015, Fluorocarbon Functionalized SAPO-34 Zeolite Incorporated in Asymmetric Mixed Matrix Membranes for Carbon Dioxide Separation in Wet Gases, *Microporous Mesoporous Mater.*, 206, 23-33.
- Kacem, M., Pellerano, M., Delebarre, A., 2015, Pressure Swing Adsorption for CO<sub>2</sub>/N<sub>2</sub> and CO<sub>2</sub>/CH<sub>4</sub> Separation: Comparison Between Activated Carbons and Zeolites Performances, *Fuel Process. Technol.*, 138, 271-283.

- Karim, G. A. and Hanafi, A. S., 1991, An Analytical Examination of the Partial, Oxidation of Rich Mixtures of Methane and a Oxyge, *Combust. Sci. Technol.*, 33, 127.
- Katili, S., Harsunu, B. T., dan Irawan, S., 2013, Pengaruh Konsentrasi Plasticizer Gliserol dan Komposisi Khitosan dalam Zat Pelarut terhadap Sifat Fisik Edible Film dari Khitosan, *J. Teknologi*, 6(1), 29-38.
- Kazarian, S. G., Vincent, M. F., Bright, F. V., Liotta, C. L., and Eckert, C. A., 1996, Specific Intermolecular Interaction of Carbon Dioxide with Polymers, *J. Am. Chem. Soc.*, 118, 1729-1736.
- Keane, D., Eoin, F., and Michael, M., 2010, *Preparation of Polymer-Based Membranes for Dehydration Preparation of Polymer-Based Membranes for Dehydration*, STRIVE Report Series, Ireland.
- Kesuma, R. F., Sitorus, B., dan Adhityawarman, A., 2013, Karakterisasi Pori Adsorben Berbahan Baku Kaolin Capkala dan Zeolit Dealuminasi, *J. K. K.*, 19-23.
- Kim, S. J., Park, A., Nam, S. E., Park, Y. I., and Lee, P. S., 2016, Practical Designs of Membrane Contactors and Their Performances in CO<sub>2</sub>/CH<sub>4</sub> Separation, *Chem. Eng. Sci.*, 155, 239–247.
- Koros, J. W., and Mahajan, R., 2002, Mixed Matrix Membrane Materials with Glassy Polymers, *Polym. Eng. Sci.*, 42(2), 1420–1431.
- Kosinov, N., Gascon, J., Kapteijn, F., and Hensen, E. J. M., 2016, Recent Developments in Zeolite Membranes for Gas Separation, *J. Membr. Sci.*, 499, 65–79.
- Krishna, J. M., and Baten, V. J., 2011, In Silico Screening of Zeolite Membranes for CO<sub>2</sub> Capture, *J. Membr. Sci.*, 360, 323-333.
- Krungleviciute, V., Lask, K., Migone, A. D., Lee, J. Y., and Li, J., 2008, Kinetics and Equilibrium of Gas Adsorption on RPM1-Co and Cu-BTC Metal-Organic Frameworks: Potential for Gas Separation Applications, *AIChE J.*, 54(4), 919-922.
- Li, J. R., Ma, Y., McCarthy, M. C., Yu, J., and Jeong, H. K., 2011, Carbon Dioxide Capture-related Gas Adsorption and Separation in Metal-Organic Frameworks, *Coord. Chem. Rev.*, 255, 1791–1823.
- Li, W., Li, X., Chen, Y., Deng, H., and Wa, 2013, Poly(vinyl Alcohol)/Sodium Alginate/Layered Silicate Based Nanofibrous Mats For Bacterial Inhibition, *Carbohydr. Polym.*, 92, 2232-2238.
- Lin, L., Wang, A., Dong, M., Zhang, Y., He, B., and Li, H., 2012, Sulfur Removal from Fuel Using Zeolites/Polyimide Mixed Matrix Membrane Adsorbents, *J. Hazard. Mater.*, 204-212.

- Mata, Y. N., Blazquez, M. L., Ballester, A., and Gonzalez, 2009, Biosorption of Cadmium, Lead and Copper with Calcium Alginate Xerogels and Immobilized *Fucus Vesiculosus*, *J. Hazard. Mater.*, 163, 555-562.
- McHugh, D. J., 2003, A Guide to The Seaweed Industry, *FAO Fisheries Technical*, Food and Agriculture Organization of the United Nation, Rome, Italy.
- McHugh, T. H., and Krochta, J. M., 1994, Sorbitol-vs Glycerol-plasticized Whey Protein Edible Films—Integrated Oxygen and Tensile Property Evaluation, *J. Agric. Food. Chem.*, 42(4), 841–845.
- Menon, V. C., and Komarneni, S., 1998, Adsorbents for Vehicular Natural Gas Storage: A Review, *J. Porous Mater.*, 5, 43-58.
- Mulder, M., 1996, *Basic Prinsiple of Membrane Technology*, 2<sup>nd</sup> Ed, Kluwer Academic Publisher, Netherlands.
- Mutngimaturrohmah, Gunawan dan Habibi, 2009, Aplikasi Zeolit Alam Terdealuminasi dan Termodifikasi HDTMA Sebagai Adsorben Fenol, *Skripsi*, Jurusan Kimia FMIPA UNDIP, Semarang.
- Nigiz, F. U., Dogan, H., and Hilmioglu, N. D., 2012, Pervaporation of Ethanol/Water Mixtures Using Clinoplitolite and 4A Filled Sodium Alginate Membranes, *Desalination*, 300, 24-31.
- Nik, O., Chen, X., and Kaliguine, S., 2011., Amine Functionalized Zeolite FAU/EMT-polyimide Mixed Matrix Membranes for CO<sub>2</sub>/CH<sub>4</sub> Separation, *J. Membr. Sci.*, 366, 62-72.
- Noureddini, H., and Medikonduru, 1997, Glycerolysis of Soybean Oil, *J. Am. Oil. Chem. Soc.*, 75, 1359.
- Perry, Robert, H., and Green, D., 1997, *Perry's Chemichal Engineer's Hand Book*, 6<sup>th</sup> Ed, McGraw Hill Book Company Inc, New York.
- Pour, A. A., Sharifnia, S., Salehi, R. N., and Ghodrati, M., 2016, Adsorption Separation of CO<sub>2</sub>/CH<sub>4</sub> on The Synthesized NaA Zeolite Shaped with Monmorillonite Clay in Natural Gas Purification Process, *J. Nat. Gas Sci.*, 36, 630-643.
- Powell, C. E., and Qiao, G. G., 2006, Polymeric CO<sub>2</sub>/N<sub>2</sub> Gas Separation Membranes for The Capture of Carbon Dioxide from Power Plant Flue Gases, *J. Membr. Sci.*, 279, 1-49.
- Price, E. C., and Cheremisinoff, P. N., 1981, *Biogas Production and Utilization*, Ann Arbor Science Publishers, Inc., United States of America.
- Rabiee, H., Alsatat, S. M., Soltanieh, M., Mousavi, S. A., and Ghadimi, A., 2015. Gas Permeation and Sorption Properties of Poly (Amide-12-b-

ethyleneoxide)(Pebax1074)/SAPO-34 Mixed Matrix Membrane for CO<sub>2</sub>/CH<sub>4</sub> and CO<sub>2</sub>/N<sub>2</sub> Separation, *J. Ind. Eng. Chem*, 27, 223-239.

Ravanchi, T. M., Kaghazchi, T., and Kargari, A., 2009, Application of Membrane Separation Processes in Petrochemical Industry: A review, *Desalination*, 235, 199-244.

Rodriguez, M., Oses, J., Ziani, K., and Mate, J. I., 2006, Combined Effect of Plasticizers and Surfactants on The Physical Properties of Starch Based Edible Films, *Food Res. Int.*, 39(8), 840–846.

Santana, A. A., and Kieckbusch, T. G., 2013, Physical Evaluation of Biodegradable Films of Calcium Alginate Plasticized with Polyols, *Braz. J. Chem. Eng.*, 30(4), 835-845.

Sasongko, M. N., Mikami, M., and Dvorjetski, 2011, Extinction Condition of Counterflow Diffusion Flame with Polydisperse Water Spray, *Proc. Combust. Inst.*, 33(2), 2555-2562.

Satwijayanti, L., 2015, Pengaruh Pemlastis Poli(Propilen Itakonat) dan Gliserol Terhadap Sifat Fisiko-Kimia Film Alginat/Asam Palmitat, *Skripsi*, Program Studi Kimia FMIPA UGM, Yogyakarta.

Shalumon, K. T., Anulekha, K. H., Nair, S. V., Chennazhi, K. P., and Jayakumar, R., 2011, Sodium Alginate/Poly(vinyl Alcohol)/Nano ZnO Composite Nanofibers for Antibacterial Wound Dressing, *J. Biol. Macromol.*, 49, 247-254.

Shekhawat, Dushyant, Luebke, D. R., and Pennline, H. W., 2003, *A Review of Carbon Dioxide*, A Topical Report of National Energy Technology Laboratory, United States of America.

Sircar, S., and Myers, A. L., 2003, *Gas Separation by Zeolites*, Marcel Dekker, Inc., Pennsylvania, USA.

Skurtys, O. A. C., Acevedo, C., Pedreschi, F., Enronoe, F., Osorio, J. F., and Aguiler, J. M., 2010, *Food Hydrocolloid Edible Films and Coatings*, Nova Science Publishers, Inc., U.S.

Sudhakar, H., Maruthi, Y., Babu, P. K., and Naveen, M., 2014, Development of Sodium Alginate-13X Zeolite-Filled Mixed Matrix Membranes for Pervaporation Dehydration of Isopropanol, *Int. J. Recent Sci. Res.*, 5(5), 925-930.

Sukma, N., 2014, Karakterisasi dan Kajian Pelepasan Besi (III) dari Komposit Alginat/Zeolit/Fe, *Tesis*, Universitas Gadjah Mada, Yogyakarta.

Suraya, T., 2016, Sintesis Membran Matriks Tercampur Zeolit/Na-alginat Tertaut Silang Etilen Glikol sebagai Membran Pemisah Gas CO<sub>2</sub>/CH<sub>4</sub>, *Skripsi*, Program Studi Kimia FMIPA UGM, Yogyakarta.

- Sutarti, M., dan Rachmawati, M., 1994, *Zeolit Tinjauan Literatur*, Pusat Dokumentasi dan Informasi Ilmiah LIPI, Jakarta.
- Tagliabue, M., Farrusseng, D., Valencia, S., Aguado, S. Ravon, U., Rizzo, C., Corma, A., and Mirodatos, C., 2009, Natural Gas Treating by Selective Adsorption: Material Science and Chemical Engineering Interplay, *Chem. Eng. J.*, 155, 553-566.
- Tavassoli-Kafrani, E., Shekarchizadeh, H., and Masoudpour-Behabadi, M., 2016, Development of Edible Films and Coatings from Alginates and Carrageenans, *Carbohydr. Polym.*, 137, 360–374.
- Trisunaryanti, W., 2015, *Material Katalis dan Karakterisasinya*, Edisi Pertama, Gadjah Mada University Press, Yogyakarta.
- Weitkamp, J., and Puppe, L., 1999, *Catalysis and Zeolites Fundamentals and Applications*, Springer Verlag Berlin Heidelberg, Jerman.
- Yamliha, A., Argo, B. D., and Nugroho, W. A., 2013, Pengaruh Ukuran Zeolit terhadap Penyerapan Karbondioksida (CO<sub>2</sub>) pada Aliran Biogas, *J. Keteknik Pertanian*, 1(2), 68.
- Yaqun, Z., Zhi, W., Chenxin, Z., Jixiao, W., and Shichang, W., 2013, A Novel Membrane Prepared from Sodium Alginate Crosslinked with Sodium Tartrate for CO<sub>2</sub> Capture, *Chi. J. Chem. Eng.*, 10, 1098-1105.
- Yu, C. H., Huang, C. H., and Tan, C. S., 2012, A Review of CO<sub>2</sub> Capture by Absorption and Adsorption, *Aerosol Air Qual. Res.*, 12, 745-769.



UNIVERSITAS  
GADJAH MADA

**MEMBRAN ZEOLIT/Na-ALGINAT DENGAN PEMLASTIS GLISEROL UNTUK PEMISAHAN GAS CO<sub>2</sub>  
DAN CH<sub>4</sub>**

RAMADHAN CENDY M P, Dr. Ardhasari Suratman, M.Si; Prof. Dr. Endang Tri Wahyuni M.S.

Universitas Gadjah Mada, 2017 | Diunduh dari <http://etd.repository.ugm.ac.id/>