

DAFTAR PUSTAKA

- Anderson, J. E., Goetz, C. M., McLaughlin, J. L. dan Suffness, M., 1991, A Blind Comparison of Simple Bench-top Bioassays and Human Tumour Cell Cytotoxicities as Antitumor Prescreens, *Phytochem. Anal.*, 3(2), 107–111.
- Anjaneyulu, A. S. R., Rao, V. L., Sastry, V. G. dan Rao, D. V., 2008, Trocheliophorin: A Novel Rearranged Sesquiterpenoid from The Indian Ocean Soft Coral *Sarcophyton trocheliophorum*., *J. Asian Nat. Prod. Res.*, 7–8(10), 597–601.
- Ardrey, R. E., 2003, *Liquid Chromatography - Mass Spectrometry: An Introduction*, 1, John Wiley & Sons, Chichester.
- Badria, F. A., Guirguis, A. N., Perovic, S., Steffen, R., Müller, W. E. G. dan Schröder, H. C., 1998, Sarcophytolide: A New Neuroprotective Compound from The Soft Coral *Sarcophyton glaucum*, *Toxicology*, 2–3(131), 133–143.
- Balouiri, M., Sadiki, M. dan Ibsouda, S. K., 2016, Methods for in vitro Evaluating Antimicrobial Activity: A Review, *J. Pharm. Anal.*, 2(6), 71–79.
- Banssemir, A., Blume, M., Schröder, S. dan Lindequist, U., 2006, Screening of Cultivated Seaweeds for Antibacterial Activity Against Fish Pathogenic Bacteria, *Aquaculture*, 1(252), 79–84.
- Blunt, J. W., Copp, B. R., Hu, W. P., Munro, M. H., Northcote, P. T. dan Prinsep, M. R., 2014, Marine natural products, *Nat Prod Rep*, 2(31), 160–258.
- Bowden, B. F., Coll, J. C., Hicks, W., Kazlauskas, R. dan Mitchell, S. J., 1978, Studies of Australian soft corals. X. The isolation of epoxyisoneocembrene-A from *Sinularia grayi* and isoneocembrene-A from *Sarcophyton ehrenbergi*, *Aust. J. Chem.*, 12(31), 2707–2712.
- Brooks, G. F., Carroll, K. C., Butel, J. S., Morse, S. A. dan Mietzner, T. A., 2013, *Jawetz, Melnick, & Adelberg's Medical Microbiology*, McGraw-Hill, New York.
- Burt, S., 2004, Essential Oils: Their Antibacterial Properties and Potential Applications in Foods - A Review, *Int. J. Food Microbiol.*, 3(94), 223–253.
- Chen, S.-H., Huang, H. dan Guo, Y.-W., 2008, A New Diterpenoid from The South China Sea Soft Coral *Lobophytum* sp., *J. Asian Nat. Prod. Res.*, 10(10), 965–969.
- Cheng, S. Y., Wang, S. K., Chiou, S. F., Hsu, C. H., Dai, C. F., Chiang, M. Y. dan Duh, C. Y., 2010, Cembranoids from The Octocoral *Sarcophyton ehrenbergi*, *J. Nat. Prod.*, 2(73), 197–203.

- CLSI, 2011, *Performance standards for antimicrobial susceptibility testing; twenty-first informational supplement*, Wayne, PACLSI document M100-S21.
- Collins, C. H., Lyne, P. M., Grange, J. M. dan Falkinham III, J. O., 2004, *Microbiological Methods*, 8 Ed., Arnold, London.
- Cuong, N. X., Tuan, T. A., Kiem, P. Van, Minh, C. Van, Choi, E. M. dan Kim, Y. H., 2008, New Cembranoid Diterpenes from the Vietnamese Soft Coral *Sarcophyton mililatensis* Stimulate Osteoblastic Differentiation in MC3T3-E1 cells., *Chem. Pharm. Bull. (Tokyo)*., 7(56), 988–992.
- Davis, W. W. dan Stout, T. R., 1971, Disc plate method of microbiological antibiotic assay. I. Factors influencing variability and error., *Appl. Microbiol.*, 4(22), 659–65.
- Dobretsov, S., Al-wahaibi, A. S. M., Lai, D., Al-sabahi, J., Claereboudt, M., Proksch, P. dan Soussi, B., 2015, Inhibition of bacterial fouling by soft coral natural products, *Int. Biodeterior. Biodegradation*, (98), 53–58.
- Durham, W. S., 1975, *Dangerous Properties of Industrial Materials*, Van Nostrand Reinhold Co., New York.
- Fardiaz, S., 1992, *Mikrobiologi Pangan I*, Pusat Antar Universitas Pangan dan Gizi IPB, Bogor.
- Fattorusso, E., Gerwick, W. H. dan Tagliatela-Scafati, O., 2013, *Handbook of Marine Natural products*, 1, Springer Netherlands, Dordrecht.
- Feller, M., Rudi, A., Berer, N., Goldberg, I., Stein, Z., Benayahu, Y., Schleyer, M. dan Kashman, Y., 2004, Isoprenoids of the soft coral *Sarcophyton glaucum*: Nyalolide, a new biscembranoid, and other terpenoids, *J. Nat. Prod.*, 8(67), 1303–1308.
- Finney, D. J., 1971, *Probit Analysis*., 3 Ed., Cambridge University Press, London.
- Fleury, B., Coll, J. dan Sammarco, P., 2006, Complementary (secondary) metabolites in a soft coral: Sex-specific variability, inter-clonal variability, and competition, *Mar. Ecol.*, 3(27), 204–218.
- Fujishima, A. and Honda, K., Fujishima, A. dan Honda, K., 1972, The Seventh Pandemic of Cholera, *Nature*, (238), 37.
- Fulmer, G. R., Miller, A. J. M., Sherden, N. H., Gottlieb, H. E., Nudelman, A., Stoltz, B. M., Bercaw, J. E. dan Goldberg, K. I., 2010, NMR chemical shifts of trace impurities: Common laboratory solvents, organics, and gases in deuterated solvents relevant to the organometallic chemist, *Organometallics*, 9(29), 2176–2179.

- Greenwood, D., Slack, R. C. B., Barer, M. R. dan Irving, W. L., 1995, *Medical Microbiology*, 4 Ed., ELBS, Hongkong.
- Grote, D., Soliman, H. S. M., Shaker, K. H., Hamza, M. dan Seifert, K., 2006, Cembranoid diterpenes and a briarane diterpene from corals., *Nat. Prod. Res.*, 3(20), 285–291.
- Hardiningtyas, S. D., 2009, Aktivitas Antibakteri Ekstrak Karang Lunak *Sarcophyton* sp. yang Difragmentasi dan tidak Difragmentasi di Perairan Pulau Pramuka, Kepulauan Seribu, *Skripsi*, Departemen Teknologi Hasil Perairan FPIK IPB, Bogor, .
- Houssen, W. E. dan Jaspars, M., 2006, Isolation of Marine Natural Products, Humana Press, New Jersey.
- Hutomo, M. dan Moosa, M. K., 2005, Indonesian marine and coastal biodiversity: Present status, *Indian J. Mar. Sci.*, 1(34), 88–97.
- Iswani, S. R. I., Tohir, D. dan Januar, H. I., 2014, Identifikasi Senyawa Sitotoksik Karang Lunak *Sarcophyton* sp . dari Perairan Pulau Panggang Taman Nasional Kepulauan Seribu, *J. Indones. Pharm.*, 2(12), 238–243.
- Kapojos, M. M., Lee, J. S., Oda, T., Nakazawa, T., Takahashi, O., Ukai, K., Mangindaan, R. E. P., Rotinsulu, H., Wewengkang, D. S., Tsukamoto, S., Kobayashi, H. dan Namikoshi, M., 2010, Two unprecedented cembrene-type terpenes from an indonesian soft coral *sarcophyton* sp., *Tetrahedron*, 3(66), 641–645.
- Kashman, Y., Zadock, E. dan Neeman, L., 1974, Some new cembrane derivatives of marine origin, *Tetrahedron*, 19(30), 3615–3620.
- Katzung, B. G., Masters, S. B. dan Trevor, A. J., 2012, *Basic & Clinical Pharmacology*, 12 Ed., McGraw-Hill, New York.
- Kazakevich, Y. dan Lobrutto, R., 2007, *HPLC for Pharmaceutical Scientists*, John Wiley & Sons, New Jersey.
- Kemenkes RI, 2011, Situasi Diare di Indonesia, *Bul. Jendela Data dan Inf. Kesehatan.*, 23–24.
- Kobayashi, J., Ohizumi, Y., Nakamura, H., Yamakado, T., Matsuzaki, T. dan Hirata, Y., 1983, Ca-antagonistic substance from soft coral of the genus *Sarcophyton*, *Experientia*, 1(39), 67–69.
- Liang, E. X. dan Fang, W., 2006, *Medicinal Chemistry of Bioactive Natural Products*, John Wiley & Sons, New Jersey.

- Liang, L. dan Guo, Y., 2013, Terpenes from the Soft Corals of the Genus *Sarcophyton*: Chemistry and Biological Activities, *Chem. Biodivers.*, 12(10), 2161–2196.
- Liu, X., Zhang, J., Liu, Q., Tang, G., Wang, H., Fan, C. dan Yin, S., 2015, Bioactive Cembranoids from the South China Sea Soft Coral *Sarcophyton elegans*, *Molecules*, 7(20), 13324–13335.
- Liu, Z., Cheng, W., Liu, D., Van Ofwegen, L., Proksch, P. dan Lin, W., 2014, Capnosane-type cembranoids from the soft coral *Sarcophyton trocheliophorum* with antibacterial effects, *Tetrahedron*, 45(70), 8703–8713.
- Manuputty, A. E. W., 1996, Pengenalan Beberapa Karang Lunak (Octocorallia, Alcyonacea), di Lapangan, *Oseana*, 4, 1–11.
- Meyer, B. ., Ferrigni, N. R., Putnam, J. E., Jacobsen, L. B., Nichols, D. E. dan McLaughlin, J. L., 1982, Brine Shrimp : A Convinient General Bioassay for Active Plant Constituents, *J. Med. Plant Res.*, February(45), 31–34.
- Murniasih, T., 2003, Metabolit Sekunder dari Spons Sebagai Bahan Obat-Obatan, *Oseana*, 3(XXVIII), 27–33.
- Nii, K., Tagami, K., Matsuoka, K., Munakata, T., Ooi, T. dan Kusumi, T., 2006, Unusual transannular cyclization products of sarcophytoxide, a 14-membered marine cembranoid: Anomalous stereochemistry of epoxide-ketone rearrangement, *Org. Lett.*, 14(8), 2957–2960.
- Pelczar, M. J. dan Chan, E. C. S., 2005, *Elements of Microbiology*, McGraw-Hill, New York.
- Pollastro, F., Golin, S., Chianese, G., Putra, M. Y., Schiano Moriello, A., De Petrocellis, L., Garcia, V., Munoz, E., Tagliatela-Scafati, O. dan Appendino, G., 2016, Neuroactive and Anti-inflammatory Frankincense Cembranes: A Structure-Activity Study, *J. Nat. Prod.*, 79(7), 1762–1768.
- Putra, M. Y. dan Murniasih, T., 2016, Distribution and diversity of marine natural products from Indonesian marine organisms, *J. Coast. Life Med.*, 2(4), 104–107.
- Sabdono, A. dan Radjasa, O. K., 2008, Microbial Symbionts in Marine Sponges : Marine natural product factory, *J. Coast. Dev.*, 2(11), 57–61.
- Sawant, S., Youssef, D., Mayer, A., Sylvester, P., Wali, V., Arant, M. dan El Sayed, K., 2006, Anticancer and anti-inflammatory sulfur-containing semisynthetic derivatives of sarcophine., *Chem. Pharm. Bull. (Tokyo)*., 8(54), 1119–1123.

- Schlegel, H. G. dan Schmidt, K., 1986, *General Microbiology*, 6 Ed., University Press, Cambridge.
- Shaaban, K., Ghani, M. dan Shaaban, M., 2015, New Cembranoid Diterpenes from *Sarcophyton trocheliophorum*, *Br. J. Pharm. Res.*, 3(5), 192–201.
- Shaaban, M., Ghani, M. A. dan Shaaban, K. A., 2013, Zahramycins A-B, two new steroids from the coral *Sarcophyton trocheliophorum*, *Zeitschrift fur Naturforsch. - Sect. B J. Chem. Sci.*, 8(68), 939–945.
- Shaker, K. H., Müller, M., Ghani, M. A., Dahse, H. M. dan Seifert, K., 2010, Terpenes from the soft corals *Litophyton arboreum* and *Sarcophyton ehrenbergi*, *Chem. Biodivers.*, 8(7), 2007–2015.
- Sticher, O., 2008, Natural product isolation., *Nat. Prod. Rep.*, 3(25), 517–54.
- Tursch, B., 1976, Some Recent Development in The Chemistry of Alcyonaceans, *Pure Appl.Chem.*, (48), 1–6.
- Van Ofwegen, L., 2015, WoRMS - World Register of Marine Species - *Sarcophyton glaucum* (Quoy and Gaimard, 1833), .
- Vogeser, M. dan Seger, C., 2008, A decade of HPLC–MS/MS in the routine clinical laboratory — Goals for further developments, *Clin. Biochem.*, 9(41), 649–662.
- Wikanta, T., Zakaria, Y. A., Ratih, D. dan Nursid, M., 2007, Uji Aktivitas Sitotoksi Ekstrak Karang Lunak *Sarcophyton glaucum* (Quoy & Gaimard) Terhadap Sel Lestrai Tumpor HeLa, *J. Pascapanen dan Bioteknologi Kelaut. dan Perikanan.*, 2(1), 69–80.
- Wulandari, A. P., Primastia, N. dan Sajuti, J. N., 2016, Sensitivity *Escherichia coli* and *Staphylococcus aureus* cause diarrhea to the fungi isolated from soft coral, *AIP Conf. Proc.*, 20005(1744), 20005.
- Zubair, M. S., Al-Footy, K. O., Ayyad, S.-E. N., Al-Lihaibi, S. S. dan Alarif, W. M., 2016, A review of steroids from *Sarcophyton* species, *Nat. Prod. Res.*, 8(30), 869–879.