

DAFTAR PUSTAKA

- Akilavasan, J., 2013, Hydrothermally Synthesized Titania Nanotubes as a Promising Electron Transport Medium in Dye Sensitized Solar Cells Exhibiting a Record Efficiency of 7.6% for 1-D Based Devices. *J. Mater. Chem. A*, 1, 5377–5385.
- Amalia, F.R., 2015, Sintesis TiO₂ Tabung Nano Terdoping N dengan Refluks, *Skripsi*, Departemen Kimia FMIPA UGM, Yogyakarta.
- Bauer, C., Boschloo, G., Mukhtar, E. and Hagfeldt, A., 2002, Interfacial Electron-Transfer Dynamics in Ru(tcterpy)(NCS)₃-Sensitized TiO₂ Nanocrystalline Solar Cells. *J. Phys. Chem. B*, 106(49), 12693–12704.
- Bavykin, D. V., Carravetta, M., Kulak, A.N. and Walsh, F.C., 2010, Application of Magic-Angle Spinning NMR to Examine the Nature of Protons in Titanate Nanotubes. *Chem. Mater.*, (20), 2458–2465.
- Bavykin, D. V., Friedrich, J.M., Lapkin, A.A., Walsh, F.C., Engineering, C., Uni, V., Ba, B., September, R. V., Re, V., Recei, M. and December, V., 2006, Stability of Aqueous Suspensions of Titanate Nanotubes, *Chem. Mater.*, 18, 1124–1129.
- Bavykin, D. V., Parmon, V.N., Lapkin, A. and Walsh, F.C., 2004, the Effect of Hydrothermal Conditions on the Mesoporous Structure of TiO₂ Nanotubes, *J. Mater. Chem.*, 14, 3370–3377.
- Chen, Q., Du, G.H. and Zhang, S., 2002, the Structure of Trititanate Nanotubes, *Acta Crystallogr., Sect. B : Struct. Sci.*, 587–593.
- Chen, X. and Schwank, J.W., 2014, A Review on TiO₂-Based Nanotubes Synthesized Via Hydrothermal Method : Formation Mechanism, Structure Modification, and Photocatalytic Applications, *Catal Today.*, 225, 34–51.
- Dong, P., Liu, B., Wang, Y., Guo, L., Huang, Y. and Yin, S., 2011, A Study on the H₂Ti₃O₇ Sheet-Like Products During the Formation Process of Titanate Nanotubes, *J. Electrochem. Soc.*, 158(9), 183–186.
- Fernández-García, M., Wang, X., Belver, C., Hanson, J.C. and Rodriguez, J.A., 2007, Anatase-TiO₂ nanomaterials: Morphological/size dependence of the crystallization and phase behavior phenomena. *J. Phys. Chem. C*, 111(2), 674–682.
- Fujishima and Honda, 1972, Electrochemical Photolysis of Water at a Semiconductor Electrode, Nature Publishing Group, 238, 37–38.

- Fukai, Y., Kondo, Y., Mori, S. and Suzuki, E., 2007, Highly Efficient Dye-Sensitized SnO₂ Solar Cells Having Sufficient Electron Diffusion Length, *Electrochem. Commun.*, 9(7), 1439–1443.
- Gómez-Ortíz, N.M., Vázquez-Maldonado, I.A., Pérez-Espadas, A.R., Mena-Rejón, G.J., Azamar-Barrios, J.A. and Oskam, G., 2010, Dye-Sensitized Solar Cells with Natural Dyes Extracted from Achiote Seeds, *Sol. Energi Mater. Sol. Cells*, 94(1), 40–44.
- Graf, C. and Ohser-wiedemann, R., 2007, Preparation and Characterization of Doped Metal-Supported TiO₂-Layers, *J. Photochem. Photobiol. A.*, 188, 226–234.
- Grätzel, M., 2003, Dye-Sensitized Solar Cells, *J. Photochem. Photobiol. C.*, 4, 145–153.
- Guo, Y., Lee, N.H., Oh, H.J., Yoon, C.R., Park, K.S., Lee, W.H., Li, Y., Lee, H.G., Lee, K.S. and Kim, S.J., 2008, Preparation of Titanate Nanotube Thin Film using Hydrothermal Method, *Thin Solid Films*, 516(23), 8363–8371.
- Ha, T., Vu, T., Thi, H., Lien, A. and Tran, T., 2014, Synthesis of Titanium Dioxide Nanotubes Via One-Step Dynamic Hydrothermal Process, *J. Mater. Sci.*, 49, 5617–5625.
- Han, D.-W., 2009, Texture, Morphology and Photovoltaic Characteristics of Nanoporous F : SnO₂ Films. *J. Electr. Eng. Tech.*, 4(1), 93–97.
- Hao, S., Wu, J., Huang, Y. and Lin, J., 2006, Natural Dyes as Photosensitizers for Dye-Sensitized Solar Cell, *Sol. Energi*, 80, 209–214.
- Hoyer, P., 1996, Formation of a Titanium Dioxide Nanotube Array, *Am. Chem. Soc.*, 12, 1411–1413.
- Kartini, I., Dwitasari, L., Wahyuningsih, T.D. and Wang, L., 2015, The Sensitization of Xanthophylls-Chlorophyllin Mixtures on Titania Solar Cells, *Int. J. Sci. Eng.*, 8(April), 109–114.
- Kasuga, T., 2006, Formation of Titanium Oxide Nanotubes using Chemical Treatments and Their Characteristic Properties, *Thin Solid Films*, 496, 141–145.
- Kasuga, T., Hiramatsu, M., Hoson, A. and Sekino, T., 1998, Formation of Titanium Oxide Nanotube, *Am. Chem. Soc.*, 7463(5), 3160–3163.
- Kementerian Energi dan Sumber Daya Mineral, 2008, Pemanfaatan Energi Surya di Indonesia. Available at: <http://www.esdm.go.id/berita/56-artikel/3347->

pemanfaatan-energi-surya-diindonesia.html [Accessed January 1, 2016].

- Khan, M.A. and Yang, O.B., 2009, Photocatalytic Water Splitting for Hydrogen Production Under Visible Light on Ir and Co Ionized Titania Nanotube. *Catal. Today*, 146(1–2), 177–182.
- Khazraji, A.C., Hotchandani, S., Das, S. and Kamat, P. V., 1999, Controlling Dye (Merocyanine-540) Aggregation on Nanostructured TiO₂ Film : An Organized Assembly Approach for Enhancing the Efficiency of Photosensitization, *J. Phys. Chem. B*, 103, 4693–4700.
- Kim, M., Hwang, S., Lim, S.K. and Kim, S., 2012, Effects of Ion Exchange and Calcinations on the Structure and Photocatalytic Activity of Hydrothermally Prepared Titanate Nanotubes, *Cryst. Res. Technol.*, 47(11), 1190–1194.
- Kim, S., Yun, Y., Oh, H., Hong, S.H., Roberts, C.A., Routray, K. and Wachs, I.E., 2010, Characterization of Hydrothermally Prepared Titanate Nanotube Powders by Ambient and In Situ Raman Spectroscopy, *J. Phys. Chem. Lett.*, 1, 130–135.
- Kustiningsih, I., Slamet and Purwanto, W.W., 2015, Synthesis of TiO₂ Nanotubes by using Combination of Sonication and Hydrothermal Treatment and Their Photocatalytic Activity for Hydrogen Evolution, *Reaktor*, 15(3), 205–212.
- Lai, C.W., Juan, J.C., Ko, W.B., Bee, S. and Hamid, A., 2014, An Overview : Recent Development of Titanium Oxide Nanotubes as Photocatalyst for Dye Degradation, *Int. J. Photoenergi*, 1-14.
- Li, Q., Liu, R., Zou, B., Cui, T. and Liu, B., 2014, Effects of Hydrothermal Conditions on the Morphology and Phase Composition of Synthesized TiO₂ Nanostructures. *Physica B: Physics of Condensed Matter*, 445, 42–47.
- Likodimos, V., Stergiopoulos, T. and Falaras, P., 2008, Phase Composition, Size, Orientation, and Antenna Effects of Self-Assembled Anodized Titania Nanotube Arrays : A Polarized Micro-Raman Investigation, *J. Phys. Chem. C*, 112, 12687–12696.
- Liu, D., Fessenden, R.W., Hug, G.L. and Kamat, P. V, 1997, Dye Capped Semiconductor Nanocluster : Role of Back Electron Transfer in the Photosensitization of SnO₂ Nanocrystallites with Cresyl Violet Aggregates, *J. Phys. Chem. B*, 101(14), 2583–2590.
- Liu, H., Zhang, Y., Yang, H., Xiao, W. and Sun, L., 2016, Study on Synthesis and Photocatalytic Activity of Porous Titania Nanotubes, *Adv. Mater. Sci. Eng.*, 1-10

- Liu, N., Chen, X., Zhang, J. and Schwank, J.W., 2014, A Review on TiO₂-Based Nanotubes Synthesized Via Hydrothermal Method : Formation Mechanism , Structure Modification , and Photocatalytic Applications, *Catal. Today*, 225, 34–51.
- Lupan, O., Chai, G., Chow, L., Emelchenko, G.A., Heinrich, H., Ursaki, V. V., Gruzintsev, A.N., Tiginyanu, I.M. and Redkin, A.N., 2010, Ultraviolet Photoconductive Sensor Based on Single ZnO Nanowire, *Phys. Status Solidi A*, 207(7), 1735–1740.
- Ma, Y., Lin, Y., Xiao, X., Zhou, X. and Li, X., 2006, Sonication–Hydrothermal Combination Technique for the Synthesis of Titanate Nanotubes from Komersially Available Precursors, *Mater. Res. Bull.*, 41, 237–243.
- Maxim, F., Ferreira, P. and Vilarinho, P.M., 2011, Influence of the Neutralization Process on the Preparation of Titanate Nanotubes by Hydrothermal Synthesis, *J. Porous Mater.*, 4, 37–45.
- Muiz, L.J., 2013, Sintesis Nanotube TiO₂ Secara Hidrotermal untuk Plastik Nanokomposit Kitosan-TiO₂, *Skripsi*, Departemen Kimia FMIPA UGM, Yogyakarta.
- Muscat, J., Swamy, V. and Harrison, N.M., 2002, First-Principles Calculations of the Phase Stability of TiO₂, *Phys. Rev. B*, 65(22), 224112-1 - 224112-15.
- Naimah, F., 2016, Pemanfaatan Biksin dan Kompleks Besi(III)-Ekstrak Kesumba sebagai Sensitizer pada Sel Surya Tersensitisasi Zat Warna (DSSC), *Skripsi*, Departemen Kimia FMIPA UGM, Yogyakarta.
- Nakahira, A., Kubo, T. and Numako, C., 2010, Hydrothermal Process with Acid Treatments and Their Microstructural Evaluation, *Appl. Mater. Interfaces*, 2(9), 2611–2616.
- Nasr, C., Liu, D., Hotchandani, S. and Kamat, P. V., 1996, Dye-Capped Semiconductor Nanoclusters : Excited State and Photosensitization Aspects of Rhodamine 6G H-Aggregates Bound to SiO₂ and SnO₂ Colloids, *J. Phys. Chem.*, 100(26), 11054–11061.
- O'regan and Grätzel, 1991, A Low-Cost, High-Efficiency Solar Cell Based on Dye-Sensitized Colloidal TiO₂ Films, *Nature Publishing Group*, 353, 737–740.
- Oskam, G., 2010, Dye-Sensitized Solar Cells with Natural Dyes Extracted from Achiotse Seeds, *Sol. Energi Mater. Sol. Cells*, 94, 40–44.
- Roy, P., Berger, S. and Schmuki, P., 2011, TiO₂ Nanotubes: Synthesis and Applications, *Angew. Chem. Int. Ed.*, 50(13), 2904–2939.

- Sasri, R., 2014, Ekstrak Zat Warna Alam dari Biji Kesumba sebagai Fotosensitizer pada Fotoanoda Serat Nano TiO₂ untuk Sel Surya, *Tesis*, Departemen Kimia FMIPA UGM, Yogyakarta.
- Shen, L., Bao, N., Zheng, Y., Gupta, A., An, T. and Yanagisawa, K., 2008, Hydrothermal Splitting of Titanate Fibers to Single-Crystalline TiO₂ Nanostructures with Controllable Crystalline Phase, Morphology, Microstructure, and Photocatalytic Activity, *J. Phys. Chem C.*, 112(24), 8809–8818.
- Sikhwivhilu, L.M., Sinha, S. and Coville, N.J., 2009, Influence of Bases on Hydrothermal Synthesis of Titanate Nanostructures, *Appl. Phys. A*, 963–973.
- Song, F., Zhao, Y., Ding, H., Cao, Y., Ding, J., Bu, Y. and Zhong, Q., 2013, Capture of Carbon Dioxide by Amine-Loaded as-Synthesized TiO₂ Nanotubes, *Environ. Tech.*, 1–6.
- Sreekantan, S. and Wei, L.C., 2010, Study on the Formation and Photocatalytic Activity of Titanate Nanotubes Synthesized Via Hydrothermal Method, *J. Alloys Compd.*, 490, 436–442.
- Suhaimi, S., Shahimin, M.M., Alahmed, Z.A., Chyský, J. and Reshak, A.H., 2015, Materials for Enhanced Dye-sensitized Solar Cell Performance: Electrochemical Application, *Int. J. Electrochem. Sci.*, 10, 2859–2871.
- Sutrisno, H., 2010a, Polymorphic Transformation of Titanium Dioxide Caused by Heat, *Indo. J. Chem.*, 10(2), 143–148.
- Sutrisno, H., 2010b, Synthesis Characterization of TiO₂(B) Nanotubes Prepared by Hydrothermal Method using [Ti₈O₁₂(H₂O)₂₄]Cl₈.HCl.7H₂O as Precursor, *Makara Sains*, 14(1), 27–31.
- Tsai, C., Nian, J. and Teng, H., 2006, Mesoporous Nanotube Aggregates Obtained from Hydrothermally Treating TiO₂ with NaOH, *Appl. Surf. Sci.*, 253, 1898–1902.
- Tsai, C. and Teng, H., 2004, Regulation of the Physical Characteristics of Titania Nanotube Aggregates Synthesized from Hydrothermal Treatment, *Chem. Mater.*, 16(22), 4352–4358.
- Turki, A., Kochkar, H., Guillard, C. and Berhault, G., 2013, Applied Catalysis B: Environmental Effect of Na Content and Thermal Treatment of Titanate Nanotubes on the Photocatalytic Degradation of Formic Acid, *Appl. Catal. A*, 139, 401–415.

- Viriya-Empikul, N., Sano, N., Charinpanitkul, T., Kikuchi, T. and Tanthapanichakoon, W., 2008, A Step Towards Length Control of Titanate Nanotubes using Hydrothermal Reaction with Sonication Pretreatment, *Nanotechnology*, 19(3), 35601-35606.
- Viriya-empikul, N., Charinpanitkul, T., Sano, N. and Soottitantawat, A., 2009, Effect of Preparation Variables on Morphology and Anatase – Brookite Phase Transition in Sonication Assisted Hydrothermal Reaction for Synthesis of Titanate Nanostructures, *Mater. Chem. Phys.*, 118, 254–258.
- Viriya-Empikul, N., Charinpanitkul, T., Sano, N., Soottitantawat, A., Kikuchi, T., Faungnawakij, K. and Tanthapanichakoon, W., 2009, Effect of Reaction Temperature and Sonication Pretreatment in the Hydrothermal Process on the Morphology of Titanate Nano-Structure, *J. Chem. Eng.*, 42(1), 234–237.
- Wong, C.L., Tan, Y.N. and Mohamed, A.R., 2011, A Review on the Formation of Titania Nanotube Photocatalysts by Hydrothermal Treatment, *J. Environ. Manage.*, 92(7), 1669–1680.
- Yao, B.D., Chan, Y.F., Zhang, X.Y., Zhang, W.F., Yang, Z.Y., Yao, B.D., Chan, Y.F., Zhang, X.Y., Zhang, W.F., Yang, Z.Y. and Wang, N., 2003, Formation Mechanism of TiO₂ Nanotubes, *Appl. Phys. Lett.*, 82(2), 281-283.
- Y. N. Tan., C. L. Wong and A. R. Mohamed, 2011, Hydrothermal Treatment of Fluorinated Titanium Dioxide: Photocatalytic Degradation of Phenol, *Asia-Pac. J. Chem. Eng.*
- Yuliarto, B. and Functional, A., 2014, Trends of DSSC Research, *Report*, Bandung.
- Zhu, Y., Li, H. and Koltypin, Y., 2001, Sonochemical Synthesis of Titania Whiskers and Nanotubes, *Chem. Commun.*, 2616–2617.
- Zhu, Y., Yang, Q., Zheng, H., Yu, W. and Qian, Y., 2005, Flower-Like Cobalt Nanocrystals by a Complex Precursor Reaction Route, *Mater. Chem. Phys.*, 91, 293–297.