



DAFTAR PUSTAKA

- Anggorodi., 1995. Nutrisi aneka ternak unggas. PT Gramedia Pustaka Umum. Jakarta.
- Amerah, A.M. 2014. Interaction between wheat characteristic and feed enzyme supplementation in broiler diets. Journal Animal Feed Science and Technology. 199(2015): 1-9.
- Annison, G. And M, Choct. 1991. Anti-nutritive activities of cereal non-starch polysaccharides in broiler diets and strategies minimizing their effects. World Poult. Sci. J. 47: 232-242.
- Bedford, M.R. 1996. The effect of enzymes on digestion. Journal of Applied Poultry Research, 5:370-378.
- Bedford M. R. and H. L Classen. 1992. Reduction of intestinal viscosity through manipulation of dietary rye and pentosanase concentration is effected through changes in the carbohydrate composition of the intestinal aqueous phase and results in improved growth rate and food conversion efficiency of broiler chicks. Journal of Nutrition, 122:560-569.
- Bell, D. D. And W. D. Weaver. 2002. Commercial Chicken Meat and Egg Production. 5th Ed. Springer Science Business Media, Inc. Spring Street. New York.
- Campbell, W., 1984. Principles Of Fermentation Technology. Pergaman Press. New York.
- Eishu, R., K. Sato., T. Oikawa., T. Kunieda and H. Uchida. 2005. Effect of dietary protein levels on production and characteristic of japanese quail eggs. Journal of Poultry Sci. 42 : 130-139.
- Esti, R. N. Pengaruh Level Fosfor Pakan Yang Berbeda Terhadap Performan Produksi Itik Turi. Skripsi. Fakultas Peternakan Universitas Gadjah Mada. Yogyakarta.
- Fernando, G.P.C., Nobre,I.S., Silva, L.P.G., Goulart, C.C., Figueiredo, D.F. and Rodrigues, P. 2008. The use of prebiotic and organic minerals in rations for laying Japanese Quail. International Journal of Poultry Science, 7: 339-43.
- Hakim, L. 1983. Pendugaan Nilai Heritabilitas dan Korelasi Genetik Beberapa Sifat Pertumbuhan Burung Puyuh (*Coturnix coturnix japonica*). Tesis. Fakultas Pascasarjana Institut Pertanian Bogor, Bogor.
- Hartadi, H., S. Reksohadiprodjo, dan A.D. Tilman. 2005. Tabel Komposisi Makanan Ternak Untuk Indonesia. Cetakan Kelima. Universitas Gadjah Mada. Yogyakarta.



Hidayatullah, M.F., H.D. Irfan dan N. Halim 2014. Efek penggunaan tepung limbah roti tawar sebagai pengganti jagung terhadap penampilan produksi itik hibrida. Jurnal Fakultas Peternakan Universitas Brawijaya. Malang.

Kaselung, P.S., M.E.K. Montong., C.L.K. Sarayar dan J.L.P Saerang. 2014. Penambahan rimpang kunyit (*Curcuma domestica* val), rimpang temulawak (*Curcuma xanthorrhiza* roxb) dan rimpang temu putih (*Curcuma zedoaria* rosc) dalam ransum komersial terhadap performansi burung puyuh (*Coturnix coturnix japonica*). Jurnal Zootek. Vol 34. No 1: 114-123.

Kismiati. S., T. Yuwanta., Zuprizal and Supadmo. 2012. The performance of laying hens fed different calcium source. J. Indonesian Trop. Anim. Vol 37. No 4:263-270.

Lazaro, R., M. Garcia., M.J. Aranibar and G.G. Mateos. 2003. Effect of enzyme addition to wheat-, barley- and ry-based diets on nutrient digestibility and performance of laying hens. Brit. Poultry Sci. 44:256-265.

Lesson, S and J.D. Summer. 2005. Feeding program for duck and Geese. Chapter . Commercial Poultry Nutrition 3rd edition. Canada.

Lindar, M. C. 1992. Biokimia Nutrisi dan Metabolisme. Departemen Chemistry. California State University. Fullerton.

Macabanti, M.T., C.D. Mateo and J.A. Acorda. 2004. Laying Performance of Japanese quail (*Coturnix coturnix japonica*) fed diets based on sorghum, wheat, corn and their combination. Philippine Journal of Animal Science. 30(1):19-28.

Mardiansyah, A. 2013. Performa Produksi dan Organ Dalam Puyuh Diberi Pakan Mengandung Dedak Gandum dan Tepung Daun Mengkudu. Skripsi Sarjana Peternakan. Institut Pertanian Bogor. Bogor.

Mateo, C.D and N.F. Carandang. 2006. Feeding and economic evaluation of corn, wheat and shorghum based-diets in broilers. Philippine Journal of Animal Science . 135(1): 49-58.

Mizutani, M., 2003. The Japanese quail. Laboratory Animal Research Station, Nippon Institute for Biological Science, Kobuchizawa, Yamanashi, Japan, pp: 408-0041.

Mukund, M.K., A.K.B. Mandal., A.V. Elangovan and S. Kaur. 2006. Responce of laying Japanese quail to dietary calcium levels at two levels of energy. Journal of Poultry Science. Vol 43: 351-356.

Nasrulloh. 2005. Penampilan Produksi Dan Berat Karkas Puyuh Yang Mendapat Ransum Mengandung Minyak Sawit Dan Minyak Ikan Lemuru Serta Penambahan Vitamin E. Skripsi Fakultas Peternakan. Universitas Gadjah Mada. Yogyakarta.



- North, M. O. 1984. Commercial Chicken Production Manual. 3rd ed. Westport Connecticut, AVI Publishing Company.
- NRC. 1994. Nutrient Requirements Of Poultry. 9th ed. National Research Council, Washington DC.
- Randall, M. C., 1986. Raising Japanese Quail. Departement of Agriculture. Division of Animal Production. Seven Hills. New South Wales.
- Roland, S. D. A., H. A. Ahmad., S. S. Yadalam and T. Seffon. 2003. Effect of nongenetically modified phytase supplementation on comercial leghorns. J. Appl. Poult. Res. 12:257-263.
- Sangilimadan. K., R. A. Rajini., R. Prabakaran., M. Ahmed and M. Murugan. 2012. Effect of different dietary protein on egg quality traits in layer japanese quails (*Coturnix coturnix japonica*). J. Vet. Anim Sci. 9: 32-40.
- Scanes, C. G., G. Brant., and Esminger. 2004. Poultry Science 4th edition. Pearson Prentince Hall, Inc., Upper saddle River, New Jersey. 100-110.
- Sidadolog, J. H. P. 2001. Manajemen Ternak Unggas. Fakultas Peternakan. Universitas Gadjah Mada. Yogyakarta.
- Sulton, A., A. Malik dan W. Widodo. 2006. Pengaruh penggunaan berbagai konsentrat pabrikan terhadap optimalisasi konsumsi pakan, hen day production, dan konversi pakan. Jurnal Protein. Vol 14. No 2:103-107.
- Sinurat, A.P., T. Purwadaria., I.A.K. Bintang dan T. Pasaribu. 2006. Evaluasi nilai gizi solid heavy phase sebagai pengganti jagung dalam ransum broiler. JITV. 11(3); 167-174.
- Sujana, E., W. Tanwirah., T. Widjastuti. 2012. Evaluations on quails (*Coturnix coturnix japonica*) griwtth performance among the breeding centre of village communities in west java. Faculty of Animal Husbandry. Universitas Padjajaran. Bandung . Vol 34: 70-72.
- Suripta, H dan P. Astuti. 2006. Pengaruh penggunaan minyak lemu dan minyak sawit dalam ransum terhadap rasio asam lemak omega-3 dan omega-6 dalam telur burung puyuh (*Coturnix coturnix japonica*). Jurnal Indo Trop Anim Agric. Vol 32: 22-27.
- Setiawan, D. 2006. Performa Produksi Burung Puyuh (*coturnix coturnix japonica*) pada perbandingan jantan dan betina yang berbeda. Fakultas Peternakan. Institut Pertanian Bogor. Bogor.
- Triyanto. 2007. Performa Produksi Burung Puyuh (*Coturnix coturnix japonica*) Periode Produksi Umur 6-13 Minggu pada Lama Pencahayaan yang Berbeda. Fakultas Peternakan. Institut Pertanian Bogor. Bogor.



- Usyaran, N., M. T. Farran., H.H.O. Awadallah., I.R. Al-Hawi., R.J. Asmar., and V.M. Askharian. 2001. Effect of added dietary fat and phosphorus on the performance and egg quality of laying hens subjected to a constant high environmental temperature. *Journal of Poultry Science*. 90:1695-1701.
- Varghese, S. 1979. Japanese quail (*Coturnix*). Bulletin E-1069. No. 126. Michigan State University.
- Widyatmoko, H., Zuprizal dan Wihandoyo. 2013. Pengaruh penggunaan corn dried distillers grains with solubles dalam ransum terhadap performan puyuh jantan. *Buletin Peternakan*. Vol 37(2): 120-124.
- Zuprizal dan M. Kamal. 2005. Nutrisi dan Pakan Unggas. Jurusan Nutrisi dan Makanan Ternak. Fakultas Peternakan. Universitas Gadjah Mada. Yogyakarta.