

DAFTAR PUSTAKA

- Aramwit, P., Kanokpanot, S., Nakpheng, T. dan Srichana, T., 2010, The Effect of Sericin from Various Extraction Method on Cell Viability and Collagen Production, *International Journal of Molecular Science*, 11:2200-2211.
- ASM International, 2000, *Aluminium Extrusion Technology*, Terdapat di: <http://www.asminternational.org/documents/10192/3475884/06826G_Chapter_1.pdf/3ec90285-70c7-46cc-85a3-061841cdcddb> [Diakses pada 1 April 2016]
- Chandramohan, D. dan Marimuthu, K., 2011, Rapid Prototyping/Rapid Tooling-An Over View and Its Applications in Orthopaedics, *International Journal of Advanced Engineering Technology*, Vol. 2(4), pp. 435-448.
- Federer, W. T., 1995, *Statistical Design and Analysis for Intercropping Experiments*, Springer Science and Business Media, Ithaca, hal. 132.
- Gimenes, M. L., Silva, V. R., Vieira, M. G. A., Silva, M. G. C., dan Scheer, A. P., 2014, High Molecular Sericin from Bombyx mori Cocoons: Extraction and Recovering by Ultrafiltration, *International Journal of Chemical Engineering and Applications*, Vol. 5, No. 3.
- Hadiyat, M. A., 2012, Response-surface dan Taguchi : Sebuah alternatif atau kompetisi dalam optimasi secara praktis, *Prosiding Seminar Nasional Industrialisasi Madura*, pp. 134-139
- Heynick, M. dan Stotz, I., 2006, 3D CAD, CAM and Rapid Prototyping, *LAPA Digital Technology Seminar*, Vol. 1 No.1.
- Hosseinzadeh, H.R.S., Emami, M., Lahiji, F., Shahi, A.S., Masoudi, A., and Emami, S., 2013, The Arcrylic Bone Cement in Arthroplasty, Chapter 5., *Prosiding of Intech 2013*, pp. 101-128.
- Huang, T., Mason, M.S., Zhao, X., Hilmas, G.E., dan Leu, M.G., 2009, Aqueous-Based Freeze-Form Extrusion Fabrication of Alumina Components, *Journal Rapid Prototyping*, Vol.15, pp.88-95.
- Hsiang, S.H. dan Lin, Y.W., 2009, Optimization of the Extrusion Process for Magnesium Alloy Sheets Using the Fuzzy-based Taguchi Method, *The Arabian Journal for Science and Engineering*, Vol. 34, No. 1C, pp. 175- 185.

- Kiswanto, G., Ario, S.B., Rendi, K., Srijanto, dan Hadi, M., 2010, Pengembangan Mesin Rapid Prototyping Berbasis FDM (Fused Deposition Modelling) Untuk Produk Berkontur dan Prismatic, *Seminar Nasional Tahunan Teknik Mesin (SNTTM)*, Palembang, pp. 123-130. Terdapat di: http://oaj.unsri.ac.id/files/ft/snttm2010/1287_PROSIDING%20DIGITAL%20SNTTM [Diakses pada 1 April 2016]
- Koleva, M., 2010, *Poly(Methyl Methacrylate)(PMMA)*, Injection Moulding Materials, Technical University of Gabrovo
- Lee, B. H., Abdullah, J., dan Khan Z. A., 2005, Optimization of Rapid Prototyping Parameter for Production of Flexible ABS Object, *Journal of Material Processing Technology*, Vol 169, pp. 54 – 61.
- Mahadi., 2007, *Teknik Pembuatan Polimer pada Proses Ekstrusi*, Skripsi, Terdapat di: <http://library.usu.ac.id/download/ft/07002560.pdf>, diakses dalam jaringan pada 11 Maret 2016.
- Mahulauw, A., 2015, *Pengaruh Konsentrasi Serisin pada Scaffold Biokomposit Serisin-Hidroksiapatit-Starch Bioplastic terhadap Viabilitas dan Perlekatan Sel Fibroblas*, Thesis, Universitas Gadjah Mada, Yogyakarta.
- Montgomery, D.C., 2009, *Design and Analysis of Experiments*, 5th Ed., John Wiley and Sons Inc., New York
- Montgomery, D.C. dan Runger, G.C., 2003, *Applied Statistics and Probability for Engineers*, 3rd Ed., John Wiley & Sons Inc., New York.
- Narasimba M. dan Rejikumar R., 2013, *Plastic Pipe Defects Minimization*. International Journal of Innovative Research & Development, Vol.2(5), pp 1337-1351.
- Nejatian, T., Sefat, F. dan Johson, T., 2015, Impact of Packing and Processing Technique on Mechanical Properties of Acrylic Denture Base Materials, *MDPI - Open Access Publishing Journal of Materials*, Vol. 8, pp. 2093-2109.
- Nugraha, F. K. A. dan Tontowi, A.E., 2016, Shrinkage of [HA/Bioplastic/Sericin] Composite Part Printed by Bioprinter, *The 2016 Conference on Fundamental and Applied Science for Advanced Technology*, pp. 1-6.
- Nugroho, Y. C., 2015, *Optimasi Parameter Proses Ekstrusi Pasta Biokomposit [Hidroksiapatit/Bioplastik/Serisin] Menggunakan Metode Response Surface*, Skripsi, Universitas Gadjah Mada, Yogyakarta.

- Nordin. S. M. N. I. B. S. M., 2013, *Experimental Study Of Rapid Prototyping Of Manufacturing Plastic Product Using Response Surface Methodology*, Thesis, University Malaysia Pahang, Malaysia.
- Pritikaranaputri, G., 2012, *Optimasi Parameter Proses pada Mesin Portabee Printer Tiga Dimensi Menggunakan Metode Taguchi*, Skripsi, Universitas Gadjah Mada, Yogyakarta.
- Porat, M., dan Parvizi, J., 2013, *Polymethylmethacrylate Bonecement*, Chapter 8, pp. 63-68
- Putra, D. A., 2014, *Optimasi Komposisi Campuran Hydroxyapatite, Sericin dan Bioplastik Sebagai Biokomposit untuk Memperoleh Waktu Pengeringan Tercepat dan Kuat Mekanik Tertinggi*, Skripsi, Universitas Gadjah Mada, Yogyakarta.
- Raju, G., Sharma, L.M. dan Meena, L.M., 2014, Recent Method for Optimization of Plastic Extrusion Process: A Literature Review, *International Journal of Advanced Mechanical Engineering*, Vol.4 (6), pp. 583-588.
- Ridho, H., 2014, *Evaluasi Laju Aliran Volumetrik Material Pasta Silika-Bioplastik dari Sistem Pengumpanan Ekstrusi Ulir Tunggal Mesin Printer Tiga Dimensi*, Skripsi, Universitas Gadjah Mada, Yogyakarta.
- Sihaloho, R.I.A., 2016, *Optimasi Komposisi Campuran Biokomposit [PMMA/Hidroksiapatit/ Sericin] Menggunakan Metode Taguchi*, Skripsi, Universitas Gadjah Mada, Yogyakarta.
- Solechan., 2015, *Analisa Metode Ektruder untuk Pembuatan Scaffolds Rekonstruksi Mandibular dari Material Hidroksiapatit dan Pati Ketela*, Skripsi, Gardan Teknik Mesin Universitas Muhammadiyah Semarang, Vol. 5, No. 1, pp. 40 – 48.
- Sugiantoro, B., Rusnaldy., dan Widyanto, S.A., 2014, Optimasi Parameter Proses Milling Terhadap Kualitas Hasil Permesinan Aluminium dengan Metode Taguchi, *Jurnal Magister Teknik Mesin Universitas Diponegoro Semarang*, Vol. 14, No. 1, pp. 42 – 57.
- Yilmaz, H., 2010, Tensile Strength Testing of Thin Spray-on Liner Products (TSLs) and Shotcrete, *The Journal of Southern African Institute of Mining and Metallurgy*, Vol. 10, pp. 559-669.
- Tontowi, A.E. dan Putra, D. A., 2015, Effect of Sericin in (HA/Bioplastic) Composite Composed by 2k Factorial Method on Solidification Time and Tensile

Strength, *International Journal of Engineering and Technology*, Vol 7(5), pp 1943-1951.

Tontowi, A. E., Perkasa, D. P., Mahulauw, A. dan Erizal, 2014, Experimental Study on Nano Biocomposite of [nHA/Bioplastic] for Building a Porous Block Scaffold, *Prosiding of Nanococon 2014*, Pune, India.