

DAFTAR PUSTAKA

- Baji A, Mai YW, Wong SC, Abtahi M, and Chen P. 2010. Electrospinning of polymer nanofibers: effects on oriented morphology, structures and tensile properties. *Composites Science and Technology*, vol. 70, no. 5, pp. 703–718, 2010.
- Baumgarten, P. K. 1971. Electrostatic Spinning of Acrylic Microfibers. *J. Colloid Interf. Sci.* 36, pp. 75-79.
- Bhardwaj N, Kundu SC. 2010. Electrospinning: A fascinating fiber fabrication technique. Department of Biotechnology, Indian Institute of Technology, Kharagpur-721302, India.
- Christanti, Y. and Walker, L. M. 2001. Surface tension driven jet break up of strain hardening polymer solutions. *J. Non-Newton. Fluid.* 100, pp. 9-26.
- Chun JY, Kang HK, Jeong L, Kang YO, Oh JE, Yeo IS, Jung SY, Park WH, Min BM. 2010. Epidermal cellular response to poly(vinyl alcohol) nanofibers containing silver nanoparticles. Department of Advance Organic Materials and Textile System Engineering, and BK21 FTIT, Chungnam National University, Daejeon 305-764, South Korea.
- Fadel O. R., 2016, Pengaruh Suhu dan Konsentrasi KOH pada Pembuatan Nanofiber Serat Bambu Apus (*Gigantochloa Apus*) Menggunakan Metode Perlakuan Kimia, Fakultas Teknik, Universitas Gadjah Mada.
- Fajar M.G., 2015, Pembuatan Prototype Alat Electrospinning dengan Flyback sebagai Catu Daya Tegangan Tinggi, Fakultas Teknik, Universitas Gadjah Mada.
- Haghi AK, Akbari M. 2007. Trends in electrospinning of natural nanofibers. *Phys Status Solidi* 2007;204:1830–4.
- Megelski S, Stephens JS, Chase DB, Rabolt JF. 2002. Micro-and nanostructured surface morphology on electrospun polymer fibers. *Macromolecules* 2002;35:8456–66.
- Jarusuwannapoom, T., Hongrojjanawiwat, W., Jitjaicham, S., Wannatong, L., Nithitanakul, M., Pattamaprom, C, Koombhongse, P., Rangkupan, R. Amd Supaphol, P. (2005). Effect of solvents on electro-spinnability of polystyrene solutions and morphological appearance of resulting electrospun polystyrene fibers. *Euro. Polym. J.* 41, pp. 409-421.

- Kameoka, J., Orth, R., Yang, Y., Czaplewski, D., Mathers, R., Coates, G. and Craighead, H. G. 2003. A scanning tip electrospinning source for deposition of oriented nanofibres. *Nanotechnology*. 14, pp. 1124-1129.
- Ki CS, Baek DH, Gang KD, Lee KH, Um IC, Park YH. 2005. Characterization of gelatin nanofiber prepared from gelatin-formic acid solution. *Polymer* 2005;46:5094-102.
- Kidoaki S, Kwon IK, Matsuda T. Mesoscopic spatial designs of nano and microfiber meshes for tissue-engineering matrix and scaffold based on newly devised multilayering and mixing electrospinning techniques. *Biomaterials* 2005;26:37-46.
- Kim B, Park H, Lee SH, Sigmund WM. 2005. Poly (acrylic acid) nanofibers by electrospinning. *Mater Lett* 2005;59:829-32.
- Kong, L., & Ziegler, G. R. 2013. Fabrication of pure starch fibers by electrospinning. Department of Food Science, The Pennsylvania State University, 341 Food Science Building, University Park, PA 16802, United States Langer R, Vacanti JP. 1993. Tissue engineering. *Science* 1993;260:920e6
- Langer R, Vacanti JP. 1993. *Tissue Engineering. Science*. 1993;260:920-926.
- Larrondo, L. and Manley R. S. I. 1981. Electrostatic Fiber Spinning from Polymer Melts. I. Experimental Observations on Fiber Formation and Properties. *J. Polym. Sci. Pol. Phys.* 19, pp. 909-920.
- Lee JS, Choi KH, Ghim HD, Kim SS, Chun DH, Kim HY, et al. 2004. Role of molecular weight of a tactic poly (vinyl alcohol) (PVA) in the structure and properties of PVA nanofabric prepared by electrospinning. *J Appl Polym Sci* 2004;93:1638-46.
- Liang D, Hsiao BS, Chu B. 2007. Functional electrospun nanofibrous scaffolds for biomedical applications. *Adv Drug Deliv Rev* 2007;59:1392-412.
- Ma ZW, Kotaki M, Ramakrishna S. 2005. Electrospun cellulose nanofiber as affinity membrane. *J Member Sci* 2005;265:115-23.
- Madhugiri, S., Sun, B., Smirniotis, P. G., Ferraris, J. P. and Balkus, K. J. Jr. 2004. Electrospun mesoporous titanium dioxide fibers. *Micropor Mesopor Mat.* 69, pp. 77-83.
- Matthews JA, Wnek GE, Simpson DG, Bowlin GL. 2002. Electrospinning of collagen nanofibers. *Biomacromolecules* 2002;3:232-8.

- Megelski S, Stephens JS, Chase DB, Rabolt JF. 2002. Micro-and nanostructured surface morphology on electrospun polymer fibers. *Macromolecules* 2002;35:8456–66.
- O'Brien, Fergal J. 2011. *Biomaterials & scaffolds for tissue engineering*. Department of Anatomy, Royal College of Surgeons in Ireland.
- Ramakrishna S, Fujihara K, Teo WE, Lim TC, Ma Z. 2005. An Introduction to Electrospinning and Nanofibers. National University of Singapore.
- Reneker, D. H., Yarin, A. L., Fong, H. and Koombhongse, S. 2000. Bending instability of electrically charged liquid jets of polymer solutions in electrospinning. *J. Appl. Phys.* 87, pp. 4531-4547.
- Reneker, D.H. and Chun, I. 1996. Nanometre diameter fibres of polymer, produced by electrospinning, *Nanotechnology*. 7, pp. 216-223.
- Shao, C, Guan, H., Liu, Y., Gong, J., Yu, N. and Yang, X. 2004. A novel method for making ZrO₂ nanofibres via an electrospinning technique. *J Crystal Growth*, 267, 1-2, pp. 380-384
- Shenoy, S. L., Bates, W. D., Frisch, H. L. and Wnek, G. E. 2005. Role of chain entanglements on fiber formation during electrospinning of polymer solutions: good solvent, nonspecific polymer-polymer interaction limit. *Polymer*. 46, 3372-3384.
- Son, W. K, Youk, J. H, Lee, T. S. and Park, W. H. 2004. The effects of solution properties and polyelectrolyte on electrospinning of ultrafine poly(ethylene oxide) fibers. *Polymer*. 45, pp. 2959-2966.
- Stankus JJ, Guan J, Fujimoto K, Wagner WR. Microintegrating smooth muscle cells into a biodegradable, elastomeric fiber matrix. *Biomaterials* 2006;27:735–44.
- Sunthornvarabhas J, Chatakanonda P, Piyachomkwan K, Sriroth K. 2010. Electrospun polylactic acid and cassava starch fiber by conjugated solvent technique. Cassav and Starch Technology Research Unit, National Center for Genetic Engineering and Biotechnology, Bangkok, Thailand
- Taylor, GI. 1964. Disintegration of Water Droplets in an Electric Field. *Proceedings of the Royal Society A* 280 (1382): 383.
- UHU GmbH & Co.KG,. 2011. Material Safety Data Sheet: UHU office pen. UHU GmbH & Co.KG Hermannstraße 7, D-77815 Bühl (Baden).
- Um IC, Fang DF, Hsiao BS, Okamoto A, Chu B. 2004. Electro-spinning and electro-blowing of hyaluronic acid. *Biomacromolecules* 2004;5:1428–36.

- Urciuolo F, Imparato G, Guaccio A, Mele B, Netti PA. 2012. Novel strategies to engineering biological tissue in vitro. *Methods Mol Biol*;811:223e44.
- Wang X, Um IC, Fang D, Okamoto A, Hsiao BS, Chu B. 2005. Formation of water-resistant hyaluronic acid nanofibers by blowing-assisted electro-spinning and non-toxic post treatments. *Polymer* 2005;46:4853–67
- Wannatong, L., Sirivat, A. and Supaphol, P. 2004. Effects of solvents on electrospun polymeric fibers: preliminary study on polystyrene. *Polym. Int.* 53, 1851-1859.
- Xu CY, Inai R, Kotaki M, Ramakrishna S. 2004. Aligned biodegradable nanofibrous structure: a potential scaffold for blood vessel engineering. *Biomaterials* 2004;25:877–86.
- Yang F, Murugan R, Wang S, Ramakrishna S. 2005. Electrospinning of nano/micro scale poly (L-lactic acid) aligned fibers and their potential in neural tissue engineering. *Biomaterials* 2005;26:2603–10.
- Yarin AL, Koombhongse S, Reneker DH. 2001. Bending instability in electrospinning of nanofibers. *J Appl Phys* 2001;89:3018–26.
- Yuan XY, Zhang YY, Dong CH, Sheng J. 2004. Morphology of ultrafine polysulfone fibers prepared by electrospinning. *Polym Int* 2004;53:1704–10.
- Zhang C, Yuan X, Wu L, Han Y, Sheng J. 2005. Study on morphology of electrospun poly (vinyl alcohol) mats. *Eur Polym J* 2005;41:423–32.
- Zhao ZZ, Li JQ, Yuan XY, Li X, Zhang YY, Sheng J. 2005. Preparation and properties of electrospun poly (vinylidene fluoride) membranes. *J Appl Polym Sci* 2005;97: 466–74.
- Zhong, X. H., Kim, K. S., Fang, D. F., Ran, S. F., Hsiao, B. S. and Chu, B. 2002. Structure and process relationship of Electrospun bioabsorbable nanofiber membranes. *Polymer*. 439:4403–12.
- Zuo WW, Zhu MF, Yang W, Yu H, Chen YM, Zhang Y. 2005. Experimental study on relationship between jet instability and formation of beaded fibers during electrospinning. *Polym Eng Sci* 2005; 704-9.