



## DAFTAR PUSTAKA

- 't Mannetje, L. dan R.M. Jones. 1992. Plant Resources of South-East Asia. Forage. Pudoc Scientific Publishers. Wageningen.
- AAK. 1983. Hijauan Makanan Ternak; Potong, Kerja, dan Perah. Kanisius. Yogyakarta.
- Abidemi, O.O. 2013. Proximate composition and vitamin levels of seven medicinal plants. International Journal of Engineering Science Invention. 2 (5): 47-50.
- Adigun, O.S., E.N. Okeke, O.J. Makinde, dan M.O. Umunna. 2014. Effect of replacing wheat offal with *Asystasia gingetica* leaf meal (ALM) on growth performance and haematological parameters of weaner rabbits. Greener Journal of Agriculture Sciences. 4 (1): 9-14.
- Aibubu, N., Y. Liu, G. Zeng, X. Wang, B. Chen, H. Song, dan L. Xu. 2010. Cadmium accumulation in *Vetiveria zizanioides* and its effects on growth, physiological, and biochemical characters. J. Bioresource Technology. 101 (16): 6297-6303.
- Alfian, Y., F.I. Hermansyah, E. Handayana, Lutojo, dan W.P.S. Suprayogi. 2012. Analisis daya tampung ternak ruminansia pada musim kemarau di daerah pertanian lahan kering Kecamatan Semin Kabupaten Gunungkidul. J. Tropical Animal Husbandry. 1(1): 33-42.
- Amadi, B.A., M.K.C. Duru, dan E.N. Agomuo. 2012. Chemical profile of leaf, stem, root, and flower of *Ageratum conyzoides*. Asian Journal of Plant Science and Research. 2 (4): 428-432.
- Amalraj, T. dan S. Ignacimuthu. 2002. Hyperglycemic effect of leaves of *Mimosa pudica* Linn. J. Fitoterapia. 73 (4): 351-352.
- Anonim. 2003. Weed Management Guide: Chinese Violet (*Asystasia gangetica* ssp. *micrantha*). Tersedia pada <https://www.environment.gov.au/biodiversity/invasive/weeds/publications/guidelines/alert/pubs/a-gangetica.pdf> diakses pada 31 Oktober 2016.
- AOAC. 2005. Official Method of analysis. 18thed. Association of Official Analytical Chemists. Maryland.
- Apri, Long, Castro, dan Orskov. 2000. Chemical composition and nutritive value of leaves and stem of tropical weed *Chromolaena odorata*. J. Grass and Forage Science. 55 (1): 77-81.
- Ardiana, K.I.W. 2015. Potensi Pakan Hasil Limbah Jagung (*Zea mays* L.) di Desa Barja Hargasari Kecamatan Braja Selebah Kabupaten Lampung Timur. Skripsi. Universitas Lampung. Lampung.



- Ardiana, K.I.W., Y. Widodo, dan Liman. 2015. Potensi pakan hasil limbah jagung (*Zea mays L.*) di Desa Barja Hargasari Kecamatan Braja Selebah Kabupaten Lampung Timur. Jurnal Ilmu Peternakan Terpadu. 3 (3): 170-174.
- Asano, N., T. Yamashita, K. Yasuda, K. Ikeda, H. Kiszu, Y. Kameda, A. Kato, R.J. Nash, H.S. Lee, dan K.S. Ryu. 2001. Polyhydroxylated alkaloids isolated from Mulberry trees (*Morus alba L.*) and Silkworms (*Bombyx mori L.*). J. Agric. Food Chem. 49 (9): 4208-4213.
- Badan Meterologi, Klimatologi, dan Geofisika. 2016. Data Curah Hujan Bulanan dan Dasarian Tahun 2014-2015 Playen, Gunungkidul. Badan Meterologi, Klimatologi, dan Geofisika. Yogyakarta.
- Badan Pusat Statistik. 2016. Kecamatan Playen dalam Angka 2016. Badan Pusat Statistik Gunungkidul. Yogyakarta.
- Bamikole, M.A., U.J. Ikhataua, dan A.E. Osemwenkhae. 2004. Converting bush to meat: a case of Chromolaena odorata feeding to rabbits. Pakistan Journal of Nutrition. 3 (4): 258-261.
- Barnes, R.F., C.J. Nelson, K.J. Moore, M. Collins. 2007. Forages: the Science of Grassland Agriculture. Volume II. 6th edition. Wiley-Blackwell editors. USA.
- Budisatria, I. G. S., Panjono, A. Agus, dan H.M.J. Udo. 2012. The productivity of Kejobong and Bligon goats, a local Indonesian goats kept by farmers. Proceedings of the 15<sup>th</sup> AAAP Animal Science Congress. Thailand. 1250:1255.
- Budisatria, I.G.S., Panjono, dan A. Agus. 2014. Behavior study of male Bligon goats kept on individual and colony housing. Asian-Australasian Journal of Animal Sciences. 2 : 931-934.
- Candra. A.A., Y. Ridwan, dan E.B. Retnani. 2005. Potensi anthelmintik akar tanaman putri malu (*Mimosa pudica L.*) terhadap *Hymenolepis nana* pada mencit. J. Media Peternaka. 31 (1): 29-35.
- Chalmers, K.J., R. Waugh, J.I. Sprent, A.J. Simons, dan W. Powell. 1992. Detection of genetic variation between and within populations of Gliricidia sepium and G. Maculata using RAPDs markers. J. Heredity. 69: 465-472.
- Chen, Y., Z. Shen, dan X. Li. 2004. The use of vetiver grass (*Vetiveria zizanioides*) in the phytoremediation of soil contaminated with heavy metals. J. Applied Geochemistry. 19 (10): 1553-1565.
- Chen, Z.H., M.Y. Xu, dan X.L. Gong. 2010. Study on antioxidant activities of total flavonoids from *Bauhinia blakeana* in vitro. Tersedia pada [http://en.cnki.com.cn/Article\\_en/CJFDTOTAL-HXSS201007007.htm](http://en.cnki.com.cn/Article_en/CJFDTOTAL-HXSS201007007.htm) diakses pada 29 Oktober 2016.



- Chew, W., C.K.Yap, A. Ismail, M.P. Zakaria, dan S.G. Tan. 2012. Mercury distribution in an invansive species (*Asystasia gangentica*) from Peninsular Malaysia. *J. Sains Malaysia*. 41 (4): 395-401.
- Chiu, K.K., Z.H. Ye, dan M.H. Wong. 2005. Enhanced uptake of As, Zn, and Cu by *Vetyveria zizanioides* and *Zae mays* using chelating agents. *J. Chemosphere*. 60 (10): 1365-1375.
- Crowder, L.V. dan H.R. Chheda. 1982. Tropical Grassland Husbandry. Longman Inc. New York. 233-234.
- D'Mello, J.P.F. 1992. Chemical constraints to the use of tropical legumes in animal nutrition. *J. Anim Feed Sci. Technol*. 38: 237-261.
- Devi, V.N.M., V.N. Arihana, dan P.N. Prasad. 2013. Nutritive value and potential uses of *Leucaena leucocephala* as biofuel-a mini review. *J. Pharmaceutical, Biological, and Chemical Science*. 4 (1): 515-521.
- Dianita, R. 2012. Keragaman fungsi tanaman pakan dalam sistem perkebunan. *J. Pastura*. 2 (2): 66-69.
- Dibyosaputro, S., Suharko, D. Darmanto, dan Rustadi. 2009. Pemanfaatan Lahan Miring Kaitannya dengan Degradasi Lahan Akibat Erosi di Das Secang Kabupaten Kulonprogo. Pusat Studi Lingkungan Hidup UGM. Yogyakarta.
- Doi, K., T. Kojima, M. Makino, Y. Kimura, dan Y. Fujimoto. 2001. Studies on the constituents of the leaves of *Morus alba* L.. *Chem. Pharm. Bull.* 49 (2): 151-153.
- Dong, M. dan H. de Kroon. 1994. Plasticity in morphology and biomass allocation in *Cynodon dactylon*, a grass species forming stolons and rhizomes. *Oikos*. 70 (1): 99-106.
- Du, J., Z.D. He, R.W. Jiang, W.C. Ye, H.X. Xu, dan P.P.H. But. 2003. Antiviral flavonoids from the root bark of *Morus alba* L.. *J. Phytochemistry*. 62 (8): 1235-1238.
- Dudai, N., E. Putievsky, D. Chaimovitch, dan M. Ben-Hur. 2006. Growth management of vetiver (*Vetiveria zizanioides*) under Mediterranean conditions. *J. Environmental Management*. 81 (1): 63-71.
- Endress, P.K. 1994. Cambridge Tropical Biology Series: Diversity and Evolutionary Biology of Tropical Flowers. Cambridge University Press. United Kingdom.
- Ercisli, S. dan E. Orhan. 2007. Chemical compositionof white (*Morus alba*), red (*Morus rubra*), and black (*Morus nigra*) mulberry friuts. *J. Food Chemistry*. 103 (4): 1380-1384.
- Ernawati, N.M.L. dan I.K. Ngawit. 2015. Eksplorasi dan identifikasi gulma, hijauan pakan, dan limbah pertanian yang dimanfaatkan sebagai



pakan ternak di wilayah lahan kering Lombok Utara. Buletin Peternakan. 39 (2): 92-102.

Farinu, G.O., S.O. Ajiboye, dan S. Ajao. 1992. Chemical composition and nutritiev value of leaf protein concentrate from *Leucaena leucocephala*. J. Science of Food and Agriculture. 59 (1): 127-129.

Foroughbakhch, P.R., A.C. Parra, A.R. Estrada, M.A.A. Vazquez, dan M.L.C. Avila. 2012. Nutrien content and *in vitro* dry matter digestibility of *Leucaena leucocephala* (Lam. De Wit). J. Anim. Vet. 11 (10): 1708-1712.

Foroughbakhch, P.R., J.L. Hernandez-Pinero, R. Ramirez, M.A. Alvarado, M.H. Badii, A. Rocha, dan M.A. Guzman-Lucio. 2007. Nutrient, mineral and volatile fatty acids content in four *Leucaena* species and the Hybrid K743. J. Anim. Vet. 6 (9): 1083-1087.

Foster, L. 1988. Herbs in pastures. Development research in Britain, 1850-1984. J. Sustainable Production Systems. 5 (2): 97-133.

Geren, H. dan Y.T. Kavut. 2015 effect of different plant densities on the yield and some silage quality charagteristics of giant king grass (*Pennisetum hybridium*) under Mediterranean climatic conditions. J. Field Corps. 20 (1): 85-91.

Girish, K.S., H.P. Mohanakumari, S. Nagaraju, B.S. Vishwanath, dan K. Kemparaju. 2004. Hyaluronidase and protease activities from Indian snake venoms: neutralization by *Mimosa pudica* root extract. J. Fitoterapia. 75 (3-4): 378-380.

Goodall, J.M. dan D.J. Erasmus. 1996. Review of the status and integrated control of the invasive alien weed, *Chromolaena odorata*, in South Africa. J. Agriculture, Ecosystems, and Environment. 56 (3): 151-164.

Gupta, S., A.J. Lakshmi, M.N. Manjunath, dan J. Prakash. 2005. Analysis of nutrient and antinutrient content of underutilitized green leafy vegetables. LWT. 38: 339-345.

Hamid, A.A., O.O. Aiyelaagbe, R.N. Ahmed, L.A. Usman, dan S.A. Adebayo. 2011. Preliminary phytochemistry, antibacterial, and antifungal properties of extract of *Asystasia gangetica* Linn T. Anderson groen in Nigeria. J. Pelagia Reasearch. 2 (3): 219-226.

Hanifa, A., Y.B.P. Subagyo, dan Lutojo. 2012. Karakteristik morfologi rumput gajah dan raja di tanah vulkanik dengan pemberian bahan oraganik. J. Buana Saains. 12(1): 39-44.

Hardcastle, W.S. 1978. The influence of temperature and acid scarification duration on *Ipomoea obscura* Hassk. seed. J. Weed Research. 18 (2): 89-91.



- Hartadi,H., S. Reksohadiprodjo, S. Lebdosukojo, dan A.D. Tillman. 2005. Tabel-Tabel dari Komposisi Bahan Makanan Ternak untuk Indonesia: Data Ilmu Makanan untuk Indonesia. Utah Agricultural Experiment Station. Utah State University. Utah.
- Hartono, B. 2011. Produksi dan Kandungan Nutrisi Rumput Setaria (*Setaria sphacelata*) pada Pemotongan Pertama yang diberi Pupuk Kandang Feses Kambing dengan Dosis Berbeda. Skripsi. Universitas Islam Negeri Sultan Syarif Kasim. Riau.
- Hartono, B. 2011. Produksi dan Kandungan Nutrisi Rumput Setaria (*Setaria sphacelata*) pada Pemotongan Pertama yang Diberi Pupuk Kandang Feses Kambing dengan Dosis Berbeda. Skripsi. Universitas Islam Negeri Sultan Syarif Kasim Riau. Pekanbaru.
- Hasanah, N. 2002. Produksi Bahan Kering dan Kadar Protein Kasar *Setaria splendida* Stapf dengan Pemupukan N dan sisa P pada Defoliasi Ketiga. Skripsi. Universitas Diponegoro. Semarang.
- Hashemi, S.R., I. Zulkifli, H. Davoodi, Z. Zunita, dan M. Ebrahimi. 2012. Growth performance, intestinal microflora, plasma fatty acid profile in broiler chickens fed herbal plant (*Euphorbia hirta*) and mix of acidifier. J. Animal Feed Science and Technology. 178 (3-4): 167-174.
- Hein, S.T., N.N. Oo, H.Y. Soe, K.T. Khaing, K.K. Moe, A. Aung, S.P. Po, dan M.M. Win. 2016. Effect of Leucaena leucocephala leaves on microscopic structure of tyroid gland of sheep in Myanmar. J. Novel Research in Life Science. 3 (1): 12-19.
- Herath, H.M.T.B., R.S. Dassanayake, A.M.A. Priyadarshani, S. De Silva, G.P. Wannigama, dan J. Jamie. 1998. Isoflavonoids and a pterocarpan from *Gliricia sepium*. J. Phytochemistry. 47 (1): 117-119.
- Holzmueller, E.J. dan S. Jose. 2012. Response of the invasive grass *Imperata cylindrica* to disturbance in the Southeastern forests, USA. J. Forests. 3: 853-863.
- Hossain, M.A., H. Akamine, I. Nakamura, Y. Ishimine, dan H. Kuramochi. 2001. Influence of temperature levels and planting time on the sprouting of rhizome-bud and biomass production of torpedograss (*Panicum repens* L.) in Okinawa island, southern Japan. J. Weed Biology and Management. 1 (3): 164-169.
- Huang, L., S. Chen, dan M. Yang. 2012. *Euphorbia hirta* (Feiyangcao): a review on its ethnopharmacology, phytochemistry, and pharmacology. J. Medical Plants Research. 6 (39): 5176-5185.
- Hussain, A.Z. dan S. Kumaresan. 2014. Antimicrobial activity and heavy metal analysis of *Ipomoea obscura*. L. J. Microbiol. Biotech. Res. 4 (5) : 18-23.



- Inderjit dan S.O. Duke. 2003. Ecophysiological aspects of allelopathy. *Planta.* 217 (4): 529-539.
- Inderjit, S. 2005. Invansive Plants: Ecological and Agricultural Aspect. Birkhauser Verlag. Swizerland.
- Jones, R.J., C.G. Blunt, dan B.I. Nurnberg. 1978. The effect of iodine and mineral supplements on penned steers fed a sole diet of *Leucaena*. *J. Australian Veterinary.* 54 (8):387-392.
- Kamal, M. 1997. Nutrisi Ternak. Fakultas Peternakan UGM. Yogyakarta.
- Kassim, A.S.M., A.M. Aripin, N. Ishak, N.H.H. Hairom, N.A. Fauzi, N.F. Razali, dan M.H. Zainulabidin. 2016. Potential of Cogon Grass (*Imperata cylindrica*) as an alternative fibre in paper-based industry. *J. Engineering and Applies Science.* 11 (4): 2681-2686.
- Katsume, T., N. Imawaka, Y. Kawano, Y. Yamazaki, K. Shiwaku, dan Y. Yamane. 2006. Antioxidant flavonol glycosides in mulberry (*Morus alba L.*) leaves isolated based on LDL antioxidant activity. *J. Food Chem.* 97 (1): 25-31.
- Katsume, T., Y. Tsurunaga, M. Sugiyama, T. Furuno, dan Y. Yamasaki. 2009. Effect of air-drying temperature on antioxidant capacity and stability of polyphenolic compounds in Mulberry (*Morus alba L.*) leaves. *J. Food Chem.* 113 (4): 964-969.
- Kearl, L.C. 1982. Nutrient Requirement of Ruminant Developing Countries. International Feedstuff Institute Utah Agricultural Experiment Station Utah State University. Logan Utah.
- Kementerian Pertanian. 2015. Pedoman Pelaksanaan: Pewilayahani Suber Bibit Tahun 2015. Direktorat Perbibitan Ternak: Kementerian Pertanian. Jakarta.
- Khoiriyah, A. 2015. Fitoremediasi tanah tercemar logam Cd dan Pb dengan menggunakan tanaman akar wangi (*Vetiveria zizanioides*). Tersedia pada <http://repository.unhas.ac.id/handle/123456789/12652>. Diakses pada 20 November 2016.
- Kim, H.J., F. Chen, X. Wang, H.Y. Chung, dan Z. Jin. 2005. Evaluation of antioxidant activity of Vetiver (*Vetiveria zizanioides*) oil and identification of its antioxidant constituents. *J. Agric. Food Chem.* 53 (20): 7691-7695.
- Koger, C.H. dan C.T. Bryson. 2004. Effect of Cogongrass (*Imperata cylindrica*) extract on germination and seedling growth of selected grass and broadleaf species. *J. Weed Technology.* 18: 236-242.
- Krings, A., M.G. Burton, dan A.C. York. 2002. *Commelina benghalensis* (Commelinaceae) new to north Carolina and an update key to Carolina Congeners. *SIDA.* 20 (1) : 419-422.



- Kristanto, B.A., R. Kurniantono, dan D.W. Widjajanto. 2009. Karakteristik fotosintesis Rumput Gajah (*Pennisetum purpureum*) dengan aplikasi pupuk organik Guano. Prosiding J. Seminar Nasional Kebangkitan Peternakan. 310-317.
- Kriticos, D.J., T. Yonow, dan R.E. McFadyen. 2005. The potential distribution of *Chromolaena odorata* (siam weed) in relation to climate. J. Weed Research. 45 (4): 246-254.
- Lau, C.P.Y. L. Ramsden, dan R.M.K. Saunders. 2005. Hybrid origin of "Bauhinia blakeana" (Leguminosae: Cesalpinioidae), inferred using morphological, reproductive, and molecular data. Am. J. Botany. 92 (3): 525-533.
- Lau, O.W. dan S.F. Luk. 2001. Leaves of Bauhinia blakeana as indicators of atmospheric pollution in Hong Kong. J. Atmospheric Environment. 35 (18): 3113-3120.
- Maffei, M. 2002. *Vetiveria: The Genus Vetiveria*. Taylor and Francis. Italy.
- Marpaung, C.A. 2011. Uji Sifat Fisik dan Evaluasi Kecernaan Biskuit Berbasis Rumput Lapangan dan Limbah Tanaman Jagung pada Domba. Skripsi. Institut Pertanian Bogor. Bogor.
- Mele, P.V., S. Anthonysamy, C. Symoens, dan H. Beeckman. 1994. Feeding time and botanical composition of diets selected by indigenous goats on native pastures in Malaysia. Pertanika J. Trop. Agric. Sci. 17 (3): 229-237.
- Moran, J. 2005. *Tropical Dairy Farming: Feeding Management for Small Holder Dairy Farmers in the Humid Tropics*. Ladlinks Press. Australia.
- Mueller, T.C., P.D. Mitchell, B.G. Young, dan A.S. Culpepper. 2005. Proactive versus reactive management of glyphosate-resistant or-tolerant weeds. J. Weed Technology. 19 (4): 924-933.
- Mungole, A.J., R. Awati, A. Chaturvedi, dan P. Zanwar. 2010. Preliminary phytochemical screening of *Ipomoea obscura* (L) –a hepatoprotective medical plant. International Journal of Pharm Tech Research. 2 (4): 2307-2312.
- Mysterud, A. 2006. The concept of overgrazing and its role in management of large herbivores. Wildl. Biol. 12: 129-141.
- Natalia, H., D. Nista, dan S. Hindrawati. 2009. Keunggulan Gamal sebagai Pakan Ternak. Tersedia pada <http://www.bptu-sembawa.net/data/download/20110928094232.pdf> diakses pada 31 Oktober 2016.
- Nedelkoska, T.V. dan P.M. Doran. 2000. Characteristics of heavy metal uptake by plant species with potential for phytoremediation and phytomining. J. Mineral Engineering. 13 (5): 549-561.



- Ngawit, I.K. dan V.F.A. Budianto. 2011. Uji kemampuan beberapa herbisida terhadap gulma pada tanaman kacang tanah dan dampaknya pada pertumbuhan dan aktivitas bakteri *Rhizobium* di dalam tanah. Cro. Agro. 4(2): 27-36.
- Ngozi, I.M., I.C. Jude, dan I.C. Catherine. 2009. Chemical profile of *Chromolaena odorata* L. (King and Robison) leaves. Pakistan Journal of Nutrition. 8 (5): 521-524.
- Nitis, I.M. 2007. Gamal di Lahan Kering. Arti Foundation. Denpasar.
- Nulfiana, D. 2016. Studi Kandungan Zat Makanan dan Komponen Serat Tanaman Ara Sungsang (*Asystasia gangetica*) sebagai Pakan Ternak Kambing di Wilayah Payakumbuh. Skripsi. Universitas Andalas. Sumatera Barat.
- Nurlaha, A. Setiana, dan N.S. Asminaya. 2014. Identifikasi jenis hijauan makan ternak di lahan persawahan desa babakan Kecamatan Dramaga Kabupaten Bogor. JITRO. 1 (1): 54-62.
- Odhav, B., S. Beekum, U. Akula, dan H. Baijnath. 2007. Preliminary assessment of nutritional value of traditional leafy vegetables in KwaZulu-Natal, South Africa. J. Food Composition and Analysis. 20: 430-435.
- Odhav, B., S. Beekum, U. Akula, dan H. Baijnath. 2007. Preliminary assessment of nutritional value traditional leafy vegetables in KwaZulu-Natal, South Africa. J. Food Composition and Analysis. 20: 430-435.
- Ogbulie, J.N., C.C. Ogueke, I.C. Okoli, dan B.N. Anyanwu. 2007. Antibacterial activities and toxicological potentials of crude ethanolic extracts of *Euphorbia hirta*. African Journal of Biotechnology. 6 (13): 1544-1548.
- Okunade A.L. 2002. *Ageratum conyzoides* L. (Asteraceae). J. Fitoterapia. 73: 1-16.
- Pramana, P., Y. Widodo, dan Liman. 2012. Potensi pakan hijauan di bawah naungan pohon karet praproduksi dan produksi di perkebunan masyarakat Desa Rukti Sedyo Kecamatan Raman Utara Lampung Timur. Tersedia pada <http://jurnal.fp.unila.ac.id/index.php/JIPT/article/view/37/42> Diakses pada 7 November 2016.
- Prine, G.M. dan G.W. Burton. 1956. The effect of nitrogen rate and clipping frequency upon the yields, protein content and certain morphological characteristics of coastal bermudagrass (*Cynodon dactylon* (L) Pers). Agronomy Journal. 48 (7): 296-301.
- Purbajanti, E.D. 2013. Rumput dan Legum. Graha Ilmu. Yogyakarta.



- Purwanto, I. 2007. Mengenal Lebih Dekat *Leguminoseae*. Kanisius. Yogyakarta.
- Ramadani, S. 2015. Pengaruh Pemberian Pupuk Hijau Cair Kihujan (*Samanea Saman*) dan Azolla (*Azolla Pinnata*) Terhadap Kandungan NDF dan ADF pada Rumput Gajah (*Pennisetum Purpureum*). Skripsi. Universitas Hasanudin. Makasar.
- Reksohadiprodjo, S. 1985. Produksi Tanaman Hijauan Makanan Tropik. BPFE. Yogyakarta.
- Rizvi, S.J.H. dan V. Rizvi. 1992. Allelopathy: Basic and Applied Aspects. Chapman and Hall. India.
- Rukmana, H.R. 2005. Rumput Unggul: Hijauan Makanan Ternak. Kanisius. Yogyakarta.
- Rukmana, R. dan U.S. Saputra. 1999. Gulma dan Teknik Pengendalian. Kanisius. Yogyakarta.
- Rusdy, M., M. Riadi, A.M. Sari, dan A. Normal. 2015. Comparative allelopathic effect of *Imperata cylindrica* and *Chromolaena odorata* on germination and seedling growth of *Centrosema pubescens*. J. Scientific and Research Publications. 5 (4): 1-5.
- Sambamury, A.V.S.S. 2005. Taxonomy of Angiosperms. I.K. International Pvt. Ltd. India.
- Sellers, B.A., J.A. Ferrell, G.E. MacDonald, K.A. Langeland, dan S.L Flory. 2012 Cogongrass (*Imperata cylindrica*) biology, ecology, and management in florida grazing lands. Tersedia pada <https://edis.ifas.ufl.edu/pdffiles/WG/WG20200.pdf> diakses pada 16 Oktober 2016.
- Sesaray, D.Y., B. Santoso, dan M.N. Lekitoo. 2013. Produksi rumput gajah (*Pennisetum purpureum*) yang diberi pupuk N, P, K dengan dosis 0,50 dan 100% pada devoliasi hari ke-45. J.Sains Peternakan. 11 (1): 49-55.
- Shayo, C.M. 1997. Uses, yield, and nutritiev value of mulberry (*Morus alba*) trees for ruminants in the semi-arid areas of central Tanzania. Tropical Grasslands. 31: 599-604.
- Shu, W.S., Z.H. Ye, C.Y. Lan, Z.Q. Zhang, dan M.H. Wong. 2002. Lead, zinc, and copper accumulation and tolerance in population of *Paspalum distichum* and *Cynodon dactylon*. Environmental Pollution. 120 (2): 445-453.
- Siems, K.J., R. Weigl, M. Kaloga, J. Schulz, dan E. Eich. 2003. Ipoboscurines C and D: macrolactam-type indole alkaloids from the seeds of *Ipomoea obscura*. J. Phytochemistry. 64 (8): 1257-1263.



- Singh, S.K., A.N. Kesari, R.K. Gupta, D. Jaiswal, dan G. Watal. 2007. Assessment of antidiabetic potential of *Cynodon dactylon* extract in streptozotocin diabetic rats. *J. Ethnopharmacology.* 114 (2): 174-179.
- Singh, S.K., P.K. Rai, D. Jaiswal, dan G. Watal. 2008. Evidence-based critical evaluation of glycemic potential of *Cynodon dactylon*. *Journal of Evidence-Based Complementary and Alternative Medicine.* 5 (4): 415-420.
- Singh, S.K., R.P. Yadav, S. Tiwari, dan A. Singh. 2005. Toxic effect of stem bark and leaf of *Euphorbia hirta* plant against freshwater vector snail *Lymnaea acuminata*. *J. Chemosphere.* 59 (2): 263-270.
- Sohn, H.Y., K.H. Son, C.S. Kwon, G.S. Kwon, dan S.S. Kang. 2004. Antimicrobial and cytotoxic activity of 18 prenylated flavonoids isolated from medicinal plants: *Morus alba* L., *Morus mongolica* Schneider, *Broussonetia papyrifera* (L.) Vent, *Sophora flavescens* Ait, and *Echinophora koreensis* Nakai. *J. Phytomedicine.* 11 (7-8): 666-672.
- Steptoe, P.J., W.K. Vencill, dan T.L. Grey. 2006. Influence of moisture stress on herbicidal control of an invasive weed, Benghal dayflower (*Commelina benghalensis*). *J. Plant Diseases and Protection.* 907-914.
- Sudhakar, M., Ch.V. Rao, D.B. Raju, dan Y. Venkateswarlu. 2006. Antimicrobial activity of *Caesalpinia pulcherrima*, *Euphorbia hirta*, and *Asystasia gangeticum*. *J. Fitoterapia.* 77 (5): 378-380.
- Sudirman, Suhubdy, S.D. Hasan, S.H. Dilaga, dan I.W. Karda. 2015. Kandungan neutral detergent fibre (NDF) dan acid detergent fibre (ADF) bahan pakan lokal ternak sapi yang dipelihara pada kandang kelompok. *J. Ilmu dan Teknologi Peternakan Indonesia.* 1(1): 66-70.
- Sutedi, E., I.W. Mathius, N.I.P. Suratmini, S.O. Butarbutar, T. Manurung, S. Yuhaeni, T.S. Panjaitan, dan A. Muzani. 2000. Potensi, ragam, dan nilai nutrien vegetasi alam sebagai pakan hijauan di areal perkebunan Jambu Mente. *Jurnal Ilmu Ternak dan Veteriner.* 6.
- Tadale, Y. 2015. Important anti-nutritional substances and inherent toxicants of feeds. *J. Food Science and Quality Management.* 36: 40-47.
- Tillo, S.K., V.B. Pande, T.M. Rasala, dan V.V. Kale. 2012. *Asystasia gangetica*: review on multipotential application. *International Research Jurnal of Pharmacy.* 3 (4): 18-20.
- Torell, L.A., K.S. Lyon, dan E.B. Godfrey. 1991. Long-run versus short-run planning horizons and the rangeland stocking rate decision. *Amer. J. Agr. Econ.* 795-807.



U t o m o . R . 2 0 1 5 . K o n s e r v a s i  
H i j a u a n P a k a n d a n P e n i n g k a t a n  
K u a l i t a s B a h a n P a k a n B e r s e r a t  
T i n g g i . G a d j a h M a d a U n i v e r s i t y  
P r e s s . Y o g y a k a r t a .

- Wadi, A., Y. Ishii, dan S. Idota. Effects of cutting interval and cutting height on dry matter yield and overwintering ability at the established year in *Pennisetum* species. J. Plant Prod. Sci. 7 (1) : 88-96.
- Wardhana, A.H., E. Kencenawati, Nurmawati, Rahmaweni, dan C.B. Jatmiko. 2001. Pengaruh pemberian sediaan Patikan Kebo (*Euphorbia hirta*) terhadap jumlah eritrosit, kadar hemoglobin, dan nilai hematokrit pada ayam yang diinfeksi dengan *Eimeria tenella*. J. Ilmu Ternak dan Veteriner. 6 (2): 126-133.
- Wasito, A. Batubara, dan S. Karokaro. 1998. Propek pemeliharaan domba di areal perkebunan karet (kajian di Sumatera Utara). Prosiding Seminar Nasional Peternakan dan Veteriner. 816-824.
- Webster, T.M., dan T.L. Grey. 2008. Growth and reproduction of Benghal Dayflower (*Commelina benghalensis*) in response to drought stress. J. Weed Science. 56: 561-566.
- Webster, T.M., M.G. Burton, A.S. Culpepper, A.C. York, and E.P. Prostko. 2005. Tropical Spaderwort (*Commelina benghalensis*): a tropical invader threatens agroecosystems of the Southern United States. J. Weed Technology. 19 (3): 501-508.
- Whiteman, P.C., L.R. Humprheys, N.H. Hoult, P.M. Briliant, dan J.E. Slater. 1974. A Course Manual in Topical Pasture Science. Watson Ferguson and Co. Ltd, Brisbane.
- Widarti, A. dan Sukaesih. 2015. Keragaman jenis pakan ternak dan ketersediaanya di wilayah sekitar Taman Nasional Gunung Halimun Salak. Prosiding Seminar Nasional Masyarakat Biodiversitas. 1 (7): 1565-1569.
- Wilcut, J.W., R.R. Dute, B. Truelove, dan D.E. Davis. 1988. Factors limiting the distribution of cogongrass, *Imperata cylindrica*, and torpedograss, *Panicum repens*. J. Weed Science. 36: 577-582.
- Winugroho, M., B. Hariyanto dan K. Ma'sum. 1998. Konsep Pelestarian Pasokan Hijauan Pakan dalam Usaha Optimalisasi Produktivitas Ternak Ruminansia. Dalam: Prosiding Playenar Nasional Peternakan dan Veteriner. Jilid I. Puslitbang Peternakan. Bogor.
- Witkowski, E. Dan M. Wilson. 2001. Changes in density, biomass, seed production and soil seed banks of the non-native invasive plant, *Chromolaena odorata*, along a 15 year chronosequence. J. Plant Ecology. 152 (1): 13-27.



- Wu, L. dan J. Antonovics. 1976. Experimental ecological genetics in plantago II. Lead tolerance in *Plantago lanceolata* and *Cynodon dactylon* from a roadside. *J. Ecology*. 57 (1): 205-208.
- Yen, G-C. S-C. Wu, dan P-D. Duh. 1996. Extraction and identification of antioxidant components from the leaves of Mulberry (*Morus alba* L.). *J. Agric. Food Chem.* 44 (7): 1687-1690.
- Yoshida, T., L. Chen, T. Shingu, dan T. Okuda. 1988. Tannins and related polyphenols of *Euphorbiaceous* plants. IV.: *Euphorbins A and B*, novel dimeric dehydroellagitannins from *Euphorbia hirta* L. *J. Chemical and Pharmaceutical*. 36 (8) : 2940-2949.