

## DAFTAR PUSTAKA

- Aidawati N. 2005. Keanekaragaman Begomovirus pada Tomat dan Serangga Vektornya, *Bemisia tabaci* Gennadius (Hemiptera:Aleyrodidae), serta Pengujian Ketahanan Genotip Tomat Terhadap Strain Begomovirus. [Disertasi]. Sekolah Pascasarjana Institut Pertanian Bogor. Bogor.
- Aji, T. M., S. Sulandari, S. Hartono. 2012. Pengelolaan kutu kebul (*Bemisia tabaci* Gen.) dengan sistem barrier pada tanaman tembakau. Jurnal Perlindungan Tanaman Indonesia. 19 (1) : 6-11
- Ardeh, MJ, Peter W. de Jong, and Joop C. van Lenteren. 2005. *Bemisia* nymphal stages for oviposition or feeding, and host-handling times of arrhenotokous and thelytokous *Eretmocerus mundus* and arrhenotokous *E. Eremicus*. *BioControl*. 50: 449–463
- Arminuddin, AT., A. Wijonarko, Y. A. Trisyono. 2010. Populasi *Bemisia tabaci* (Gennadius) pada pertanaman cabai di Yogyakarta: studi kasus pada daerah endemik dan non endemik penyakit keriting kuning cabai. *Jurnal Agroteknologi* 1 (1) : 14-18
- Ashfaq, M., P.D.N. Hebert, M.S. Mirza, A.M. Khan, S. Mansoor, G. S. Shah, Y. Zafar. 2014. DNA barcoding of *Bemisia tabaci* complex (Hemiptera: Aleyrodidae) reveals southerly expansion of the dominant whitefly species on cotton in Pakistan. *PLOS ONE* 8 (9)
- Byrne D N, Bellows T S Jr. 1991. Whitefly biology. *Annual Review of Entomology* 36:431-457.
- CABI. Invasive Species Compendium. *Bemisia tabaci* (B biotype). CAB International. Diakses pada 9 Desember 2015
- Camberos, U.N., D. G. Riley. and M. K. Harris. 2001. Temperature and host plant effects on developmental, survival, and fecundity of *Bemisia argentifolii* (Homoptera : Aleyrodidae). *Environ Entomol* 30(1): 55-63
- Cardona, C., A. López-Avila, and Valarezco. 2005. Whiteflies as pests of annual crops in the tropical highlands of Latin America, Colombia and Ecuador. pp. 274-284
- Cenis, J. L. and A. Fereres. 1993. Identification of Aphid (Homoptera: Aphididae) Species and Clones by Random Amplified Polymorphic DNA. *Annals of the Entomological Society of America*. 86(5) : 545-550
- Chowda-Reddy, R V, M Kirankumar, Susan E Seal, V Muniyappa, Girish B Valand, M R Govindappa and John Colvin. 2012. *Bemisia tabaci* Phylogenetic Groups in India

and the Relative Transmission Efficacy of Tomato leaf curl Bangalore virus by an Indigenous and an Exotic Population. *Journal of Integrative Agriculture* 11(2): 235-248

- Chu, D. Y.J. Zhang, J. K. Brown, B. Cong, B.Y. Xu, Q.J. Wu, G.R. Zhu. 2006. The Introduction of the Exotic Q Biotype of *Bemisia tabaci* from the Mediterranean Region into China on Ornamental Crops. *Florida Entomologist* 89(2) : 168-174
- Czosnek, H., M. Ghanim, and M. Ghanim. 2002. The circulative pathway of begomoviruses in the whitefly vector *Bemisia tabaci* — insights from studies with Tomato yellow leaf curl virus. *Ann. appl. Biol.* (2002), 140:215-231
- De Barro, P.J. 2005 Genetic structure of the whitefly *Bemisia tabaci* in the Asia–Pacific region revealed using microsatellite markers. *Molecular Ecology* 14 : 3695–3718
- De Barro, P.J. 2012. The *Bemisia tabaci* Species Complex: Questions to Guide Future Research. *Journal of Integrative Agriculture* 11(2): 187-196
- De Barro, P.J. S.S Liu, L. M. Boykin, and A. B. Dinsdale. 2011. *Bemisia tabaci*: A Statement of Species Status. *Annu. Rev. Entomol.* 56:1–19
- EPPO. 2015. Data Sheets on Quarantine Pest : *Bemisia tabaci*. [http://www.eppo.int/QUARANTINE/data\\_sheets/insects/BEMITA\\_ds.pdf](http://www.eppo.int/QUARANTINE/data_sheets/insects/BEMITA_ds.pdf). Diakses pada 10 Desember 2015
- Fauquet CM, Mayo MA, Maniloff J, Desselberger U, Ball LA, editor. 2005. *Virus Taxonomy. Eight Report of the International Committee on Taxonomy of Viruses.* San Diego (US): Virol Div Int Union of Microb Soc.
- Gotz, M. and S. Winter. 2016. Diversity of *Bemisia tabaci* in Thailand and Vietnam and indications of species replacement. *Journal of Asia-Pacific Entomology* 19 : 537–543
- Greathead, A. H. 1986. *Bemisia tabaci* A literature survey on the cotton whitefly with an annotated bibliography. London, International Institute of Biological Control, Chamaleon Press.
- Hidayat SH, Chatchawankanpanich O, Rusli E, Aidawati N. 2006. Begomovirus associated with pepper yellow leaf curl disease in West Java, Indonesia. *J. Mikrobiol Indon.* 11:87-90
- Hidayat, P., Noor Aidawati, S H. Hidayat, Dewi Sartiami. 2008. Tanaman indikator dan teknik RAPD-PCR untuk penentuan biotipe *Bemisia tabaci* Gennadius (Hemiptera: Aleyrodidae). *J. HPT Tropika* 8(1): 1-7

- Horowitz AR, Antignus Y, Gerling D, 2011. Management of *Bemisia tabaci* Whiteflies. In: The Whitefly, *Bemisia tabaci* (Homoptera: Aleyrodidae) Interaction with Geminivirus-Infected Host Plants: *Bemisia tabaci*, Host Plants and Geminiviruses. Ed. by Thompson WMO, Springer, Amsterdam, The Netherlands, 293–322.
- Horowitz, AR, and Isaac Ishaaya. 2014. Dynamics of biotypes B and Q of the whitefly *Bemisia tabaci* and its impact on insecticide resistance. *Pest Management Science* 70(10) : 1568–1572
- Hull R. 2002. *Matthew's Plant Virology*. 4th-Ed. London (GB): Academic Press
- ICTV. 2014. International Committee of Taxonomy Viruses/ <http://ictvonline.org/virusTaxonomy.asp>. Diakses pada 12 Desember 2015
- Jamsari., I Ferita, L. Syukriani, H. Lalan, F. Herberg and W. Nellen, 2014. Existence of Two Distinct Whiteflies in Chilli-Pepper Cultivation in West Sumatra-Indonesia Based on Mitochondria Cytochrome Oxidase I Gene Sequences. *Asian Journal of Plant Pathology*, 8: 34-44.
- Jelinek, S. 2010. Whitefly management in greenhouse vegetable crops. Primefact 1007, pp: 1-6. [http://www.dpi.nsw.gov.au/data/assets/pdf\\_file/0009/339588/Whitefly-management-in-greenhouse-vegetable-crops.pdf](http://www.dpi.nsw.gov.au/data/assets/pdf_file/0009/339588/Whitefly-management-in-greenhouse-vegetable-crops.pdf). Diakses pada 10 Desember 2015
- Jones, D.R., 2003. Plant viruses transmitted by whiteflies. *European Journal Plant Pathology* 109: 195-219.
- Kumar S, Stecher G, and Tamura K. 2016. *Molecular Biology and Evolution* 33:1870-1874
- Liu, Jian., M. Li, J.M Li, C. J Huang, X.P. Zhou , F. C. Xu, S.S. Liu. 2010. Viral infection of tobacco plants improves performance of *Bemisia tabaci* but more so for an invasive than for an indigenous biotype of the whitefly. *J Zhejiang Univ-Sci B (Biomed & Biotechnol)* 11(1):30-40
- Luan, J.B., X. Jing, L. Ke-Ke, M. P Zalucki, and S.S. Liu. 2012 Species Exclusion Between an Invasive and an Indigenous Whitefly on Host Plants with Differential Levels of Suitability. *Journal of Integrative Agriculture* 11(2): 215-224
- Martínez, O. Y. B.1, Everth E. Ebratt R.2, Walther Turizo A.2, Omar Guerrero G.1, and Rocio Acosta A. 2012. Presence of *Bemisia tabaci* (Hemiptera: Aleyrodidae) and Begomovirus, associated with tomato crops *Solanum lycopersicum* L. in Cundinamarca. *Agron. Colomb.* 30(3) : 395-402
- Marwal, A., R. Prajapat, A. Sahu, and R.K. Gaur, 2012. In silico Recombination Analysis: A Study for Geminivirus Host Mobility. *Asian Journal of Biological Sciences*, 5: 1-8

- McKenzie C L, Bethke J A, Byrne F J, Chamberlin J R, Dennehy T J, Dickey A M, Gilrein D, Hall P M, Ludwig S, Oetting R D, Osborne L S, Schmale L, Shatters R G, 2012. Distribution of *Bemisia tabaci* (Homoptera: Aleyrodidae) biotypes in North America after the Q invasion. *J. Econ. Entomol.* 105, 753–766
- Mound, L A, Halsey S. H, 1978. Whitefly of the world. A systematic catalogue of the Aleyrodidae (Homoptera) with host plant and natural enemy data. Chichester, UK: John Wiley and Sons.
- Muniz, M. 2000. Host suitability of two biotypes of *Bemisia tabaci* on some common weeds. *Entomologia Experimentalis et Applicata* 95: 63–70
- Patil B L, Fauquet C M. 2009. Cassava mosaic geminiviruses: actual knowledge and perspectives. *Mol Plant Pathol.* 10:685–701.
- Perring, T.M. 2001. The *Bemisia tabaci* species complex. *Crop Protection* 20(9):725-737.
- Polston, J.E., R.J. McGovern, L.G. Brown. 1999. Introduction of tomato yellow leaf curl virus in Florida and implications for the spread of this and other geminiviruses in tomato. *Plant Dis.* 83:984-988
- Purwoko, R. R. 2015. Keragaman Begomovirus yang berasosiasi dengan *Bemisia tabaci* (Gennadius) (Homoptera : Aleyrodidae) di Jawa. Tesis
- Qiu, B., Y.P. Chen, L. Liu, W. Peng, X. Li, M. Z. Ahmed, V. Mathur, Y.Z. Du, S.X. Ren. 2009. Identification of three major *Bemisia tabaci* biotypes in China based on morphological and DNA polymorphisms. *Progress in Natural Science* 19(6) : 713–718
- Rao, C. Luo, H. Zhang, X. Guo, and G.J. Devine. 2011. Distribution and dynamics of *Bemisia tabaci* invasive biotypes in central China. *Bulletin of Entomological Research* 101(1) : 81-88
- Revill, P. A., C. V. Ha, S. C. Porchun, M.T. Vu, J. L. Dale. 2003. The complete nucleotide sequence of two distinct Begomoviruses infecting Cucurbits in Vietnam. *Archive of Virology* 148: 1523-1541
- Rosell, RC, Bedford ID, Frohlich DR, Gill RJ, Brown JK, Markham PG, 1997. Analysis of morphological variation in distinct populations of *Bemisia tabaci* (Homoptera: Aleyrodidae). *Annals of the Entomological Society of America*, 90(5):575-589
- Schuster, David J.. 2003. Preference of *Bemisia argentifolii* (Homoptera:Aleyrodidae) for Selected Vegetable Hosts Relative to Tomato. *J. Agric. Urban Entomol* 20 (2) : 50-67

- Shadmamy, M., D. Omar, and R. Muhamad, 2013. First report of *Bemisia tabaci* (Hemiptera: Aleyrodidae) Biotype Q in Malaysia. *Florida Entomol.*, 96: 280-282.
- Shah, M., M. Rahman, and T. Liu. 2013. Feeding Experience of *Bemisia tabaci* (Hemiptera: Aleyrodidae) Affects Their Performance on Different Host Plants. *PLOS One* 8(10). <http://plosone.org> . Diakses pada 12 Desember 2015
- Simón, B, Cenis JL, Beitia F, Khalid S, Moreno IM, Fraile A, García-Arenal F. 2003. Genetic Structure of Field Populations of Begomoviruses and of Their Vector *Bemisia tabaci* in Pakistan. *Phytopathology* 93(11):1422-1429
- Srinivasan, R., Y. Hsu, P. Kadirvel and M.Y Lin. 2013. Analysis of *Bemisia tabaci* (Hemiptera: Aleyrodidae) Species Complex in Java, Indonesia Based on Mitochondrial Cytochrome Oxidase I Sequences. *The Philippine Agricultural Scientist* 96 (3) : 290-295
- Stoeckle, M. and J.H. Ausubel. 2003. Barcode of Life. Draft Scientific Rationale and Strategy Conference "Taxonomy, DNA, and the Barcode of Life".
- Stoeckle, M.Y. and P.D.N. Hebert. 2008. Barcode of Life. *Scientific American*. October 2008
- Subagyo, V.N Oktaviany. and P. Hidayat. Neraca kehidupan kutukebul *Bemisia tabaci* (Gennadius) (Hemiptera: Aleyrodidae) pada tanaman cabai dan gulma babadotan pada suhu 25 °C dan 29 °C. *Jurnal Entomologi Indonesia* 11(1) : 11-18
- Sudiono, dan Purnomo. 2009. Hubungan antara populasi kutu kebul (*Bemisia tabaci*) dan penyakit kuning pada cabai di Lampung Barat. *Jurnal HPT Tropika* 9(2) : 115-120
- Sulandari S, Suseno R, Hidayat S.S, Harjosudarmo J., Sosromarsono S. 2006. Detection and host range study of virus associated with pepper yellow leaf curl disease. *Hayati*. 13(1): 1-6.
- Sulandari S. 2004. [Biological characterization, serological assay and DNA finger printing analysis of pepper yellow leaf curl virus] [dissertation] [in Bahasa]. Bogor (ID): Graduate School Bogor Agricultural University
- Takano, K.T., N.T.H. Nguyen., B.T.H. Nguyen., T. Sunahara., M. Yasunami., M.D. Nguyen, and M. Takagi. 2010. Partial Mitochondrial DNA Sequences Suggest the Existence of Cryptic Species Within the Leucosphyrus Group of the Genus Anopheles (Diptera : Culicidae). *Forest Malaria Vectors, in Northern Vietnam. Parasites & Vectors* 3:41.
- Tsueda, H., and K. Tsuchida. 1998. Differences in spatial distribution and life history parameters of two sympatric whiteflies the greenhouse whiteflies (*Trialeurodes vaporariorum* Westwood) and the silverleaf whiteflies (*Bemisia argentifolii*



UNIVERSITAS  
GADJAH MADA

**KERAGAMAN BIOTIPE *Bemisia tabaci* PADA BEBERAPA JENIS TUMBUHAN INANG DI DAERAH ENDEMIK BEGOMOVIRUS**

ARGAWI KANDITO, Dr. Ir. Witjaksono, M.Sc.; Dr. Ir. Sedyo Hartono, M.P.; Dr. Ir. Arman Wijonarko, M.Sc.

Universitas Gadjah Mada, 2017 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Bellows and Perring) under greenhouse and laboratory condition. Appl. Entomol. Zool. 33 (3) : 379-383