

DAFTAR PUSTAKA

- Ackers, P., & White, W. R. (1975). Closure to “Sediment Transport: New Approach and Analysis.” *Journal of the Hydraulics Division*, 101(5), 621–625.
<https://doi.org/10.1061/jyceaj.0004355>
- Agudo, A., Calvo, B., & Montiel, J. M. M. (2011). FEM models to code non-rigid EKF monocular SLAM. *Proceedings of the IEEE International Conference on Computer Vision*, November, 1586–1593.
<https://doi.org/10.1109/ICCVW.2011.6130439>
- Al Ridlo, B. Z., & Rahardjo, A. P. (2013). Progress on Numerical Model Development of ID Debris Flow using Lagrangian Galerkin Method. *The 4th-International Workshop on MULTIMODAL SEDIMENT DISASTER, "Disaster Mitigation through Partnership-Based Knowledge Sharing*.
- Diansari, R. (2014). Rahma Diansari. *Jurnal Teknik Sipil Dan Lingkungan*, 2(2), 225–230.
- Iverson, R., & Denlinger, R. (1987). The physics of debris flows—a conceptual assessment. *IAHS-AISH Publication*, 165, 155–165.
- Luknanto, D. (2003). *Model Matematika*.
<http://luk.staff.ugm.ac.id/hidkom/pdf/ModelMatematik.pdf>
- Martinez, C. E. (2009). *Eulerian-Lagrangian Two Phase Debris Flow Model* [Florida International University]. <https://doi.org/10.25148/etd.FI09121601>
- Patiroi, A. (2010). *Pemodelan Numerik Persamaan Boussinesq Menggunakan Metode Elemen Hingga 2 Langkah Taylor Galerkin*. Universitas Gadjah Mada.
- Rahardjo, A. P. (2002). *Metode Elemen Hingga Hidro*. Jurusan Teknik Sipil, Fakultas Teknik, Universitas Gadjah Mada, Yogyakarta.

- Reusken, A. (2013). A finite element level set redistancing method based on gradient recovery. *SIAM Journal on Numerical Analysis*, 51(5), 2723–2745. <https://doi.org/10.1137/120895433>
- Roberson, C., & Das, D. K. (2014). What is debris flow? *Debris Flow*, 21–56. <https://doi.org/10.1201/b16647-6>
- Ryzhakov, P., Oñate, E., Rossi, R., & Idelson, S. (2010). Lagrangian FE Methods for Coupled Problems in Fluid Mechanics. In *CIMNE Edition: Barcelona* (Issue November).
- Smith, D. E., Huebner, K. H., Dewhurst, D. L., & Byrom, T. G. (1995). The finite element method for engineers. *Choice Reviews Online*, 32(10), 32-5680-32-5680. <https://doi.org/10.5860/CHOICE.32-5680>
- Takahashi, T. (2007). Initiation and development of debris flow. *Debris Flow*, 102–167. <https://doi.org/10.1201/9780203946282.ch3>
- TAKAHASHI, T. (2009). A Review of Japanese Debris Flow Research. *International Journal of Erosion Control Engineering*, 2(1), 1–14. <https://doi.org/10.13101/ijece.2.1>
- Thomson, W. T. (2018). Introduction to the Finite Element Method. *Theory of Vibration with Applications*, 301–344. <https://doi.org/10.1201/9780203718841-11>
- Viesca, R. (2008). Debris Flow: Mechanics, Prediction and Countermeasures by Tamotsu Takahashi. In *Pure and Applied Geophysics* (Vol. 165, Issue 5). <https://doi.org/10.1007/s00024-008-0342-8>
- Vorsatz, J., Rössl, C., & Seidel, H. P. (2003). Dynamic Remeshing and Applications. *Journal of Computing and Information Science in Engineering*, 3(4), 338–344. <https://doi.org/10.1115/1.1631021>



- Zhang, Z., & Chen, Q. (2007). Comparison of the Eulerian and Lagrangian methods for predicting particle transport in enclosed spaces. *Atmospheric Environment*, 41(25), 5236–5248. <https://doi.org/10.1016/j.atmosenv.2006.05.086>
- Zienkiewicz, O. C., & Taylor, R. L. (2000). The Finite Element Method Volume 1 : The Basis. *Methods*, 1, 708.
- Zwillinger, D. (1992). Weighted Residual Methods*. *Handbook of Differential Equations*, December, 699–702. <https://doi.org/10.1016/b978-0-12-784391-9.50183-4>