UNIVERSITAS
GADJAH MADA
**PEMANFAATAN Spirulina sp. dan Chlorella sp. DALAM REKAYASA PAKAN TERHADAP PERTUMBUHAN, FEKUNDITAS,
WARNA DAGING, DAN KADAR SERUM LIPID PADA PUYUH (Coturnix coturnix Linnaeus, 1758)**
WIWIT FERI WIJIASTUTI, Dr. Slamet Widiyanto, S.Si., M.Sc.
Universitas Gadjah Mada, 2017 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Akbari, M dan M. Torki. 2014. Effects of dietary chromium picolinate and peppermint essential oil on growth performance and blood biochemical parameters of broiler chicks reared under heat stress conditions. *International Journal of Biometeorology*. 58 (6): 1383-1391

Alasalvar, C., F. Shahidi, K. Miyashita, dan U. Wanasundara. 2011. *Handbook of seafood quality, safety and health applications*. Wiley-Blackwell Publishing. New Delhi. p: 517

Ali, S. K dan A. M. Saleh. 2012. Spirulina: an overview. *International Journal of Pharmacy and Pharmaceutical Science*. 4(3): 9-15

Almeida, M. I. M., E. G. Oliveira, P. R. Ramos, N. Veiga, dan K. Dias. 2002. Growth performance of meat male quails (*Coturnix* sp.) of two lines under two nutritional environments. *Archives of Veterinary Science*. 7(2): 103-108

An, B., K. Kim., J. Jeon, dan K. W. Lee. 2016. Effect of dried *Chlorella vulgaris* and *Chlorella* growth factor on growth performance, meat qualities and humoral immune responses in broiler chickens. *Springer Plus*. 5: 718

Anonim. 2004. *Rabbit, goat, sheep, poultry, fish and pig farming with feed technology*. Asia Pacific Business Press. India. p: 153

Aschenbrenner, D. S. dan S. J. Venable. 2009. *Drug therapy in nursing*. Lippincott Williams & Wilkins. China. p: 453

Balcioğlu, M. S., K. Kizilkaya, H. İ. Yolcu, dan K. Karabağ. Analysis of growth characteristics in short-term divergently selected japanese quail. South *African Journal of Animal Science*. 35(2): 83-89

Barbut, S. 2001. *Poultry Products Processing: an Industry Guide*. CRC Press. Boca Raton. p: 326

Bieber, E. J., J. S. Sanfilippo, I. R. Horowitz, dan M. I. Shafi. 2015. *Clinical gynecology. 2nd edition*. Cambridge University Press. Cambridge. p: 88

Blair, R. 2008. *Nutrition and feeding of organic poultry*. CAB International. London. p: 37-38

Boni, I., H. Nurul, dan I. Noryati. 2010. Comparison of meat quality characteristics between young and spent quails. *International Food Research Journal*. 17: 61-666

Burnham, D., G. C. Emmans, dan R. M. Gous. 1992. Isoleucine requirements of the chicke: the effect of excess leucine and valine on the response to isoleucine. *British Poultry Science*. 33(1): 71-78

Chen, M dan J. Irudayaraj. 1998. Sampling technique for cheese analysis by FTIR spectroscopy. *Journal of Food Science*. 63(1): 96-99

Cheong, D. S. W., A. Kasim, A. Q. Sazili, H. Omar dan J. Y. Teoh. 2015. Effect of supplementing spirulina on live performance, carcass composition and meat quality of japanese quail. *Walailak Journal of Science and Technology*. 13(2): 77-84

Christijanti, W., A. Marianti, dan N. Kariada. 2011. Stimulasi pubertas puyuh betina dengan penambahan tepung biji benguk (*Mucuna pruriens*) dalam pakan. *Jurnal sain dan teknologi*. 9(1): 69-78

UNIVERSITAS GADJAH MADA
**PEMANFAATAN Spirulina sp. dan Chlorella sp. DALAM REKAYASA PAKAN TERHADAP PERTUMBUHAN, FEKUNDITAS,
WARNA DAGING, DAN KADAR SERUM LIPID PADA PUYUH (Coturnix coturnix Linnaeus, 1758)**
WIWIT FERI WIJIASTUTI, Dr. Slamet Widiyanto, S.Si., M.Sc.
Universitas Gadjah Mada, 2017 | Diunduh dari http://etd.repository.ugm.ac.id/

Chioccioli, M., B. Hankamer, dan I. L. Ross. 2014. Flow cytometry pulse width data enables rapid and sensitive estimation of biomass dry weight in the microalgae *Chlamudomonas reinhardii* and *Chlorella vulgaris*. *PLOS ONE*. 9(5): 1-12

Çiftci, H. B. 2013. Estrogen and growth hormone and their role in reproductive function. *International journal of animal and veterinary advances*. 5(1): 21-28

Demirbas. A dan M. F. Demirbas. 2010. *Algae energy: algae as new source of biodiesel*. Springer. London. p: 76

Eitan, Y., M. Soller, M. Soller, dan I. Rozenboim. 1998. Comb size and estrogen level toward the onset of lay in broiler and layer strain females under ad libitum and restricted feeding. *Poultry Science*. 77: 1593-1600

Ensminger, A. H., M. E. Ensminger, J. E. Konlande, dan J. R. Robson. 1994. *Foods and nutrition encyclopedia 2nd edition: volume 1*. CRC Press. New York. p: 637

Fathy, S. M. M. dan A. M. M. Essa. 2015. Influence of Spirulina plantesis exudates on the endocrine and nervous systems of a mammalian model. *Asian Pacific Journal of Tropical Biomedicine*. 5(6): 451-457

Fuller, M. F. 2004. The encyclopedia of farm animal nutrition. CABI Publishing. Cambridge. pp: 204-205, 209, 277

Gershwin, M. E. dan A. Belay. 2008. *Spirulina in human nutrition and health*. CRC Press. London. pp: 102, 243

Gibbons, E. F., B. S. Durrant, dan J. Demarest. 1995. *Conservation of endangered species in captivity: an interdisciplinary approach*. State University of New York Press. New York. p: 246

Ginzberg, A. M. Cohen, U. A. Sod-Moriah, S. Shany, A. Rosenshtrauch, dan S. Arad. 2000. Chicken fed with biomass of the red microalga Porphyridiym sp. have reduce blood cholesterol level and modified fatty acid composition in egg yolk. *Journal of Applied Phycology*. 12: 325-330

Girolami, A., F. Napolitano, D. Faraone, dan A. Braghieri. 2013. Measurement of meat color using a computer vision system. *Meat Science*. 93: 111-118

Gjedrem, T. dan M. *Baranski. 2009. Selective breeding in aquaculture: an introduction*. Springer. London. p: 69

Glover, T. 2014. *Raising Coturnix Quail for Meat and Eggs The Easy Way*. Smashword. USA. p: 10

Golden, J. B dan D. V. Arbona. 2012. A review of the structure and regulation of the laying hen's reproductive system and the inteaction between the stress and reproductive axes. *Animal science review*. 7(14): 53-59

Gongnet, G. P., E. Niess, M. Rodehutscord, dan E. Pfeffer. Algae-meal (Spirulina platensis) from lake chad replacing soybean-meal in broiler diets. *Archic für Geflügelkunde*. 65(6): 265-268

Gould, B. E dan R. M. Dyer. 2011. *Pathophysiology for the health professions fourth edition*. Saunders Elsevier. Missouri. p: 285

Gupta, R. C. 2016. *Nutraceuticals: efficacy, safety, and toxicity*. Academic Press. London. p: 570

UNIVERSITAS
GADJAH MADA
**PEMANFAATAN Spirulina sp. dan Chlorella sp. DALAM REKAYASA PAKAN TERHADAP PERTUMBUHAN, FEKUNDITAS,
WARNA DAGING, DAN KADAR SERUM LIPID PADA PUYUH (Coturnix coturnix Linnaeus, 1758)**
WIWIT FERI WIJIASTUTI, Dr. Slamet Widiyanto, S.Si., M.Sc.
Universitas Gadjah Mada, 2017 | Diunduh dari http://etd.repository.ugm.ac.id/

Habibian, M., S. Ghazi, dan M. M. Moeini. 2015. Effects of dietary selenium and vitamin E on growth performance, meat yield, and selenium content and lipid oxidation of breast meat of broilers reared under heat stress. *Biological Trace Element Research.* 169: 142-152

Hadley, M. E. 1992. *Endocrinology*. Prentice-Hall inc. New Jersey. pp: 270-301

Holman, B. W. B dan A. E. O. Malau- Aduli. 2012. Spirulina as a livestock supplement and animal feed. *Journal of Animal Physiology and Animal Nutrition*. 97: 615-623

Kasiyati, A. B. Silalahi, dan I. Permatasari. 2011. *Optimasi pertumbuhan puyuh (*Coturnix coturnix japonica *L.) hasil pemeliharaan dengan cahaya monokromatik*. Universitas Diponogoro. Semarang. pp: 55-65

Khaki, Z., P. Khazraiinia, S. Chegini, dan S. K. Nia. 2012. Comparative study of serum lipid profile in chicken, ostrich, cattle, and sheep. *Comparative Clinical Pathology*. 21: 259-263

Khosravi, H., M. Mehri, F. Bagherzadeh-Kasmani, dan M. Asghari-Moghadam. 2016. Methionine requirement of growing japanese quails. *Animal Feed Science and Technology*. 212: 122-128

Kim, S. K. 2015. *Handbook of marine microalgae: biotechnology advances*. Academic Press. London. pp: 15-16

Kim, S. K dan K. Chojnacka. 2015. *Marine algae extracts: processes, products, and applications*. John Wiley & Sons. New York. p: 305-306

Koch, T. 1973. *Anatomy of The chicken and domestic birds*. Iowa State University Press. Ames. p: 456.

Kumar, A. 2003. *Aviaculture*. Discovery Publishing House. New Delhi. p: 155

Laugier, C., J. F. Pageaux, A. M. Soto., dan C. Sonnenschein. 1983. Mechanism of estrogen action: indirect effect of estradiol-17β proliferation of quail oviduct cells. *Proceeding of the National Academy of Science of the United States of America*. USA. 80: 1621-1625

Ley, B. M. 2003. *Chlorella: the ultimate green food nature' richest source of chlorophyll, DNA and RNA*. BL Publications. USA. p: 26

Lum, K. K., J. Kim, dan X. G. Lei. 2013. Dual potential of microalgae as a sustainable biofuel feedstock and animal feed. *Journal of Animal Science and Biotechnology*. 4(53): 1-7

Maruyama, I., T. Nakao, I. Shigeno, Y. Ando, dan K. Hirayama. 1997. Application of unicellular algae Chlorella vulgaris for the mass-culture of marine rotifer Brachionus. *Hydrobiologia*. 358: 133-138

Mehdipour, Z., M. Afsharmanesh, dan M. Sami. 2013. Effects of dietary synbiotic and cinnamon (Cinnamomum verum) supplementation on growth performance and meat quality in Japanese quail. *Livestock Science*. 154: 152-157

Miller, J., C. G. Le Prell dan L. Rybak. 2015. *Free radical in ENT pathology*. Humana Press. Switzerland. p: 114

Musick, J. A dan R. Bonfil. 2005. *Management techniques for elasmobranch fisheries*. Food and Agriculture of The United Nation. Rome. p: 113

North American Meat Processors Association. 2007. *The meat buyer's guide: lamb, veal, pork, and poultry*. John Wiley & Sons. New Jersey. p: 260

Nollet, L. M. L. 2012. *Handbook of meat, poultry, and seafood quality: second edition*. Wiley Blackwell. New York. p: 12

UNIVERSITAS
GADJAH MADA
**PEMANFAATAN Spirulina sp. dan Chlorella sp. DALAM REKAYASA PAKAN TERHADAP PERTUMBUHAN, FEKUNDITAS,
WARNA DAGING, DAN KADAR SERUM LIPID PADA PUYUH (Coturnix coturnix Linnaeus, 1758)**
WIWIT FERI WIJIASTUTI, Dr. Slamet Widiyanto, S.Si., M.Sc.
Universitas Gadjah Mada, 2017 | Diunduh dari http://etd.repository.ugm.ac.id/

Norris, D. O dan J. A. Carr. 2013. *Vertebrate Endocrinology: fifth edition*. Academic press. London. p: 86

Packer, L., C. N. Ong, dan B. Halliwell. 2004. *Herbal and traditional medicine: molecular aspects of health*. Marcel Dekker. New York. p: 269

Pattison, M., P. F. McMullin, J. M. Bradbury, dan D. J. Alexander. 2008. *Poulty Diseases: sixth edition*. Elsevier. Edinburg. pp: 2-10

Peebles, E. D., M. R. Burnham, R. L. Walzem, S. L. Branton, dan P. D. Gerard. Effects of fasting on serum lipids and lipoprotein profiles in the egg-laying hen (*Gallus domesticus*). *Comparative Biochemistry and Physiology*. Part A (138): 305-311

Posten, C., dan S. F. Chen. 2015. *Microalgae biotechnology*. Springer. New York. p: 3

Prabakaran, R. 2003. *Good practice in planning and management of integrated commercial poultry production in south asia*. Food and Agriculture Organization of United Nation. Rome. p: 33

Prasad, R. N., K. Sanghamitra, G. M. Antonia, G. V. Juan, R. G. Benjamin. I. J. Luis, dan V. Guilermo. 2013. Isolation, identification and germplasm preservation of different native spirulina species from western mexico. *American Journal of Plant Science*. 4: 65-71

Rabie, M. H dan H. M. A A. El-Maaty. 2015. Growth performance of Japanese quail as affected by dietary protein level and enzyme supplementation. *Asian journal of animal and veterinary advances*. 10(2): 74-85

Robinson, F. E., G. M. Fasenko, dan R. A. Renema. 2003. *Optimizing chick production in broiler breeders*. National Library of Canada. Canada. pp 6-8

Ross, E. dan W. Dominy. 1990. The nutrition value of dehydrated, blue-green algae (*Spirulina plantesis*) for poultry. *Poultry Science*. 69: 794-800

Sanders, T. 2015. *Functional dietary lipids: food formulation, consumer issues and innovation for health*. Woodhead Publishing. New York. p:183

Shanaway, M. M. 1994. *Quail production system: a review*. FAO. Rome. pp: 6, 9, 95

Shetty, K., G. Paliyath, A. Pometto, dan R. E. Levin. 2008. *Food biotechnology*. Taylor & Francis Group. New York. pp: 495-498, 501-502

Sezer, M dan S. Tarhan. 2005. Model parameters of growth curves of three meat-type lines of Japanese quail.*Czech Journal of Animal Science*. 50(1): 22-30

Spolaore, P., C. Joannis-Cassan, E. Duran, dan A. Isambert. 2006. Commercial applications of microalgae. *Journal of Bioscience and Bioengineering*. 101(2): 87-96

Sturkie, P. D. 1986. *Avian physiology*. Springer. New York. p: 352

Sudarmono, A. 2003. *Pedoman pemeliharaan ayam ras petelur*. Kanisius. Yogyakarta. p: 112

Sudradjad. 2004. *Beternak ayam pelung*. Kanisius. Yogyakarta. hal: 66

Swatland, H. J. 1994. *Structure and development of meat animals and poultry*. Technomic Publising. Pennsylvania. p: 426

Tohala, S. H. 2010. The relationship between blood lipid profile and performance of broiler fed two type of finisher diets. *Iraqi Journal of Veterinary Sciences*. 24 (2): 87-91

UNIVERSITAS
GADJAH MADA
**PEMANFAATAN Spirulina sp. dan Chlorella sp. DALAM REKAYASA PAKAN TERHADAP PERTUMBUHAN, FEKUNDITAS,
WARNA DAGING, DAN KADAR SERUM LIPID PADA PUYUH (Coturnix coturnix Linnaeus, 1758)**
WIWIT FERI WIJIASTUTI, Dr. Slamet Widiyanto, S.Si., M.Sc.
Universitas Gadjah Mada, 2017 | Diunduh dari http://etd.repository.ugm.ac.id/

Toyomizu, M., K. Sato, H. Taroda, T. Kato dan Y. Akiba. 2001. Effects of dietary spirulina on meat colour in muscle of broiler chicken. *British Poultry Science*. 42(2): 197-202

USAID. 2011. *Technical bulletin 07: feed convertin ratio (FCR)*. United States Agency for International Development. Cambodia

Vatsalya, V dan K. L. Arora. 2011. Association between body weight growth and selected physiological parametes in male japanese quail (*Coturnix japonica*). *International Journal of Poultry Science*. 10 (9): 680-684

Venkataraman, L. V., T. Somasekaran, dan E. W. Becker. 1994. Replacement value of blue-green alga (Spirulina plantesis) for fishmeal and vitamin-mineral premix for broiler chicks. *British Poultry Science*. 35(3): 373-381

Whittow, G. C. 1999. *Sturkie's avian physiology fifth edition*. Academic press. San Diego. pp: 569-570

Zeng, L., S. T. Oh, J. Y. Jeon, B. H. Moon, H. S. Kwon, S. U. Lim, B. K. An, dan C. W. Kang. 2012. The dietary of fermented *Chlorella vulgaris* (CBT®) on production performance, liver lipids and intestinal microflora in laying hens. *Asian-Australasian Journal of Animal Sciences*. 25(2): 261-266