

DAFTAR PUSTAKA

- Agrios, G.N. 2005. *Plant Pathology*. 8th ed. Elsevier Academic Press. California.
- Arif, M., M. Jaffar, M. Babar, M.A. Sheikh, S. Kousar, A. Arif, Y. Zafar. 2008. Identification of bacterial blight resistance gene *Xa4* in Pakistani rice germplasm using PCR. *African Joernal Biotechnology*. 7:541 -545.
- Azrai, M. 2005. Pemanfaatan markah molekuler dalam proses seleksi pemuliaan tanaman. *Jurnal AgroBiogen* 1(1):26-37.
- Backer, A. and V.D. Brink. 1965. *Flora of Java (Spermatophyta Only)*. Noordhoff-Groningen. Nederlands.
- Badan Penelitian dan Pengembangan Pertanian. 2013. *100 Inovasi Teknologi Pertanian Spesifik Lokasi Daerah Istimewa Yogyakarta*. IAARD Press. Yogyakarta.pp:4-5.
- Balai Besar Penelitian dan Pengembangan Bioteknologi dan Sumberdaya Genetik Pertanian. 2009. Beras hitam, pangan berkhasiat yang belum populer. *Warta Penelitian dan Pengembangan Penelitian* 31(2):9-10.
- David, O., Nino-Liu, C. Pamela, Ronald, and A.J. Bogdanove. 2006. Pathogen profile: *Xanthomonas oryzae* pathovar: model pathogens of model crop. *Molecular Plant Pathology*. 7(5):303-324.
- Direktorat Pangan dan Pertanian. Kementerian Perencanaan Pembangunan Nasional/Badan Perencanaan Pembangunan Nasional. 2013. Studi Pendahuluan: Rencana Pembangunan Jangka Menengah Nasional (RPJMN) Bidang Pangan dan Pertanian 2015-2019. *RPJM.Indd*.
- Djatkiko, H.A. dan Fatichin. 2009. Ketahanan dua puluh satu varietas padi terhadap penyakit hawar daun bakteri. *Jurnal HPT Tropika* 9(2):168-173.
- Dossa, G.S., A. Spark, C.V. Cruz, and R. Olivia. 2015. Decision tools for bacterial blight resistance gene deployment in rice-based agricultural ecosystems. *Frontiers in Plant Science*. 6(305):1-5.
- Gao, L., G. Han-Liang, L. Rong-Bai, Z. Meng, Y. Qun, Z. Wei-Young, Z. Jin, and D. Guo-Fu. 2010. Optimization and verification of molecular markers for rice bacterial blight resistance gene *Xa23*. *Molecular Plant Breeding*. 8(4):660-664.
- Herlina, L., dan T.S. Silitonga. 2011. Seleksi lapang ketahanan beberapa varietas padi terhadap infeksi hawar daun bakteri strain IV dan VIII. *Buletin Plasma Nutfah* 17(2):80-87.
- Hermanto. 2014. Deteksi gen ketahanan penyakit hawar daun bakteri pada populasi silang ganda F1 (DCF1) padi Ciherang. *Skripsi*. Departemen Biokimia, Fakultas Matematika dan Ilmu Pengetahuan Alam, Institut Petanian Bogor.

- Huang, B., J.Y.Xu, M.S. Hou, J.Ali and T.M. Mou. 2012. Introgression of bacterial blight resistance genes *Xa7*, *Xa21*, *Xa22*, and *Xa23* into hybrid rice restorer lines by molecular marker-assisted selection. *Euphytica* 187:449-459.
- Huang, N., E.R. Angeles, J. Domingo, G. Magpantay, S. Singh, G. Zhang, N. Kumaravadiel, J. Bennett, and G.S Khush. 1997. Pyramiding of bacterial blight resistance genes in rice: marker-assisted selection using RFLP and PCR. *Theory Application Genetics*. 95:313-320.
- Jang, H.H., M.Y. Park, H.W. Kim, Y.M. Lee, K.A. Hwang, and J.H. Park. 2012. Black rice (*Oryza sativa L.*) extract attenuates hepatic steatosis in C57BL/6 J mice fide a high-fat diet via fatty acid oxidation. *Nutrition and Metabolism*. Pp:2-11.
- Jiang, J., J.Mi, J.Ali, and T.Mou. 2016. Development of broad-spectrum bacterial blight resistance into thermo-sensitive genic male sterile lines. *Plant Breeding* 135: 73-79.
- Kadir, T.S. 1999. Variasi Patogen *Xanthomonas oryzae* pv. *oryzae*. *Prosiding Kongres Nasional XV dan Seminar Ilmiah PFI*. Purwokerto. 16-18 September.
- _____. 2009. Menangkal HDB dengan menggilir varietas. *Warta Penelitian dan Pengembangan Pertanian*. 31(5):1-3.
- Kadir, T.S., I. Hanarida, D.W. Utami, S. Koerniati, A.D. Ambarwati, A. Apriana, dan S. Sisharmini. 2007. Evaluasi ketahanan populasi haploid ganda silangan IR64 dan *Oryza rufipogon* terhadap hawar dan bakteri pada stadia bibit. *Buletin Plasma Nutfah*.
- Kardin, M.K. dan H.R. Hifni. 1993. Penyakit hawar daun bakteri padi di Indonesia. *Ris Sem Puslit*. 85-99.
- Keller B., C. Feuillet and M. Messmer. 2000. Genetics of disease resistance: Basic concept and application in resistance breeding. *Mechanisms of Resistance to Plant Diseases*. pp:101–160.
- Khan, M.A., M. Naeem, and M. Iqbal. 2014. Breeding approaches for bacterial leaf blight resistance in rice (*Oryza sativa L.*) current status and future directions. *European Journal Plant Pathology*.139:27-37.
- Khoshkdaman, M., A.A. Ebadi, and F.M. Shilsar. 2014. Preliminary evaluation of resistance genes in rice against bacterial leaf blight in Guilan Province, Iran. *Agriculture Science* 5(2): 94-98.
- Khush, G.S. 1981. Breeding rice for multiple disease and insect resistance. In *Rice Improvement in China and other Asian countries*. International Rice Research Institute. Los Banos.p:220-237.
- Kristamtini, S. Widayanti, Sutarno, dan Sudarmaji. 2009. Keragaman Genetik Lima Kultivar Lokal Padi Beras Hitam Asal Yogyakarta Berdasarkan Sifat

Morfologi. *Prosiding Seminar Nasional Sumber Daya Genetik Pertanian*. Pp:90-100.

- _____, S. Widyayanti, Sutarno, Sudarmaji, dan E.W. Wiranti. 2011. Pelestarian partisipatif padi beras hitam lokal di Yogyakarta. *Prosiding Seminar Nasional Sumber Daya Genetik Pertanian*. Pp:101-109.
- _____, Taryono, P. Basunanda, dan R.H. Murti. 2014. Keragaman genetik kultivar padi beras hitam lokal berdasarkan penanda mikrosatelit. *Jurnal Agrobiogen* 10(2):69-76.
- Lee, J.C., J.D. Kim, F.H. Hsich, and J.B. Eun. 2008. Production of black rice cake using ground black rice and medium-grain brown rice. *International Journal of Food Science and Technology*. 43(6):1078-1082.
- Liu, D.N., P.C. Ronald, and A.J. Bogdanove. 2006. *Xanthomonas oryzae* pathovars: model pathogen of a model crop. *Molecular Plant Pathology*. 7:303-324.
- Ma, B.J., W.M. Wang, B. Zhao, Y.L. Zhou, L.H. Zhu, W.X. Zhai. 1999. Study on the PCR marker for the rice bacterial blight resistance gene *Xa4*. *Hereditas*.21(3):1-9.
- Mew, T.W. 1989. An overview of the world bacterial leaf blight situation, p. 7-12. *In: Bacterial blight of rice*. IRRI, Manila, Philippines.
- _____, C.M. Vera, and E.S. Medalla. 1992. Changes in Race Frequency of *Xanthomonas oryzae* pv. *Oryzae* in Response to Rice Cultivars Planted in Philippines. *Plant Discussion*. 76: 1029-1032.
- Nafisah, A.A., B. Daradjat, Suprihatno, dan T.S. Kadir. 2007. Ketahanan padi terhadap hawar daun bakteri. *Penelitian Pertanian Tanaman Pangan*. 26(2):100-105.
- Narwidina, P. 2009. Pengembangan Minuman Isotonik Antosianin Beras Hitam (*Oryza sativa L.indica*) dan Efeknya Terhadap Kebugaran dan Aktivitas Antioksidan pada Manusia Pasca Stres Fisik: *A Case Control Study*. Tesis. Program Pascasarjana Fakultas Teknologi Pertanian. Universitas Gadjah Mada. Yogyakarta.
- Ou, S.H. 1985. *Rice diseases*. 2nd ed. Commonwealth Mycology Institute. England. Pp: 380.
- Perumalsamy, S., M. Bharani, M. Sudha, and P. Nagarajan. 2010. Functional marker-assisted selection for bacterial leaf blight resistance genes in rice (*Oryza sativa L.*). *Plant Breeding*. 129:400-406.
- Powell, W., G.C. Macharay, and J.Prova. 1996. Polymorphism revealed by simple sequence repeats. *Trends Plant Science*.1:215-222.
- Qi-ming,D., W. Shi-quan, Z. Ai-ping, Z. Hong-yu, and L. Ping. 2006. Breeding Rice Restorer Lines with High Resistance to Bacterial Blight by Using Molecular Marker-Assisted Selection. *Rice Science*.13(1):22-28.

- Rao, K.K., K.K. Jena, and M.L. Narasu. 2003. Molecular Tagging of a New Bacterial Blight Resistance Gene in Rice Using RAPD and SSR Markers.
- Reddy, R. and Y. Zhang-Zhi. 1989. Survival of *Xanthomonas campestris* pv. *oryzae*, the causal organism of bacterial blight, p.65-78. In: Bacterial Blight of Rice. IRRI, Manila, Philippines.
- Sa'adah, I.R., Supriyanta, dan Subejo. 2013. Keragaman warna gabah dan warna beras varietas lokal padi beras hitam (*Oryza sativa L.*) yang dibudidayakan oleh petani Kabupaten Sleman, Bantul, dan Magelang. *Vegetalika*. 2(3):13-20.
- Sabar, M. T.Bibi, H.U. Farooq, Z.Hiader, I. Naseem, A. Mahmood, and M. Akhter. 2016. Molecular Screening of Rice (*Oryza sativa L.*) germplasm for *Xa4*, *xa5* and *Xa21* Bacterial Leaf Blight (BLB) Resistant Genes Using Linked Marker Approach. *African Journal of Biotechnology*.15(41):2317-2324.
- Shin, W. C., S. H. Baek, S. S. Seo, H. G. Kang, C. K. Kim, M. S. Shin, G. S. Lee, J. H. Hahn, and H. S. Kim. 2006. Improvement of Selection Efficiency for Bacterial Blight Resistance Using SNP Marker in Rice. *Korean Joernal of Plant Biotechnology* 33(4): 309-313.
- Silitonga, T.S. 2010. The use of biotechnology in the characterization, evaluation, and utilization of Indonesian rice germplasm. *Jurnal. Agrobiogen*. 6(1):49-56.
- Solekha, R. 2016. Analisis proteomic padi hitam (*Oryza sativa L.*) setelah infeksi *Xanthomonas oryzae* pv. *oryzae*. Tesis. Program Studi Biologi, Program Pascasarjana Fakultas Biologi, Universitas Gadjah Mada. Yogyakarta.
- Song, F., and R.M. Goodman. 2001. Molecular Biology of Disease Resistance in Rice. *Physiological and Molecular Plant Pathology*. Vol. 59:1-11.
- Suardi, D. dan I. Ridwan. 2009. Beras hitam, pangan berkhasiat yang belum populer. *Warta Penelitian dan Pengembangan Pertanian* 31(2): 9-10.
- Sudir, B.N., dan T.S. Kadir. 2012. Epidemiologi, Patotipe, dan Strategi Pengendalian Penyakit Hawar Daun Bakteri pada Tanaman Padi. *IPTEK Tanaman Pangan* 7(2):79-87.
- Sudir, T.S Kadir, and Suprihanto. 2009. Identifikasi patotipe *Xanthomonas oryzae* pv. *oryzae*, penyebab penyakit hawar daun bakteri padi di sentra produksi padi di Jawa. *Penelitian Pertanian Tanaman Pangan*. 28(3):131-138.
- Sun, Q.H., Y. Cao, Z. Yang, C. Xu, X. Li, S. Wang, and Q. Zhang. 2004. *Xa26*, a gene conferring resistance to *Xanthomonas oryzae* pv. *oryzae* in rice, encodes an LRR receptor kinase-like protein. *Plant Journal*.37:517-527.
- Suparyono dan Sudir. 1992. Perkembangan penyakit bakteri hawar daun pada stadia tumbuh yang berbeda dan pengaruhnya terhadap hasil padi. *Media Penelitian Sukamandi* 12:6-9.

- Suparyono, Sudir, dan Suprihanto. 2004. Pathotype profile of *Xanthomonas campestris* pv. *oryzae*, isolates from the rice ecosystem in Java. *Indonesian Journal Agriculture Science*. 5(2):63-69.
- Tasliah. 2012. Gen Ketahanan Tanaman Padi Terhadap Bakteri Hawar Daun (*Xanthomonas oryzae* pv. *Oryzae*). *Jurnal Litbang Pertanian*.31(3):103-112.
- Wahyudi, A.T., S. Meliah, dan A.A. Nawangsih. 2011. *Xanthomonas oryzae* pv. *oryzae*, bakteri penyebab hawar daun pada padi: isolasi, karakterisasi, dan telaah mutagenesis dengan transposon. *Makara Sains*. 15(1):89-96.
- Warman, B., Sobrizal, I. Suliansyah, E. Swasti, dan A. Syarif. 2015. Perbaikan genetik kultivar padi beras hitam lokal Sumatera Barat melalui mutasi induksi. *A. Scientific Journal for The Applications of Isotopes and Radiation*. 11(2):125-136.
- Wibowo, B.S. 2002. Pengamatan, Peramalan dan Pengendalian Penyakit Hawar Daun Bakteri (*Xanthomonas campestris* pv. *oryzae*). *Makalah dalam Pelatihan Pengamatan, Peramalan dan Pengendalian Organisme Pengganggu Tanaman Pangan*. Jatisari, 16-27 September 2002. BPOPT Jatisari.
- Winandari, O.P., A. Tjahjoleksono, dan D.W. Utami. 2014. Identifikasi marka gen ketahanan hawar daun bakteri pada galur padi introduksi dan galur haploid. *Jurnal HPT Tropika*. 14(2):101-109.
- Yamasaki, R.A.D, N. Murata, and T. Suwa. 2006. Studies on the culture of *Xanthomonas oryzae*. *Joernal. Bacteriol*. 42:946-949.
- Yoshimura, S., U. Yamanouchi, Y. Katayose, S. Toki, Z. Wang, I. Kono, N. Kurata, M. Yano, N. Iwata, and T. Sasaki. 1998. Expression of Xa1, a Bacterial Bligh-resistance Gene in Rice, is Induced by Bacterial Inoculation. *Proc. Natl. Acad. Sci*. vol: 95. pp:1663-1668.
- Yuriyah, S., D.W. Utami, dan I. Hanarida. Uji ketahanan galur-galur padi terhadap penyakit hawar daun bakteri (*Xanthomonas oryzae* pv. *oryzae*) ras III, IV, dan VIII. *Buletin Plasma Nutfah*. 19(2):53-60.
- Zhai, W.X., and L.H. Zhu. 1999. Rice bacterial blight resistance genes and their utilization in molecular breeding. *Advance Biotechnology*.19:9-15
- Zhou, Y.L., V.NE.Uzokwe, C.H. Zhang, L.R. Cheng, L. Wang, K. Chen, X.Q. Gao, Y.Sun, J.J. Chen, L.H. Zhua, Q. Zhang, J.Ali, J.L. Xu, and Z.K. Li. 2010. Improvement of bacterial blight resistance of hybrid rice in China using the Xa23 gene derived from wild rice (*Oryza rufipogon*). *Crop Protection*. 30:637-644.