



DAFTAR PUSTAKA

- Al-Karaki, G., McMichael, B.Z.A.K.J. and Zak, J., 2004. Fields response of wheat to arbuscular mycorrhizal fungi and drought stress. *Mycorrhiza*, 14, pp.263-269.
- Allem, A.C., 1994. The origin of *Manihot esculenta* crantz (Euphorbiaceae). *Genetic Resources and Crop Evolution*, 41, pp.133-150.
- Alves, A.A. and Setter, T.L., 2000. Response of cassava to water deficit: leaf area growth and abscisic acid. *Crop Science*, 40, pp.131-137.
- Alves, A.A.C., 2002. Cassava: biology, production and utilization. Consultative Group for International Research, 5, pp.67-89.
- Anonim., 2016. Classification for kingdom Plantae down to genus *Manihot esculenta* Crantz. <https://plants.usda.gov>. Diakses tanggal 5 Desember 2016.
- Balagopalan, C., Padmaja, G., Nanda, S.K. and Moorthy S.N., 1988. Cassava in food, feed, and industry. CRC Press, Inc., Florida.
- Balittanah., 2009. Petunjuk Teknis Edisi 2: Analisis Kimia Tanah, Tanaman, Air, dan Pupuk. Balai Penelitian Tanah, Bogor.
- Baylis, G.T.S., 1975. The magnoloid mycorrhiza and mycotrophy in root systems derived from it. In: F.E. Sanders, B. Mosse and P.B. Tinker (Eds.) *Endomycorrhizas*. Academic Press, London, pp.373-384.
- Begoude, D.A.B., Sarr, P.S., Mpon, T.L.Y., Owona, D.A., Kapeua, M.N. and Araki, S., 2015. Composition of arbuscular mycorrhizal fungi associated with cassava (*Manihot esculenta* Crantz) cultivars as influenced by chemical fertilization and tillage in Cameroon. *Journal of Applied Biosciences*, 98, pp.9270-9283.
- Brundrett, M., 2008. Mycorrhizal Associations: The web resource. <http://www.mycorrhizas.info>. Diakses tanggal 5 Desember 2016.
- Brundrett, M., Bouger, N., Dell, B., Grove, T. and Malajczuk, N., 1996. Working with mycorrhizas in forestry and agriculture. Australian Centre for International Agricultural Research Publ., Canberra, p.344.
- Camprubi, A. and Calvet, C., 1996. Isolation and screening of mycorrhizal fungi from *Citrus nurseries* and orchards and inoculation studies. *HortScience*, 31, pp.366-369.
- Castillo, C.G., Borie, F., Godoy, R. Rubio, R. and Sieverding, E., 2006. Diversity of mycorrhizal plant species and arbuscular mycorrhizal fungi in evergreen forest, deciduous forest and grassland ecosystem of Southern Chile. *Journal of Applied Botany and Food Quality*, 80, pp.40-47.
- Ceballos, H., Okogbenin, E. Pérez, J.C. López-Valle, L.A.B. and Debouck, D., 2010. Root and tuber crops: Cassava. Springer, New York, pp.53-96.



Cooke, R.D., 1978. An enzymatic assay for the total cyanide content of cassava (*Manihot esculenta* Crantz). Journal of the Science of Food and Agriculture, 29, pp.345-352.

Driver, J.D., Holben, W.E. and Rillig, M.C., 2005. Characterization of glomalin as a hyphal wall component of arbuscular mycorrhizal fungi. Soil Biology and Biochemistry, 37, pp.101-106.

Ekanayake, I.J., Osiru D.S.O. and Porto, M.C.M., 1997. Morphology of cassava. International Institute of Tropical Agriculture Research Guide. http://www.iita.org/info/trn_mat/irg61/irg61.html. Diakses tanggal 5 Desember 2016.

Ferrero, M.T. and Villegas, L., 1993. Effect of rainfall on HCN content in cassava roots. <http://www.agris.fao.org>. Diakses tanggal 5 Desember 2016.

Garvey, M., Moriceau B. and Passow, U., 2007. Applicability of the FDA assay to determine the viability of marine phytoplankton under different environmental conditions. Marine Ecology Progress Series, 352, pp.17-26.

Giovannetti, M. and Mosse, B., 1980. An evaluation of techniques for measuring vesicular-arbuscular mycorrhizal infection in roots. New Phytologist, 84, pp.489-500.

Alarcón-Gutiérrez, E., Floch, C., Ruaudel, F. and Criquet, S., 2008. Non-enzymatic hydrolysis of fluorescein diacetate (FDA) in a Mediterranean oak (*Quercus ilex* L.) litter. European Journal of Soil Science, 59, pp.139-146.

Gonzalez-Chavez, C., D'haen, J., Vangronsveld, J. and Dodd, J.C., 2002. Copper sorption and accumulation by extraradical mycelium of different *Glomus* spp. (arbuscular mycorrhizal fungi) isolated from the same polluted soil. Plant and Soil, 240, pp.287-297.

Howeler, R.H., 1990. Phosphorus requirements and management of tropical root and tuber crops. Proceedings Symposium on Phosphorus Requirements for Sustainable Agriculture in Asia and Oceania, pp.427-444.

Howeler, R.H., 2001. Cassava agronomy research in Asia: Has it benefited cassava farmers. Proceeding of 6th Regional Workshop Cassava's Potential in Asia in the 21st Centura: Present Situation and Future Research and Development Needs, Ho Chi Minh, Vietnam. February, pp.345-382.

Howeler, R.H., Sieverding, E. and Saif, S., 1987. Practical aspects of mycorrhizal technology in some tropical crops and pastures. Springer Netherlands, Wageningen, pp.249-283.

Kim, K., Yim, W., P. Trivedi, M. Madhaiyan, H.P.D. Boruah, M.R. Islam, Lee, G. and Sa, T., 2010. Synergistic effects of inoculating arbuscular mycorrhizal fungi and *Methylobacterium oryzae* strains on growth and nutrient uptake of red pepper (*Capsicum annuum* L.). Plant and Soil, 327, pp.429-440.



- Kitts, C.L., 2001. Terminal restriction fragment patterns: a tool for comparing microbial communities and assessing community dynamics. Current Issues in Intestinal Microbiology, 2, pp.17-25.
- Koch, A.M., Croll, D. and Sanders, I.R., 2006. Genetic variability in a population of arbuscular mycorrhizal fungi causes variation in plant growth. Ecology Letter, 9, pp.103-110.
- Kompiang, I.P., Haryati, T. dan Darma, J., 1994. Nilai gizi dari singkong yang diperkaya protein: Cassapro. Ilmu dan Peternakan, 7, pp.22-25.
- Kormanik, P.P. and McGraw, A.C., 1982. Quantification of vesicular-arbuscular mycorrhizas in plant roots. The American Phytopathological Society, Minnesota.
- Lee, J., Lee, S. and Young, J.P.W., 2008. Improved PCR primers for the detection and identification od arbuscular mycorrhizal fungi. FEMS Microbiology Ecology, 65, pp.339-349.
- Lehmann, A., Barto, E.K. Powell, J.R. and Rillig, M.C., 2012. Mycorrhizal responsiveness trends in annual crop plants and their wild relatives – a meta-analysis on studies from 1981 to 2010. Plant and Soil, 355, pp.231-250.
- Li, H., Ye, Z.H., Chan, W.F., Chen, X.W., Wu, F.Y., Wu, S.C. and Wong, M.H., 2011. Can arbuscular mycorrhizal fungi improve grain yield, As uptake and tolerance of rice grown under aerobic conditions?. Environmental pollution, 159, pp.2537-2545.
- Lidiasari, E., Merynda, I.S. and Friska, S., 2006. The influence of drying temperature difference on physical and chemical qualities of partially fermented cassava flour. Jurnal Ilmu Pertanian Indonesia, 8, pp.141-146.
- Lingua, G., D'Agostino, G., Massa, N., Antosiano, M. and Berta, G., 2002. Mycorrhiza-induced differential response to a yellows disease in tomato. Mycorrhiza, 12, pp.191-198.
- Liu, W.T., Marsh, T.L., Cheng H. and Forney, L.J., 1997. Characterization of microbial diversity by determining terminal restriction fragment length polymorphisms of genes encoding 16S rRNA. Applied and Environmental Microbiology 63, pp.4516-4522.
- Lovelock, C.E., Andersen, K. and Morton, J.B., 2003. Arbuscular mycorrhizal communities in tropical forests are affected by host tree species and environment. Oecologia, 135, pp.268-279.
- Lovelock, C.E., Wright, S.F. and Nichols, K.A., 2004. Using glomalin as an indicator for arbuscular mycorrhizal hyphal growth: an example from a tropical rain forest soil. Soil Biology and Biochemistry, 36, pp.1009-1012.
- Lovelock, C.E., Wright, S.F., Clark D.A. and Ruess, R.W., 2004. Soil stocks of glomalin produced by arbuscular mycorrhizal fungi across a tropical rain forest landscape. Journal of Ecology, 92, pp.278-287.



- Marsh, T.L., 1999. Terminal restriction length polymorphism (T-RFLP): an emerging method for characterizing diversity among homologous populations of amplification products. *Current Opinion Microbiology*, 2, pp.323-327.
- Marschner, H., 2011. Marschner's mineral nutrition of higher plants. Academic press, Cambridge.
- Miransari, M., Bahrami, H.A., Rejali F. and Malakouti, M.J., 2009. Effects of arbuscular mycorrhiza, soil sterilization, and soil compaction on wheat (*Triticum aestivum L.*) nutrients uptake. *Soil and Tillage Research*, 104, pp.48-55.
- Montagnac, J.A., Davis, C.R. and Tanumihardjo, S.A., 2009. Nutritional value of cassava for use as a staple food and recent advances for improvement. *Comprehensive Reviews in Food Science and Food Safety*, 8, pp.181-194.
- Onwueme, I.C. and Sinha, T.D., 1991. Field Crop Production in Tropical Africa. CTA, Wageningen.
- Prihastuti, S. dan E. Handayanto. 2010. Keanekaragaman jenis mikoriza vesikula arbuskula dan potensinya dalam pengelolaan kesuburan tanah Ultisol. Prosiding pada Seminar Nasional Biologi, Fakultas Biologi UGM, Yogyakarta. September, pp.24-25.
- Rajapakse, S. and Miller, J.C., 1992. 15 Methods for studying vesicular-arbuscular mycorrhizal root colonization and related root physical properties. *Methods in Microbiology*, 24, pp.301-316.
- Richana, N., Wargiono, J. and Saleh, N., 2002. Recent developments in cassava starch and derived products used in food processing in Indonesia. Proceedings of 7th Regional Workshop on Cassava Research and Development in Asia: Exploring New Opportunities for an Ancient Crop, Bangkok, Thailand. October 2002 pp. 590-598.
- Rillig, M.C., 2004. Arbuscular mycorrhizae, glomalin, and soil aggregation. *Canadian Journal of Soil Science*, 84, pp.355-363.
- Rillig, M.C. and Mumme, D.L., 2006. Mycorrhizas and soil structure. *New Phytologist*, 171, pp.41-53.
- Rosier, C.L., Piotrowski, J.S. Hoye, A.T. and Rillig, M.C., 2008. Intraradical protein and glomalin as a tool for quantifying arbuscular mycorrhizal root colonization. *Pedobiologia*, 52, pp.41-50.
- Salim, E. 2011., Mengolah Singkong Menjadi Tepung Mocaf Bisnis Produk Alternatif Pengganti Terigu. Lily Publisher, Yogyakarta.
- Sat, C.D. and Deturcl, P., 1998. Cassava soils and nutrient management in south vietnam1. Proceedings of 5th Regional Workshop on Cassava Breeding, Agronomy and Farmer Participatory Research in Asia. Danzhou, Hainan, China, 3-8 November, p.257.



- Schindler, F.V., Mercer, E.J. and Rice, J.A., 2007. Chemical characteristics of glomalin-related soil protein (GRSP) extracted from soils of varying organic matter content. *Soil Biology and Biochemistry*, 39, pp.320-329.
- Schnurer, J. and Rosswall, T., 1982. Fluorescein diacetate hydrolysis as a measure of total microbial activity in soil and litter. *Applied and Environmental Microbiology*, 43, pp.1256-1261.
- Schumacher, T.E., Eynard, A. and Chintala, R., 2015. Rapid cost-effective analysis of microbial activity in soils using modified fluorescein diacetate method. *Environmental Science and Pollution Research*, 22, pp.4759-4762.
- Sieverding, E. and Howeler, R.H., 1985. Influence of species of VA mycorrhizal fungi on cassava yield response to phosphorus fertilization. *Plant and Soil*, 88, pp.213-221.
- Singh, P.K., Singh, M. and Tripathi, B.N., 2013. Glomalin: an arbuscular mycorrhizal fungal soil protein. *Protoplasma*, 250, pp.663-669.
- Smith, S.E. and Read, D.J., 2008. *Mycorrhizal Symbiosis*. Academic press, Cambridge.
- Syamsiyah, J., B.H. Sunarminto, E. Hanudin dan J. Widada., 2014. Pengaruh Inokulasi Jamur Mikoriza Arbuskula terhadap Glomalin, Pertumbuhan dan Hasil Padi. *Sains Tanah – Journal of Soil Science and Agroclimatology*, 11, pp.39-46.
- Tchabi, A., 2008. Arbuscular mycorrhizal fungi in the Sub-Saharan Savannas of Benin and their association with yam (*Dioscorea* spp.): potential of yam growth promotion and reduction of nematode infestation. University of Basel. Doctoral dissertation.
- Tjitrosoepomo, G., 1994. *Morfologi Tumbuhan*. Gadjah Mada University Press, Yogyakarta.
- Treseder, K.K. and Allen, M.F., 2000. Mycorrhizal fungi have a potential role in soil carbon storage under elevated CO₂ and nitrogen deposition. *New Phytologist*, 147, pp.189-200.
- Ugolini, F.C. and Dahlgren, R.A., 2002. Soil development in volcanic ash. *Global Environmental Research*-English Eds., 6, pp.69-82.
- Veresoglou, S.D., Shaw, L.J. and Sen, R., 2011. *Glomus intraradices* and *Gigaspora margarita* arbuscular mycorrhizal associations differentially affect nitrogen and potassium nutrition of *Plantago lanceolata* in a low fertility dune soil. *Plant and Soil*, 340, pp.481-490.
- Voko, D.R.R.B., Jacob, N., Sery, J.M.D., Fotso, B., Amoa, J.A., Kouadio, M.S.A., Coulibaly, S., Niamke, S. and Adolphe, Z.E.Z.E., 2013. Abundance and diversity of Arbuscular mycorrhizal fungal (AMF) communities associated with cassava (*Manihot esculenta* Crantz) rhizosphere in Abengourou, East Côte d'Ivoire. *Journal of Ecology and the Natural Environment*, 5, pp.360-370.
- Wamberg, C., Christensen, S., Jakobsen, I., Müller, A.K. and Sørensen, S.J., 2003. The mycorrhizal fungus (*Glomus intraradices*) affects microbial activity in the



rhizosphere of pea plants (*Pisum sativum*). Soil Biology and Biochemistry, 35, pp.1349-1357.

Wright, S.F. and Nichols, K., 2002. Glomalin: hiding place for a third of the world's stored soil carbon. Agricultural Research, 50, p.4.

Wright, S.F. and Upadhyaya, A., 1996. Extraction of an abundant and unusual protein from soil and comparison with hyphal protein of arbuscular mycorrhizal fungi. Soil Science, 161, pp.575-586.

Wright, S.F. and Upadhyaya, A., 1998. A survey of soils for aggregate stability and glomalin, a glycoprotein produced by hyphae of arbuscular mycorrhizal fungi. Plant and Soil, 198, pp.97-107.

Zangaro, W., Nisizaki, S.M., Domingos, J.C. and Nakano, E.M., 2002. Arbuscular mycorrhizal in native woody species of Tibagi River Basin, Paraná. Cerne, 8, pp.077-087.