

CHAPTER VI

REFERENCIES

- Belayev, L., Liu, Y., Zhao, W., Busto, R. and Ginsberg, M. (2001). Human Albumin Therapy of Acute Ischemic Stroke : Marked Neuroprotective Efficacy at Moderate Doses and With a Broad Therapeutic Window. *Stroke*, 32(2), pp.553-560.
- Mukherjee, D. and Patil, C. (2011). Epidemiology and the Global Burden of Stroke. *World Neurosurgery*, 76(6), pp.S85-S90.
- Jongbloed, L. (1986). Prediction of function after stroke: a critical review. *Stroke*, 17(4), pp.765-776.
- Abubakar, S., Sabir, A., Ndakotsu, M., Imam, M. and Tasiu, M. (2013). Low admission serum albumin as prognostic determinant of 30-day case fatality and adverse functional outcome following acute ischemic stroke. *Pan African Medical Journal*, 2.
- Emedicine.medscape.com. (2016). *Hemorrhagic Stroke: Practice Essentials, Background, Anatomy*. [online] Available at: <http://emedicine.medscape.com/article/1916662-overview> [Accessed 2 Apr. 2016].
- Emedicine.medscape.com. (2016). *Hypoalbuminemia: Background, Pathophysiology, Epidemiology*. [online] Available at: <http://emedicine.medscape.com/article/166724-overview> [Accessed 2 Apr. 2016].



UNIVERSITAS
GADJAH MADA

**CORRELATION BETWEEN HYPOALBUMINEMIA AND LEVEL OF CONSCIOUSNESS IN
HEMORRHAGIC STROKE PATIENTS**

MA, WAN HUI, Dr.dr.Ismail.Setyopranoto,Sp.S(K)

Universitas Gadjah Mada, 2017 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Brainline.org. (2016). *What Is the Glasgow Coma Scale?*. [online]

Available at:

<http://www.brainline.org/content/2010/10/what-is-the-glasgow-coma-scale.html> [Accessed 3 Apr. 2016].

Tindall, S. (1990). *Level of Consciousness. Butterworths.*

[online] Available at:

<http://www.ncbi.nlm.nih.gov/books/NBK380/> [Accessed 2 Apr. 2016].

Abubakar, S., Sabir, A., Ndakotsu, M., Imam, M. and Tasiu, M.

(2013). Low admission serum albumin as prognostic determinant of 30-day case fatality and adverse functional outcome following acute ischemic stroke. *Pan African Medical Journal*, 2.

Dziedzic, T., Pera, J., Slowik, A., Gryz-Kurek, E. and Szczudlik,

A. (2007). Hypoalbuminemia in acute ischemic stroke patients: frequency and correlates. *Eur J Clin Nutr*, 61(11), pp.1318-1322.

Nicholson, J. (2000). The role of albumin in critical

illness. *British Journal of Anaesthesia*, 85(4), pp.599-610.

Abubakar, S., Sabir, A., Ndakotsu, M., Imam, M. and Tasiu, M.

(2009). Low admission serum albumin as prognostic determinant of 30-day case fatality and adverse functional outcome following acute ischemic stroke. *Pan Afr Med J*, 2.



Nayak, A., Kashyap, R., Kabra, D., Purohit, H., Taori, G. and

Daginawala, H. (2011). Prognostic significance of ischemia-modified albumin in acute ischemic stroke patients: A preliminary study. *ANS*, 18(1).

Ginsberg, M., Palesch, Y., Hill, M., Martin, R., Moy, C., Barsan, W., Waldman, B., Tamariz, D. and Ryckborst, K. (2013). High-dose albumin treatment for acute ischaemic stroke (ALIAS) part 2: a randomised, double-blind, phase 3, placebo-controlled trial. *The Lancet Neurology*, 12(11), pp.1049-1058.

Dziedzic, T., Slowik, A. and Szczudlik, A. (2004). Serum Albumin Level as a Predictor of Ischemic Stroke Outcome. *Stroke*, 35(6), pp.e156-e158.

Dziedzic, T., Pera, J., Slowik, A., Gryz-Kurek, E. and Szczudlik, A. (2007). Hypoalbuminemia in acute ischemic stroke patients: frequency and correlates. *Eur J Clin Nutr*, 61(11), pp.1318-1322.

Kara, H., Degirmenci, S., Bayir, A., Ak, A., Akinci, M., Dogru, A., Akyurek, F. and Kayis, S. (2015). Red cell distribution width and neurological scoring systems in acute stroke patients. *NDT*, p.733.

Gariballa, S., Parker, S., Taub, N. and Castleden, M. (1998). Nutritional status of hospitalized acute stroke patients. *BJN*, 79(06), p.481.



UNIVERSITAS
GADJAH MADA

**CORRELATION BETWEEN HYPOALBUMINEMIA AND LEVEL OF CONSCIOUSNESS IN
HEMORRHAGIC STROKE PATIENTS**

MA, WAN HUI, Dr.dr.Ismail.Setyopranoto,Sp.S(K)

Universitas Gadjah Mada, 2017 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Dziedzic, T., Pera, J., Slowik, A., Gryz-Kurek, E. and Szczudlik,

A. (2007). Hypoalbuminemia in acute ischemic stroke patients: frequency and correlates. *European Journal of Clinical Nutrition*, 61(11), pp.1318-1322.

WEIR, C. (2003). The prognostic value of the components of the Glasgow Coma Scale following acute stroke. *QJM*, 96(1), pp.67-74.

SU, C., CHEN, H., KWAN, A., LIN, Y. and GUO, N. (2007). Neuropsychological impairment after hemorrhagic stroke in basal ganglia. *Archives of Clinical Neuropsychology*, 22(4), pp.465-474.

Das, S., Ghosh, K., Malhotra, M., Yadav, U., Kundu, S. and Gangopadhyay, P. (2012). Short term mortality predictors in acute stroke. *ANS*, 19(2).

Ikram, M. Arfan, Renske G. Wieberdink, and Peter J. Koudstaal. "International Epidemiology Of Intracerebral Hemorrhage". *Current Atherosclerosis Reports* 14.4 (2012): 300-306.

Andersen, K. K. et al. "Hemorrhagic And Ischemic Strokes Compared: Stroke Severity, Mortality, And Risk Factors". *Stroke* 40.6 (2009): 2068-2072.

Palomeras Soler, Ernest and Virgina Casado Ruiz. "Epidemiology And Risk Factors Of Cerebral Ischemia And Ischemic Heart Diseases: Similarities And Differences". *Current Cardiology Reviews* 6.3 (2010): 138-149.



UNIVERSITAS
GADJAH MADA

**CORRELATION BETWEEN HYPOALBUMINEMIA AND LEVEL OF CONSCIOUSNESS IN
HEMORRHAGIC STROKE PATIENTS**

MA, WAN HUI, Dr.dr.Ismail.Setyopranoto,Sp.S(K)

Universitas Gadjah Mada, 2017 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Abubakar, Sani et al. "Low Admission Serum Albumin As Prognostic Determinant Of 30-Day Case Fatality And Adverse Functional Outcome Following Acute Ischemic Stroke". *Pan African Medical Journal* 2 (2013): n. pag.

"Traumatic Brain Injury Resource Guide - Glasgow Coma Scale". *Neuroskills.com*. N.p., 2016.

Naidech, Andrew M. "Intracranial Hemorrhage". *American Journal of Respiratory and Critical Care Medicine* 184.9 (2011): 998-1006.

Bielewicz, Joanna et al. "Worse Neurological State During Acute Ischemic Stroke Is Associated With A Decrease In Serum Albumin Levels". *Journal of Molecular Neuroscience* 58.4 (2016): 493-496.

Di Carlo, A. et al. "Stroke In The Very Old : Clinical Presentation And Determinants Of 3-Month Functional Outcome: A European Perspective". *Stroke* 30.11 (1999): 2313-2319.