

## DAFTAR PUSTAKA

- Anonim, 2012. *Technical Evaluation Report Pheromones Crops*.  
<https://www.ams.usda.gov/sites/.../Pheromones%20TR.pdf>. Diakses 23  
Jnuari pukul 11.00 WIB.
- Anonim. 2016. *Melon Hikapel Besar*. Plaza Agro Gadjah Mada.  
<http://www.plazaagrougm.com/produk-189-melon-hikapel-besar.html>.  
Diakses 11 Januari 2017 pukul 08:20 WIB.
- Aristya, G.R. 2009. *Pewarisan Dan Pemetaan Penanda Sequence Characterized Amplified Region (SCAR) Terpaut Gen Penyandi Ketahanan Powdery Mildew [*Podosphaera xanthii* (Castag.) Braun et Shiskoff] Pada Tanaman Melon (*Cucumis melo* L.)*. Tesis. Fakultas Biologi Universitas Gadjah Mada. Yogyakarta. hal : 2.
- Batovska, D.I., I.T. Todorova, G.J. Djakova, I.I. Ivanova, and S.S. Popov. 2010. GC-MS analysis of the leaf surface components of four Bulgarian grapevines grown under different conditions. *Natural Product Research* 24 (11) 1027-1032. doi:10.1080/14786410902904376
- Bewick, T.A., D.G. Shilling, and R. Querns. 1993. Evaluation of epicuticular wax removal from whole leaves with chloroform. *Weed Technology* 7(3): 706-716.
- Bintang, M. 2010. *BIOKIMIA-Teknik Penelitian*. Erlangga. Yogyakarta. hal : 142, 166-167, 198, 199.
- Bohlmann, J. and C.I. Keeling. 2008. Terpenoid Biomaterials. *The Plant Journal* vol 54 : 656-669
- Campbell, N.A., J.B. Reece, L.A. Urry, M.L. Cain, S.A. Wasserman, P.V. Minorsky, and R.B. Jackson. 2008. *Biology*, 8<sup>th</sup> Edition. Pearson Benjamin Cummings. San Francisco. p : 751.
- Cheah, L.H., B.B.C. Page, and J.K. Cox. 1996. Epidemiology of powdery mildew (*sphaerotheca fuliginea*) of squash. *New Zealand Institute for Crop and Food Research Ltd* : 147-151.
- Choi, G. J., K. S. Jang, Y.H. Choi, J.H. Yu, and J. Kim. 2010. Antifungal activity of lower alkyl fatty acid esters against powdery mildews. *Plant Pathol. J.* 26(4) : 360-366
- Crowder, L.V. 1986. *Genetika Tumbuhan*. Gadjah Mada University press, Yogyakarta. hal 366-367.

- Dahlan, M.S. 2011. *Statistik untuk Kedokteran dan Kesehatan*. Salemba Medika. Jakarta. hal : 61-97.
- Daryono, B.S. dan G.R. Aristya. 2010. *Produksi Tanaman Melon Unggul Tahan Virus dan Jamur Tepung Hasil Pemuliaan Tanaman*. LPPKM UGM. Yogyakarta.
- Daryono, B.S. dan Supriyadi. 2012. *Produksi Benih Gama Melon Parfum dalam Rangka Penguatan Industri Benih Nasional*. Laporan Penelitian Program Riset Inkubasi UGM. Yogyakarta.
- Desai, R.J. and V.M. Raole. 2013. Foliar micromorphology of subtribe Ischaemineae, tribe Andropogoneae, Family Poaceae. *Not Sci Biol*. 5(3): 296-302.
- Diaz, A. 2011. A consensus linkage map for molecular markers and quantitative trait loci associated with economically important traits in melon (*Cucumis melo* L.). *BMC Plant Biology* vol 11:111.
- Dubey, N.K. 2015. *Plants as a Source of Natural Antioxidants*. CABI. UK. p: 61.
- Elkot, G.A.E., and A.S.H. Derbalah. 2011. Use of cultural filtrates of certain microbial isolates for powdery mildew control in squash. *Journal of Plant Protection Research* vol. 51(3) : 252-260.
- Freeman, B.C. and G.A. Beattie. 2008. An overview of plant defenses against pathogens and herbivores. *The Plant Health Instructor*. doi: 10.1094/PHI-I-2008-0226-01
- Gammelgaard, M. 2012. Powdery Mildew (Erysiphaceae). Botanical Pesticides. [www.plante-doktor.dk/meldugeng.htm](http://www.plante-doktor.dk/meldugeng.htm). Diakses 15 Desember 2016 pukul 11:21 WIB.
- Garcia, A. P., D. Romero, D.F. Ortuno, F.L. Ruiz, A.D. Vicente, and J. Tores. 2009. The powdery mildew fungus *Podosphaera fusca* (synonym *Podosphaera xanthii*), a constant threat to cucurbits. *Mol Plant Pathology* 10 (2) : 153-160
- Glover, C. J., M. Perez-Rodriguez and C. Martin. 1998. Development of several epidermal cell types can be specified by the same MYB-related plant transcription factor. *Development* 125 : 3497-3508.
- Haupt, M. R. 2007. *An Investigation Into The Use of Biological Control Agents as a Sustainable Alternative to Synthetic Fungicides in Treating Powdery Mildew in Tunnel Cucumbers*. Dissertation. University of South Africa.

- Hasbullah, U.H.A. 2014. Profil Senyawa Volatil Selama Fase Perkembangan dan Senyawa Kunci Aroma Buah Melon (*Cucumis melo* L.) Kultivar Gama Melon Parfum. Tesis. Ilmu dan Teknologi Pangan UGM. Yogyakarta.
- Heffer, V., K.B. Johnson, M.L. Powelson, and N. Shishkoff. 2006. Identification of powdery mildew fungi. *The Plant Health Instructor*. [www.apsnet.org/edcenter/intropp/LabExercises/Pages/PowderyMildew.aspx](http://www.apsnet.org/edcenter/intropp/LabExercises/Pages/PowderyMildew.aspx). Diakses 15 Desember 2016 pukul 11:22 WIB.
- Huang, Z.R., Y.K. Lin and J.Y. Fang. Biological and pharmacologica activities of squalene and related compounds: potential uses in cosmetic dermatology. *Molecules* (14) : 540-554. doi:10.3390/molecules14010540
- Hussain, S.Z. and K. Maqbool. 2015. GC-MS: Principle, technique and its application in food science. *INT J CURR SCI* 13: 116-126.
- IPGRI. 2003. *Minimum Descriptors for Cucurbita* spp., *Cucumber*, *Melon*, and *Watermelon*. European Cooperative Programme for Riset Genetic Resource.p.46. ISBN 92-9043-597-7.
- Jurgens, A., and S. Dotterl. 2004. Chemical composition of anther volatiles in ranunculaceae: genera-specific profiles in *Anemone*, *Aquilegia*, *Caltha*, *Pulsatilla*, *Ranunculus*, and *Trollius* species. *American Journal of Botany* 91(12): 1969–1980.
- Kasiamdari, R.S. 2008. *Pengembangan Penanda Molekuler Pada Melon Untuk Identifikasi Dan Deteksi Gen Ketahanan Terhadap Jamur Tepung Dalam Upaya Menghasilkan Melon Unggul*. PDI-LIPI. [www.elib.pdi.lipi.go.id/katalog/index.php/earchkatalog/byId/282103](http://www.elib.pdi.lipi.go.id/katalog/index.php/earchkatalog/byId/282103).
- Kaufmann, P.B., L.J. Cseke, S. Warber, J.A. Duke, and H.L. Brielmann. 1999. *Natural Product from Plants*. CRC Press. USA. p: 47.
- Kristková, E. and Lebeda, A. 1999b. Searching for *Cucumis sativus* L. genetic resources for field resistance to powdery mildew of cucurbits. *Acta Hort.* 492: 371- 375.
- Kuzuya, M., K. Hosoya, K.Yashiro., K.Tomita and H. Ezura. 2002. Powdery mildew (*Sphaerotheca fuliginea*) resistance in melon is selectable at the haploid level. *Journal of Experimental Botany*, 54(384):1069-1074
- Kuzuya, M., K. Hosoya, K.Yashiro., K.Tomita and H. Ezura. 2006. Powdery mildew (*Podosphaera xanthii*) resistance in melon is categorized into two types based on inhibition of the infection processes. *Journal of Experimental Botany*, 57(9): 2093–2100.

- Lin, W.R., W.L. Qiao, Z.Z. Liu, X.H. Wang, R. Jiung, S.Y. Li, R.B. Shi, dan G.M. She. 2013. *Gaultheria*: phytochemical and pharmacological characteristics. *Molecules* (18): 12071-12108. doi:10.3390/molecules181012071.
- Lindenthal, M., U. Steiner, H.W. Dehne, and E.C. Oerke. 2005. Effect of downy mildew development on transpiration of cucumber leaves visualized by digital infrared thermography. *Phytopathology* Vol. 95 (3): 233-240.
- Maryani, R.L Prabawani, dan B.S. Daryono. 2009. Struktur anatomis epidermis daun lima kultivar melon (*Cucumis melo* L.) berdasarkan resistensinya terhadap jamur tepung (*Sphaerotheca fuliginea* Poll.). *Biota*. Vol 14 (2) : 105-114.
- Martínez-Téllez, M.A., M. Ochoa-Villarreal, E. Aispuro-Hernández, and I Vargas-Arispuro. 2012. *Plant Cell Wall Polymers: Function, Structure and Biological Activity of Their Derivatives*. <http://dx.doi.org/10.5772/46094>
- Maryanto, S.D. 2009. *Kesetabilan Respon Ketahanan Melon (*Cucumis melo* L.) Hasil Pemuliaan Terhadap Infeksi Powdery Mildew (*Podosphaera xanthii* (Costg) Braun et Shishkoff)*. Fakultas Biologi. Universitas Gadjah Mada. Yogyakarta. hal: 3-5, 7-10
- Meena, V.D., M.L. Dotaniya, V. Coumar, S. Rajendiran, Ajay, S. Kundu, A. Subba Rao. 2014. A Case for silicon fertilization to improve crop yields in tropical soils. *Proc. Natl. Acad. Sci., India, Sect. B Biol. Sci* 84(3):505–518. doi 10.1007/s40011-013-0270-y.
- Metcalfé, C.R. and L. Chalk. 1957. *Anatomy of the Dicotyledons*. Vol 1. The Clarendon Press. Oxford. p: 684-691.
- Mulyani, S. 2006. *Anatomi Tumbuhan*. Kanisius. Yogyakarta. hal : 83-177, 245-266.
- Mursyidi, A. 1990. *Analisis Metabolit Sekunder*. PAU Bioteknologi UGM. Yogyakarta. hal : 1-5, 245-296.
- Nattaporn, W. and A Pranee. 2011. Effect of pectinase on volatile and functional bioactive compounds in the flesh and placenta of ‘Sunlady’ cantaloupe. *International Food Research Journal* vol 18: 819-827.
- Nugroho, L.H., Purnomo, dan I. Sumardi. 2010. *Struktur dan Perkembangan Tumbuhan*. Penebar Swadaya. Jakarta.

- Pabis, S. and J. Kula. 2016. Synthesis and bioactivity of (R)-Ricinoleic acid derivatives: A review. *Curr Med Chem* 23 (35): 4037.
- Parle, M. and S. Kulwant. 2011. Musk Melon is Eat-Must Melon. *International Research Journal of Pharmacy*. 2(8), 52-57
- Pérez-García A., D. Romero, D. Fernández-Ortuño, F. López-Ruiz, A., De Vicente and J.A. Torés. 2009. The powdery mildew fungus *Podosphaera fusca* (synonym *Podosphaera xanthii*), a constant threat to cucurbits. *Mol Plant Pathol* 10 (2) : 153-160.
- Poedjiadi, A., dan T. Supriyanti. 1994. *Dasar-dasar Biokimia*. UI-Press. Jakarta. hal : 247, 51-80.
- Pratama, O.A. 2016. Struktur Anatomis dan Senyawa Bioaktif Daun Melon (*Cucumis melo* l. 'Hikapel') Terinfeksi *Downy Mildew*. Skripsi. Fakultas Biologi Universitas Gadjah Mada. Yogyakarta.
- Rahman, M.M., S.H. Ahmad, M.T.M. Mohamed, and M.Z.Ab Rahman. 2014. Antimicrobial compounds from leaf extracts of *Jatropha curcas*, *Psidium guajava*, and *Andrographis paniculata*. *The Scientific World Journal*. <http://dx.doi.org/10.1155/2014/635240>
- Rao, M.R.K., T. Chandrasekar, R.V. Kumar, K. Prabhu, S.N. Kumar and D. Divya. 2015. GC-MS analysis, antimicrobial, antioxidant activity of an Ayurvedic medicine, Nimbapatradi Choornam. *J. Chem. Pharm. Res.* 7(8):124-136.
- Robinson, R.W. and D.S.D. Walters. 1999. *Cucurbits, Crop Production Science in Horticulture*. CAB International. USA.
- Rowan, D.D. 2011. Volatile Metabolites. *Metabolites* (1): 41-63. doi:10.3390/metabo1010041.
- Rozikin, 2012. *Ketahanan Tanaman Melon (Cucumis melo L.) Kultivar Meldi GAMA 3 terhadap Jamur Tepung*. Seminar Fakultas Biologi Universitas Gadjah Mada. Yogyakarta.
- Seanego, C.T., and R.N. Ndip. 2012. Identification and antibacterial evaluation of bioactive compounds from *Garcinia kola* (Heckel) seeds. *Molecules* (17) : 6569-6584. doi:10.3390/molecules17066569
- Semangun, H. 1994. *Penyakit-Penyakit Tanaman Holtikultura Di Indonesia*. Gadjah Mada University Press. Yogyakarta. hal : 459-461.

- Sermakkani, M. and V. Thangapandian. 2011. GC-MS analysis of *Cassia italica* leaf methanol extract. *Asian J Pharm Clin Res* 5 (2): 90-94.
- Setiadi dan Parimin. 2001. *Bertanam melon*. PT. Penebar Swadaya, Jakarta. hal : 10-25, 61-80.
- Silberstein, L. 2003. Linkage map of *Cucumis melo* including phenotypic traits and sequence-characterized genes. *Genom* vol. 46: 761-773.
- Sisler, E.C. 2007. 1-Alkenes: ethylene action compounds or ethylene competitive inhibitors in plants. *Plant Science* 175: 145–148.
- Sobir dan F.D. Siregar. 2010. *Budidaya Melon Unggul*. Penebar Swadaya. Jakarta. hal : 3, 7, 31.
- Subiastuti, A. S. 2015. *Deteksi Gen Ketahanan terhadap Begomovirus dan Analisis kandungan Nutrisi pada Melon (*Cucumis melo* L. cv. Hikapel)*. Skripsi. Fakultas Biologi Universitas Gadjah Mada. Yogyakarta.
- Sukmajaya, I.G.P., N.M. Puspawati, dan A.A. Bawa Putra. 2012. Analisis kandungan minyak atsiri daun tenggulun (*Protium javanicum* Burm.F.) dengan metode kromatografi gas-spektroskopi massa. *Jurnal Kimia* 6 (2) : 155-162.
- Suwardhana, P. 2015. *Uji Adaptasi dan Kestabilan Karakter Fenotip Melon (*Cucumis melo* L.) 'Hikapel' Hasil Pemuliaan*. Skripsi. Fakultas Biologi Universitas Gadjah Mada. Yogyakarta. hal : 21-30.
- Taiz, L. and E. Zeiger. 1998. *Plant Physiology*, 2<sup>nd</sup> Ed. Sinauer Associates, Inc., Publisher. Sunderland, Massachusetts. p : 304-329.
- Tiwari, P., B. Kumar, G. Kaur, and H Kaur.. 2011. Phytochemical screening and extraction. *Internationale Pharmaceutica Scientia* vol 1 (1) : 98-106.
- Trevor, R. 1995. *Kandungan Organik Tumbuhan Tinggi*. Penerbit ITB. Bandung.
- Vijisarl, E. D. and S. Arumugam. 2014. GC-MS analysis of bioactive constituents of *Indigofera suffruticosa* leaves. *Journal of Chemical and Pharmaceutical Research* 6 (8) : 294-300.
- Weihong, G.M. 1996. *Comparison of Staking and Non-Staking on Melon and Muskmelon (*Cucumis melo* L.) Production*. ARC Training.
- Yuste-Lisboba, F.J., C. Capel, E. Sarria, R. Torreblanca, M.L. Gomez-Guillamon, J. Capel, R. Lozano and I. Lopez-Sese. 2010. Genetic linkage map of