

DAFTAR PUSTAKA

- Adriani, L., E. Hernawan, dan U. Hidayat. 2014. Decreasing cholesterol and triglyceride level on blood by adding orange (*Citrus sinensis*) waste on Padjajaran sheep. *Animal Science* LVII: 70-73.
- Agooramorthy, G., M. Chandrasekaran, V. Venkatesalu, and M.J. Hsu. 2007. Antibacterial and antifungal activities of fatty acid methyl esters of the blind-your-eye mangrove from India. *Brazillian Journal of Microbiology* 38: 739-742.
- Akpuaka, A., M.M.E. Kwenchi, D.A. Dashak, and A. Dildar. 2013. Biological activities of characterized isolates of n-hexane extract of *Azadirachta indica* A. Juss (Neem) leaves. *Nature and Science* 11(5)
- Al-Salih, D.A.A.K., F.M. Aziz, B.A.R. Msimesh, and M.T. Jehad. 2013. Antibacterial effects of vitamin E: in vitro study. *Journal of Biotechnology Research Center* 7 (2).
- A.N.S., Thomas. 1989. *Tanaman Obat Tradisional*. Penerbit Kanisius. Yogyakarta. hlm. 71.
- Arini, S., D. Nurmawan, F. Alfiani, dan T. Hertiani. 2003. Daya antioksidan dan kadar flavonoid hasil ekstraksi etanol-air daging buah mahkota dewa (*Phaleria macrocarpa* (Scheff.) Boerl.). *Buletin Penalaran Mahasiswa UGM* 10 (1): 2-6.
- Badan POM RI. 2008. *Direktorat Obat Asli Indonesia*. Badan Pengawas Obat dan Makanan Republik Indonesia. Jakarta. hlm. 27.
- Bewick, T.A., D.G. Shilling, and R. Querns. 1993. Evaluation of epicuticular wax removal from whole leaves with chloroform. *Weed Technology* 7(3): 706-716.
- Bors, W., C. Michel, and K. Stettmaier. 2001. Structure-activity relationship governing antioxidant capacities of plant polyphenols. *Methods Enzymology* (335): 166-180.
- Bougatsos, C., O. Ngassapa, D.K.B Runyoro, and I.B. Chinou. 2004. Chemical composition and in vitro antimicrobial activity of the essential oils of two *Helichrysum* species from Tanzania. *Z. Naturforsch* 59: 368-372.
- Chung, M.S. 2012. Volatile compounds of the *Hallabong* (*Citrus kiyomi* x *Citrus ponkan*) blossom. *Food Science Biotechnology* 21 (1): 285-290.

- Dai, F.J., W.H. Hsu, J.J. Huang, and S.C. Wu. 2013. Effect of pigeon pea (*Cajanus cajan* L.) on high-fat diet-induced hypercholesterolemia in hamsters. *Food Chem Toxicol* 53: 384-391.
- Dalimartha, Dr. Setiawan. 2000. *Atlas Tumbuhan Obat Indonesia*. Jilid II. Trubus Agriwidya. Jakarta. hlm. 85-87.
- Dugo, G. and A. Di Giacomo. 2002. *Citrus: The Genus Citrus*. Taylor & Francis. New York. p. 4-7, 15.
- Dugrand, A. 2013. Coumarin and furanocoumarin quantitation in citrus peel via ultraperformance liquid chromatography coupled with mass spectrometry (UPLC-MS). *Journal of Agriculture and Food Chemistry* 61 (45): 10677-10684.
- Elfahmi, H.J. Woedenbag, and O. Kayser. 2014. Jamu: Indonesian traditional herbal medicine towards rational phytopharmacological use. *Journal of Herbal Medicine* 4(2): 51-73.
- Fidyt, K., A. Fiedorowicz, L. Strzdala, and A. Sunny. 2016. B-caryophyllen oxide - natural compounds of anticancer and analgesic properties. *Cancer Med.* 5 (10): 3007-3017.
- Fischer, Juergen and Uwe Dethlefsen. 2013. Efficacy of cineole in patients suffering from acute bronchitis: a placebo-controlled double-blind trial. *Cough* 9 (25): 1-5.
- Gallo, M.B., B.C. Cavalcanti, F.W. Barros, M. Odorico d Moraes, L.V. Costa-Lotufo, C. Pessoa, J.K. Bastos, and M.T. Pupo. 2010. Chemical constituents of *Papulaspora immersa*, an endophyte from *Smallanthus sonchifolius* (Asteraceae), and their cytotoxic activity. *Chem Biodivers.* 7 (12): 2941-2950.
- Grasmann, J., S. Hippeli, and E. F. Elstner. 2002. Plant's defense and its benefits for animals and medicines: role of phenolics and terpenoids in avoiding oxygen stress. *Plant Physiol. Biochem* (40): 471-478.
- Harapu, C.D., A. Miron, M. Cuciureanu, and R. Cuciureanu. 2010. Flavonoids—bioactive compounds in fruits juice. *Rev Med Chir Soc Med Nat Iasi* 114 (4): 1209-1214.
- Harsini, Widjijono. Penggunaan herbal di bidang kedokteran gigi. 2008. *Majalah Kedokteran Gigi* XV(1): 61-64.
- Heyne, K. 1987. *Tumbuhan Berguna Indonesia*. Yayasan Sarana Wana Jaya. hlm. 1091.

- Hussain, S.Z. and K. Maqbool. 2014. GC-MS: Principle, technique and its application in food science. *International Journal of Current Science* 13 (E): 116-126. ISSN 2250-1770.
- Hwang, S. L., P. H. Shih, and G. C. Yen. 2012. Neuroprotective effects of *Citrus* flavonoids. *Journal of Agricultural and Food Chem.* (60): 877-885.
- Istianto, M., Mulyadi, E. Martono, dan L. Setyobudi. 2001. Pengaruh senyawa limonen terhadap pertumbuhan dan perkembangan *Panonychus citri* Mc. Gregor (Acarina: Tetranychidae) pada kondisi laboratorium. *Agrosains XIV* (1): 45-57.
- Khare, C.P.. 2007. *Indian Medicinal Plants*. Springer Science and Business Media, LCC. New York. p.155, 156.
- Lam, L. K. T., Y. Li, and S. Hasegawa. 1989. Effects of *Citrus* Limonoids on glutathione S-transferase activity in mice. *Journal of Agricultural and Food Chemistry* 37: 878-880.
- Liana, Desy. 2016. Aktivitas Antibakteri Ekstrak Kalus dari Eksplan Biji dan Daun Jeruk Purut (*Cytrus hystrix* D.C.) serta Profil Senyawa Bioaktif. *Skripsi*. Fakultas Biologi. Universitas Gadjah Mada. hlm. 13-16.
- Lin, C. M., C. T. Chen, H. H. Lee, and J. K. Lin. 2002. Prevention of cellular ROS damage by isovitexin and related flavonoids. *Planta Med.* (68): 365-367.
- Lohani, U.C., P. Fallahi, and K. Muthukumarappan. 2015. Comparison of ethyl acetate with hexane for oil extraction from various oilseeds. *J Am. Oli Chem Soc* (92): 743-754.
- Luszczki, J.J., M. Andres-Mach, M. Glensk, and M. Skalicka-Wozniak. 2010. Anticonvulsant effects of four linear furanocoumarins, bergapten, imperatorin, oxypeucedanin, and xanthotoxin, in the mouse maximal electroshock-induced seizure-model: a comparative study. *Pharmacol Rep* 62 (6): 1231-1236.
- Maimulyanti, A., and A.R. Prihadi. 2015. Chemical composition, phytochemical and antioxidant activity from extract of *Etlingera elantior* flower from Indonesia. *Journal of Pharmacognosy and Phytochemistry* 3 (6): 233-238.
- Maulida, D., dan N. Zulkarnaen. 2010. *Ekstraksi Antioksidan (Likopen) dari Buah Tomat dengan menggunakan Solven Campuran n-Heksana, Aseton, dan Etanol*. Skripsi. Jurusan Teknik Kimia Fakultas Teknik Universitas Diponegoro. Semarang. hlm. 7, 8.

- Mevy, J.P., J. Bessiere, M. Dherbomez, and J. Viano. 2002. Composition and some biological activities of essential oils from an African pasture grass: *Elionurus elegans* Kunth.. *Journal of Agricultural and Food Chemistry* 50 (15): 4240-4243.
- Miyake, Y., C. Sakurai, M. Usuda, S. Fukumoto, M. Hiramitsu, K. Sakaida, T. Osawa, and K. Kondo. 2006. Difference in plasma metabolite concentration after ingestion of lemon flavonoids and their aglycones in humans. *Journal of Nutr. Sci. Vitaminol* (52): 54-60.
- Monach, C., C. Morand, A. Gill-Izquierdo, C. Bouteloup-Demange, and C. Remesy. 2003. Bioavailability in humans of the flavones hesperidin and narirutin after the ingestion of two doses of orange juice. *Europe Journal of Clinical Nutrition* (57): 235-242.
- National Center of Biotechnology Information (NCBI)¹. PubChem Compound Database; CID=11051711 (*sabinene*).
<https://pubchem.ncbi.nlm.nih.gov/compound/11051711#section=WIPO-IPC>
<https://pubchem.ncbi.nlm.nih.gov/compound/11051711#section=LIPID-MAPS-Classification> (diakses 26 Desember 2016).
- _____². PubChem Compound Database; CID=27966 (*2-cyclooctyl-2-propanol*).
<https://pubchem.ncbi.nlm.nih.gov/compound/27966#section=WIPO-IPC>
(diakses 26 Desember 2016).
- _____³. PubChem Compound Database; CID=249494 (*3,7-dimethyloctane-1,7-diol*). <https://pubchem.ncbi.nlm.nih.gov/compound/249494#section=WIPO-IPC> <https://pubchem.ncbi.nlm.nih.gov/compound/249494#section=MeSH-Tree> (diakses 26 Desember 2016).
- _____⁴. PubChem Compound Database; CID=7794 (*citronella*).
<https://pubchem.ncbi.nlm.nih.gov/compound/7794#section=WIPO-IPC>
<https://pubchem.ncbi.nlm.nih.gov/compound/7794#section=MeSH-Tree>
(diakses 20 Desember 2016).
- _____⁵. PubChem Compound Database; CID=94147 (*sabinol*).
<https://pubchem.ncbi.nlm.nih.gov/compound/94147#section=WIPO-IPC>
<https://pubchem.ncbi.nlm.nih.gov/compound/94147#section=MeSH-Tree>
(diakses 26 Desember 2016).
- _____⁶. PubChem Compound Database; CID=92042749 (*copaene*).
<https://pubchem.ncbi.nlm.nih.gov/compound/92042749#section=MeSH-Tree>
(diakses 26 Desember 2016).

- _____.⁷. PubChem Compound Database; CID=5373727 (*germacrene-d*).
<https://pubchem.ncbi.nlm.nih.gov/compound/5373727#section=WIPO-IPC>
<https://pubchem.ncbi.nlm.nih.gov/compound/5373727#section=MeSH-Tree>
(diakses 26 Desember 2016).
- _____.⁸. PubChem Compound Database; CID=101708 (*alpha-amorphene*).
<https://pubchem.ncbi.nlm.nih.gov/compound/101708#section=WIPO-IPC>
(diakses 26 Desember 2016).
- _____.⁹. PubChem Compound Database; CID=94334 (*widdrol*).
<https://pubchem.ncbi.nlm.nih.gov/compound/94334#section=WIPO-IPC>
<https://pubchem.ncbi.nlm.nih.gov/compound/94334#section=MeSH-Tree>
(diakses 26 Desember 2016).
- _____.¹⁰. PubChem Compound Database; CID= 1549992 (*alpha-bisabolol*).
<https://pubchem.ncbi.nlm.nih.gov/compound/1549992#section=WIPO-IPC>
<https://pubchem.ncbi.nlm.nih.gov/compound/1549992#section=MeSH-Tree>
(diakses 26 Desember 2016).
- _____.¹¹. PubChem Compound Database; CID=86056 (*caranol*).
<https://pubchem.ncbi.nlm.nih.gov/compound/86056#section=WIPO-IPC>
(diakses 26 Desember 2016).
- _____.¹². PubChem Compound Database; CID=10408 (*hexahydrofarnesyl acetone*).
<https://pubchem.ncbi.nlm.nih.gov/compound/10408#section=WIPO-IPC>
<https://pubchem.ncbi.nlm.nih.gov/compound/10408#section=MeSH-Tree>
(diakses 26 Desember 2016).
- _____.¹³. PubChem Compound Database; CID=10465 (*heptadecanoic acid*).
<https://pubchem.ncbi.nlm.nih.gov/compound/10465#section=WIPO-IPC>
<https://pubchem.ncbi.nlm.nih.gov/compound/10465#section=Ontologies>
(diakses 26 Desember 2016).
- _____.¹⁴. PubChem Compound Database; CID=6365572 (*thiogeraniol*).
<https://pubchem.ncbi.nlm.nih.gov/compound/6365572#section=Ontologies>
(diakses 26 Desember 2016).
- _____.¹⁵. PubChem Compound Database; CID=12366 (*ethyl palmitate*).
<https://pubchem.ncbi.nlm.nih.gov/compound/12366#section=WIPO-IPC>
<https://pubchem.ncbi.nlm.nih.gov/compound/12366#section=MeSH-Tree>
(diakses 26 Desember 2016).
- _____.¹⁶. PubChem Compound Database; CID= 5366244 (*phytol*).
<https://pubchem.ncbi.nlm.nih.gov/compound/5366244#section=WIPO-IPC>

<https://pubchem.ncbi.nlm.nih.gov/compound/5366244#section=MeSH-Tree>
(diakses 20 Desember 2016).

- ____¹⁷. PubChem Compound Database; CID=65575 (*alpha-cedrol*).
<https://pubchem.ncbi.nlm.nih.gov/compound/65575#section=WIPO-IPC>
<https://pubchem.ncbi.nlm.nih.gov/compound/65575#section=MeSH-Tree>
(diakses 26 Desember 2016).
- ____¹⁸. PubChem Compound Database; CID=222284 (*rhamnol*).
<https://pubchem.ncbi.nlm.nih.gov/compound/222284#section=WIPO-IPC>
<https://pubchem.ncbi.nlm.nih.gov/compound/222284#section=MeSH-Tree>
(diakses 26 Desember 2016).
- ____¹⁹. PubChem Compound Database; CID=259846 (*lupeol*).
<https://pubchem.ncbi.nlm.nih.gov/compound/259846#section=WIPO-IPC>
<https://pubchem.ncbi.nlm.nih.gov/compound/259846#section=MeSH-Tree>
(diakses 19 Desember 2016).
- ____²⁰. PubChem Compound Database; CID=68079 (*dimethoxyfuranocoumarin*).
<https://pubchem.ncbi.nlm.nih.gov/compound/68079#section=WIPO-IPC>
<https://pubchem.ncbi.nlm.nih.gov/compound/68079#section=MeSH-Tree>
(diakses 26 Desember 2016).
- ____²¹. PubChem Compound Database; CID=565584 (*longifolenaldehyde*).
<https://pubchem.ncbi.nlm.nih.gov/compound/565584#section=WIPO-IPC>
(diakses 24 Desember 2016).
- ____²². PubChem Compound Database; CID=5281 (*stearic acid*).
<https://pubchem.ncbi.nlm.nih.gov/compound/5281#section=WIPO-IPC>
<https://pubchem.ncbi.nlm.nih.gov/compound/5281#section=MeSH-Tree>
(diakses 26 Desember 2016).
- ____²³. PubChem Compound Database; CID=8835 (*citronellyl butyrate*).
<https://pubchem.ncbi.nlm.nih.gov/compound/8835#section=WIPO-IPC>
(diakses 26 Desember 2016).
- ____²⁴. PubChem Compound Database; CID=23494 (*tetratetracontane*).
<https://pubchem.ncbi.nlm.nih.gov/compound/23494#section=WIPO-IPC>
<https://pubchem.ncbi.nlm.nih.gov/compound/23494#section=MeSH-Tree>
(diakses 26 Desember 2016).
- ____²⁵. PubChem Compound Database; CID=8834 (*citronellyl propanoate*).
<https://pubchem.ncbi.nlm.nih.gov/compound/8834#section=WIPO-IPC>
(diakses 26 Desember 2016).

- ____²⁶. PubChem Compound Database; CID=522266 (*spathulenol*).
<https://pubchem.ncbi.nlm.nih.gov/compound/522266#section=MeSH-Tree>
(diakses 26 Desember 2016).
- ____²⁷. PubChem Compound Database; CID=12533 (*octadecyl aldehyde*).
<https://pubchem.ncbi.nlm.nih.gov/compound/12533#section=WIPO-IPC>
<https://pubchem.ncbi.nlm.nih.gov/compound/12533#section=ChEBI-Ontology> (diakses 26 Desember 2016).
- ____²⁸. PubChem Compound Database; CID=5280450 (*linoleic acid*).
<https://pubchem.ncbi.nlm.nih.gov/compound/5280450#section=WIPO-IPC>
<https://pubchem.ncbi.nlm.nih.gov/compound/5280450#section=MeSH-Tree>
(diakses 28 Desember 2016).
- ____²⁹. PubChem Compound Database; CID=445639 (*oleic acid*).
<https://pubchem.ncbi.nlm.nih.gov/compound/445639#section=WIPO-IPC>
<https://pubchem.ncbi.nlm.nih.gov/compound/445639#section=MeSH-Tree>
(diakses 28 Desember 2016).
- ____³⁰. PubChem Compound Database; CID=11119228 (*nimbiol*).
<https://pubchem.ncbi.nlm.nih.gov/compound/11119228#section=MeSH-Tree>
(diakses 28 Desember 2016).
- ____³¹. PubChem BioAssay Database; AID=1139973,
<https://pubchem.ncbi.nlm.nih.gov/bioassay/1139973> (diakses 5 Januari 2017).
- ____³². PubChem Compound Database; CID=12413 (*pentatriacontane*).
<https://pubchem.ncbi.nlm.nih.gov/compound/Pentatriacontane#section=WIPO-IPC> (diakses 19 Januari 2017).
- ____³³. PubChem Compound Database; CID=12407 (*hexacosane*).
<https://pubchem.ncbi.nlm.nih.gov/compound/12407#section=WIPO-IPC>
<https://pubchem.ncbi.nlm.nih.gov/compound/12407#section=LIPID-MAPS-Classification> (diakses 28 Desember 2016).
- ____³⁴. PubChem Compound Database; CID=550205 (*cyclolaudenol*).
<https://pubchem.ncbi.nlm.nih.gov/compound/550205#section=MeSH-Tree>
(diakses 27 Desember 2016).
- ____³⁵. PubChem Compound Database; CID=2758 (*eucalyptol*).
<https://pubchem.ncbi.nlm.nih.gov/compound/2758#section=LIPID-MAPS-Classification> (diakses 19 Januari 2017).

- _____ ³⁶. PubChem Compound Database; CID=5484202 (*sitostenone*).
<https://pubchem.ncbi.nlm.nih.gov/compound/5484202#section=MeSH-Tree>
(diakses 19 Januari 2017).
- Ooi, K.L., T.S.T. Muhammad, L.Y. Lam, and S.F. Sulaiman. 2014. Cytotoxic and apoptotic effects of ethyl acetate extract of *Elephantopus mollis* Kunth. In human liver carcinoma HepG2 cells through caspase-3 activation. *Integrative Cancer Therapies* 13 (3): NP1-NP9.
- Orwa, C., A. Mutua, R. Kindt, R. Jamnadass, and S. Anthony. 2009. *Argofores tree Database: a tree reference and selection guide* version 4.0 (<http://www.worldagroforestry.org/sites/treedbs/treedatabases.asp> diakses 6 September 2015 pukul 23:27 WIB).
- Padovan, A., A. Keszei, C. Kulheim, and W.J. Foley. 2014. The evolution of foliar terpene diversity in Myrtaceae. *Phytochem Rev* 13: 695-716.
- Peana, A.T., P.S. D'Aquila, F. Panin, G. Serra, P. Pippia, and M.D. Moretti. 2002. Anti-inflammatory activity of linalool and linalyl acetate constituents of essential oils. *Phytomedicine* 9 (8): 721-726.
- Penjor, T., T. Mimura, R. Matsumoto, M. Yamamoto, and Y. Nagano. 2014. Characterization of limes (*Citrus aurantifolia*) grown in Bhutan and Indonesia using high-throughput sequencing. *Scientific Reports* 4, 4853; DOI:10.1038/srep04853.
- Pertino, M., J.A. Rodriguez, C. Thedulos, I. Razmilic, and G. Schmeda-Hirschmann. 2006. Gastroprotective activity and cytotoxic effect of cyprenoic acid derivatives. *J. Pharm. Pharmacol* 58 (11): 1507-1513.
- Pracaya. 2009. *Jeruk Manis: Varietas, Budidaya, dan Pascapanen*. Penebar Swadaya. Jakarta. hlm. 5-10.
- Prakash, A.. 2001. Antioxidant activity. *Medallion Laboratories: Analytical Progress* 19 (2): 1-4.
- Rahmi, U., Y. Manjang, dan A. Santoni. 2013. Profil fitokimia metabolit sekunder dan uji aktivitas antioksidan tanaman jeruk purut (*Citrus hystrix* DC) dan jeruk bali (*Citrus maxima* (Burm.f.) Merr.). *Jurnal Kimia Unand* 2 (2): 109-114.
- Rajeswari, G., M. Murugan, and V.R. Mohan. 2012. GC-MS analysis of bioactive components of *Hugonia mystax* L. *Research Journal of Pharmaceutical* 3: 301-308.

- Raman, B.V., L.A. Samuel, M.P. Saradhi, B.N. Rao, A.N.V. Krishna, M. Sudhakar, and T.M. Radakrishnan. 2012. Antibacterial, antioxidant activity, and GC-MS analysis of *Eupatorium odoratum*. *Asian Journal of Pharmaceutical and Clinic Research* 5 (2): 99-106.
- Rammanee, K., and T. Hongpattarakere. 2011. Effects of tropical Citrus essential oils on growth, aflatoxin production, and ultrastructure alterations of *Aspergillus flavus* and *Aspergillus parasiticus*. *Food Bioprocess Technol* (4): 1050-1059.
- Rice-Evans, C. A., N. J. Miller, and G. Paganga. 1996. Structure-antioxidant activity relationship of flavonoids and phenolics acid. *Free Radical Biol. Med.* (20): 933-956.
- Rouseff, R.L. and S. Nagy. 1994. Health and nutrition benefits of citrus fruit components. *Food Technology* 125-132.
- Rukmana, Rahmat. 1996. *Jeruk Nipis: Prospek Agribisnis, Budidaya, dan Pascapanen*. Penerbit Kanisius. Yogyakarta. hlm. 13-15.
- _____. 1999. *Teknik Memproduksi Bibit Unggul Tanaman Buah-buahan*. Penerbit Kanisius. Yogyakarta. hlm. 26-69.
- Sahidin, E. H. Hakim, Y. M. Syah, L. D. Juliawaty, S. A. Achmad, dan J. Latip. 2006. Tiga oligomer resveratrol dari kulit batang *Hopea gregaria* (Dipterocarpaceae) serta sifat toksik dan sitotoksiknya. *Majalah Farmasi Indonesia* 17 (3): 109-115.
- Saifudin, Azis. 2014. *Senyawa Alam metabolit Sekunder: Teori, Konsep, dan Teknik*. Penerbit Deepublish. Yogyakarta. hlm. 3-15.
- Saito, A.Y., A.A.M. Rodriguez, D.S.M. Vega, R.A. Sussman, E.A. Kimura, and A.M. Katzin. 2016. Antimalarial activity of the terpene nerolidol. *Int J Antimicrob Agents* 48 (6): 641-646.
- Sawamura, Masayoshi. 2010. *Citrus Essential Oils: Flavor and Fragrance*. John Wiley & Sons, Inc.. New Jersey. p. 96-105
- Scalbert, A. and G. Williamson. 2000. Dietary intake and bioavailability of polyphenols. *Journal of Nutrition* (130): 2073-2085.
- Tjitrosoepomo, Gembong. 1994. *Taksonomi Tumbuhan Obat-obatan*. Gadjah Mada University Press. Yogyakarta. hlm. 265-274.

- Togashi, N., A. Shiraishi, M. Nishizaka, K. Matsuoka, K. Endo, H. Hamashima, and Y. Inoue. 2007. Antibacterial activity of long-chain fatty alcohols against *Staphylococcus aureus*. *Molecules* 12: 139-148.
- Tunjung, W.A.S., J. Cinatl Jr., M. Michaelis, and C.M. Smales. 2015. Anti-cancer effect of kaffir lime (*Citrus hystrix* D.C.) leaf extract in cervical cancer and neuroblastoma cell lines. *Procedia Chemistry* 14: 465-468.
- Vijaylakshmi, P. and R. Radha. 2015. An overview: *Citrus maxima*. *The Journal of Phytopharmacology* 4(5): 263-267.
- Yu, J., L. Wang, R.L. Walzen, E. G. Miller, L. M. Pike, and B. S. Patil. 2005. Antioxidant activity of *Citrus* limonoids, flavonoids, and coumarins. *Journal of Agricultural and Food Chemistry* 53 (6): 2009-2014.
- Zarina, Z. and S.Y. Tan. 2013. Determination of flavonoids in *Citrus grandis* (Pomelo) peels and their inhibition activity on lipid peroxidation in fish tissue. *International Food Research Journal* 20 (1): 313-317.
- Zia, S., M. Sagheer, A. Razaq, A. Mahboob, K. Mehmood, and Z. Haider. 2013. Comparative bioefficacy of different citrus peel extracts as grain protectant against *Callosobruchus chinensis*, *Trogoderma granarium*, and *Tribolium castaneum*. *World Applied Sciences Journal* 21 (12): 1760-1769.