

Daftar Pustaka

- Abdullah, S. (2014, February 21). *Debu Vulkanik Bikin Subur Setelah Lima Tahun*. Diambil kembali dari Antara News:
<http://www.antaranews.com/berita/420313/debu-vulkanik-bikin-subur-setelah-lima-tahun>
- Abrams, M. (2000). The Advanced Spaceborne Thermal Emission and Reflection Radiometer (ASTER): data products for the high spatial resolution imager on NASA's Terra platform. *International Journal of Remote Sensing* 21, 847-859.
- Abrams, M., Hook, S., & Ramachandran, B. (2002). *ASTER User Handbook version 2*. Pasadena: Jet Propulsion Laboratory.
- Bamler, R., & Wessling. (1999). The SRTM Mission: A World-Wide 30 m Resolution DEM from SAR Interferometry in 11 Days. *Photogrammetric Week* 99, 145-154.
- Beverage, J., & Culbertson, J. (1964). Hyperconcentrations of Suspended Sediment. *Journals of the Hydraulics Division* vol 90, 117-128.
- Cappello, A., Geshi, N., Neri, M., & Del Negro, C. (2015). Lava flow hazards—An impending threat at Miyakejima volcano, Japan. *Journal of Volcanology and Geothermal Research* Vol. 308, 1-9.
- Carey, S. N. (2005). Understanding the physical behavior of volcanoes. Dalam J. M. Ernest, *Volcanoes and the Environment* (hal. 1). New York: Cambridge University Press.
- Castruccio, A., & Clavero, J. (2015). Lahar simulation at active volcanoes of the Southern Andes: implications for hazard assessment. *Natural Hazards* 77, 693-716.
- Charbonnier, S., & Gertisser, R. (2012). Evaluation of geophysical mass flow models using the 2006 block-and-ash flows of Merapi Volcano, Java, Indonesia: Towards a short-term hazard assessment tool. *Journal of Volcanology and Geothermal Research*, 87-108.
- Congalton, R., & Green, K. (2008). *Assessing the Accuracy of Remotely Sensed Data: Principles and Practices*. Boca Raton, Florida: CRC/Lewis Publishers.
- Constantinescu, R., Thouret, J.-C., & Irimus, I.-A. (2011). Computer Modeling As Tool For Volcanic Hazards Assessment: An Example Of Pyroclastic Flow Modeling At El Misti Volcano, Southern Peru. *Geographia Technica*, No. 2, 1-14.

- Costa, J. (1984). Physical Geomorphology of Debris Flows. Dalam J. Costa, & P. Fleisher, *Developments and Applications of Geomorphology* (hal. 268-317). Berlin: Springer.
- Crippen, R. E. (2010). Global topographical exploration and analysis with the SRTM and ASTER elevation models. Dalam C. Fleming, S. H. Marsh, & J. R. Giles, *Elevation Models for Geoscience* (hal. 5-15). London: Special Publications.
- Daag, A. S. (2003). *Modelling the Erosion of Pyroclastic Flow Deposits and the Occurrences of Lahars at Mt. Pinatubo, Philippines*. Twente: Institute for Geoinformation Science and Earth Observation.
- Dibiyosaputro, S., Dipayana, G. A., Nugraha, H., Pratiwi, K., & Valeda, H. P. (2015). Lahar at Kali Konto after the 2014 Eruption of Kelud Volcano, East Java: Impacts and Risk. *Forum Geografi*, 59-72.
- Euillades, D. L., Grosse, P., & Euillades, P. A. (2013). NETVOLC: An algorithm for automatic delimitation of volcano edifice boundaries using DEMs. *Computers & Geosciences vol. 56*, 151-160.
- Fleming, C., Marsh, S., & Giles, J. (2010). Introduction elevation models for geosciences. Dalam C. Fleming, S. H. Marsh, & J. R. Giles, *Elevation Models for Geoscience* (hal. 1-4). London: Special Publications.
- Forkuor, G., & Maathuls, B. (2012). Comparison of SRTM and ASTER Derived Digital Elevation Models over Two Regions in Ghana - Implications for Hydrological and Environmental Modelling. Dalam T. Piacentini, *Environmental and Applied Geomorphology* (hal. 219-240). Rijeka: InTech.
- Gay, L., & Diehl, P. (1992). *Research Methods for Business and. Management*. New York: MacMillan Publishing Company.
- Gesch, D., Oiemoen, M., Zhang, Z., Danielson, J., & Meyer, D. (2016). Validation of the ASTER Global Digital Elevation Model (GDEM) Version 2 over the Conterminous United States. *The International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences, Vol XLI-B4*.
- Haggett, P. (2001). *Geography A Global Synthesis*. England: Prentice Hall.
- Hubbard, B. E., Sheridan, M. F., Carrasco-Nunez, G., Diaz-Castellon, R., & Rodriguez, S. R. (2007). Comparative lahar hazard mapping at Volcan Citlaltépetl, Mexico using SRTM, ASTER and DTED-1 digital topographic data. *Journal of Volcanology and Geothermal Research*, 99-124.

- Huggel, C., Schneider, D., Miranda, P. J., Granados, H. D., & Kaab, A. (2008). Evaluation of ASTER and SRTM DEM data for lahar modelling : A case study on lahars from Popocatepetl Volcano, Mexico. *Journal of Volcanology and Geothermal Research*, 99-110.
- Iverson, R., Schilling, S., & Vallance, J. (1998). Objective delineation of lahar inundation hazard zones. Dalam *GSA Bulletin* (hal. 972-984).
- Jozsa, E., Fabian, S. A., & Kovacs, M. (2014). An evaluation of EU-DEM in comparison with ASTER GDEM, SRTM and contour-based DEMs over the Eastern Mecsek Mountains. *Hungarian Geographical Bulletin* 63, 401-423.
- Kohavi, R., & Provost, F. (1998). *Glossary of Terms. Editorial for the Special Issue on Applications of Machine Learning and the Knowledge Discovery Process*. Boston: Kluwer Academic Publishers.
- Kompas.com. (2014, Februari 15). "Sepatan" Lembu Sura dan Runtuhnya Majapahit, Mitos dan Sains Gunung Kelud... Diambil kembali dari Kompas Nasional:
<http://nasional.kompas.com/read/2014/02/15/0925421/.Sepatan.Lembu.Sura.dan.Runtuhnya.Majapahit.Mitos.dan.Sains.Gunung.Kelud>
- Kusumadinata, K., Hadian, R., Hamidi, S., & Reksowirogo, L. (1979). *Data Dasar Gununggapi Indonesia*. Bandung: Direktorat Vulkanologi.
- Lahitte, P., Samper, A., & Quidelleur, X. (2012). DEM-based reconstruction of southern Basse-Terre volcanoes (Guadeloupe archipelago, FWI): Contribution to the Lesser Antilles Arc construction rates and magma production. *Geomorphology Vol. 1361 Is. 1*, 148-164.
- Leung, T., & Qin, L. (1999). Microwave Remote Sensing Theory. Dalam -, *Encyclopedia of Electrical & Electronics Engineering* (hal. 214-235). -: -.
- Lillesand, T., Kiefer, R., & Chipman, J. (2008). *Remote Sensing and Image Interpretation 6th Edition*. New York: John Wiley and Sons.
- Lubis, A. M. (2014). Uplift of Kelud Volcano Prior to the November 2007 Eruption as Observed by L-Band Insar. *J. Eng. Technol. Sci.*, 245-257.
- Mc Coy, R. (2005). *Field Methods in Remote Sensing*. New York: The Guilford Press.
- Munoz-Salinas, E., Castillo-Rodriguez, M., Manea, V., Manea, M., & Palacios, D. (2009). Lahar flow simulations using LAHARZ program: Application for the Popocatepetl volcano, Mexico. *Journal of Volcanology and Geothermal Research*, 13-22.

- Oramas-Dorta, D., Cole, P. D., Wadge, G., Alvarado, G. E., & Soto, G. J. (2012). Spatial and temporal controls on pyroclastic flow hazard at Arenal volcano, Costa Rica. *Journal of Volcanology and Geothermal Research*, 45-64.
- Orr, T. R., Bleacher, J. E., Patrick, M. R., & Wooten, K. L. (2015). A sinuous tumulus over an active lava tube at Kīlauea Volcano: Evolution, analogs, and hazard forecasts. *Journal of Volcanology and Geothermal Research Vol. 291*, 35-48.
- Ouerghi, S., ELsheikh, R., Achour, H., & Bouazi, S. (2015). Evaluation and Validation of Recent Freely-Available ASTER-GDEM V.2, SRTM V.4.1 and the DEM Derived from Topographical Map over SW Grombalia (Test Area) in North East of Tunisia. *Journal of Geographic Information System*, 266-279.
- P2MB UPI. (2010). *Mitigasi Bencana*. Diambil kembali dari Pusat Pendidikan Mitigasi Bencana (P2MB) UPI:
http://p2mb.geografi.upi.edu/Mitigasi_Bencana.html
- Patra, A., Bauer, A., Nichita, C., Pitman, E., Sheridan, M., Bursik, M., . . . Renschler, C. (2005). Parallel adaptive numerical simulation of dry avalanches over natural terrain. *Journal of Volcano and Geothermal Research 139*, 1-21.
- Pitman, E., Nichita, C., Patra, A., Bauer, A., Sheridan, M., & Bursik, M. (2003). Computing granular avalanches and landslides. *Physics of Fluids*, 3638-3646.
- Pitman, E., Patra, A., Bauer, A., Sheridan, M., & Bursik, M. (2003). Computing debris flows and landslides. *Phys. Fluids 15 (12)*, 3638-3646.
- Platzer, K., Bartelt, P., & Jaedicke, C. (2007). Basal shear and normal stresses of dry and wet snow avalanches after a slope deviation. *Cold Regions Science and Technology V.49 Issue 1*, 11-25.
- Platzer, K., Bartelt, P., & Kern, M. (2007). Measurements of dense snow avalanche basal shear to normal stress ratios (S/N). *Geophysical Research Letters V.34, I.7*, L07501.
- Pratiwi, M. M. (2013). *Kajian Akurasi Interpretasi Hibrida menggunakan Empat Indeks Vegetasi untuk Pemetaan Kerapatan Kanopi di Kawasan Hutan Kabupaten Gunungkidul (skripsi)*. Yogyakarta: Fakultas Geografi Universitas Gadjah Mada.
- Pusat Vulkanologi dan Mitigasi Bencana Geologi. (2015). *Gunungapi*. Bandung: Badan Geologi.

- Putrohari, R. (2007, Oktober 19). *Mengenal Gunung Kelud*. Diambil kembali dari Dongeng Geologi: <https://rovicky.wordpress.com/2007/10/19/mengenal-gunung-kelud/>
- RAMMS. (2016, April 10). *Background Information*. Diambil kembali dari RAMMS - Rapid Mass Movements: http://ramms.slf.ch/ramms/index.php?option=com_content&view=article&id=57&Itemid=74
- RAMMS. (2016, April 10). *Why RAMMS?* Diambil kembali dari RAMMS - Rapid Mass Movements: http://ramms.slf.ch/ramms/index.php?option=com_content&view=article&id=46&Itemid=53
- Rodolfo, K. (1999). The hazard from lahars and Jokulhaups. Dalam E. Sigurdsson, *Encyclopedia of volcanoes* (hal. 973-995). San Diego: Academic Press.
- Rodriguez, E., Morris, C., & Belz, J. (2006). A global assessment of the SRTM performance. *Photogrammetric Engineering and Remote Sensing* 72, 249-260.
- Scarth, A. (1994). *Volcanoes An Introduction*. London: UCL Press Limited.
- Schilling, S. (1998). *LAHARZ; GIS programs for automated mapping of lahar-inundation hazard zones*. U.S. Geological Survey Open-File Report.
- Schilling, S. P. (2014). *Laharz_py: GIS Tools for Automated Mapping of Lahar Inundation Hazard Zones Open-File Report*. Virginia: U.S. Geological Survey.
- Sekaran, U. (2006). *Metode Penelitian Bisnis*. Jakarta: Salemba Empat.
- Sheridan, M., Stinton, A., Patra, A., Pitman, E., Bauer, A., & Nichita, C. (2005). Evaluating Titan2D mass – flow model using the 1963 Little Tahoma Peak avalanches, Mount Rainier, Washington. *Journal of Volcano and Geothermal Research* 139, 89-102.
- Smets, B., Kervyn, M., d'Oreye, N., & Kervyn, F. (2015). Spatio-temporal dynamics of eruptions in a youthful extensional setting: Insights from Nyamulagira Volcano (D.R. Congo), in the western branch of the East African Rift. *Earth-Science Reviews Vol. 150*, 305-328.
- Smithsonian Institution . (2014, Februari). *Kelut*. Diambil kembali dari Global Volcanism Program: <http://volcano.si.edu/volcano.cfm?vn=263280>
- Sohn, Y., Rhee, C., & Kim, B. (1999). Debris Flow and Hyperconcentrated Flood-Flow Deposits in an Alluvial Fan, Northwestern Part of the

Cretaceous Yongdong Basin, Central Korea. *Journal of Geology*, Vol. 107, 111-132.

Sutanto. (1986). *Penginderaan Jauh Jilid I*. Yogyakarta: Gadjah Mada University Press.

Syiko, S. F., Rachmawati, T. A., & Rachmansyah, A. (2014). Analisis Resiko Bencana Sebelum dan Setelah Letusan Gunung Kelud Tahun 2014 (Studi kasus di Kecamatan Ngantang, Malang). *J-PAL*, 22-29.

Tempo. (2014, February 20). *Letusan Kelud Bobol Kubah Lava*. Diambil kembali dari Tempo.co:
<https://www.tempo.co/read/news/2014/02/20/058555849/letusan-kelud-bobol-kubah-lava>

Thouret, J.-C., Gupta, A., Lube, G., Liew, S. C., Cronin, S. J., & Surono. (2010). The 2006 pyroclastic deposits of Merapi Volcano, Java, Indonesia: High-spatial resolution IKONOS images and complementary ground based observations. *Remote Sensing of Environment*, 1949-1967.

Universite Libre de Bruxells. (2002, February 19). *Kelud Volcano*. Diambil kembali dari IAVCEI Commission of Volcanic Lakes:
www.ulb.ac.be/sciences/cvl/DKIPART2.pdf

USGS. (2010). *Digital Elevation model (DEM) Creation and Analysis*. Diambil kembali dari Education USGS: education.usgs.gov

UU Nomor 24 Tahun 2007 Tentang Penanggulangan Bencana. (t.thn.).

Van Zyl, J., & Kim, Y. (1999). Remote Sensing by Radar. Dalam -, *Encyclopedia of Electrical & Electronics Engineering* (hal. 466-488). -: -.

Wiwoho, L. H. (2014, February 15). *Selimut Abu Gunung Kelud hingga 700 Kilometer*. Diambil kembali dari Kompas.com:
<http://nasional.kompas.com/read/2014/02/15/0802440/Selimut.Abu.Gunung.Kelud.hingga.700.Kilometer>

Xiaojun, Y. (2011). *Urban Remote Sensing: Monitoring, Synthesis and Modelling in the Urban Environment*. New York: John Wiley & Sons, Inc.

Zaennudin, A. (2008). Kubah Lava Sebagai Salah Satu Ciri Hasil Letusan G. Kelud. *Bulletin Vulkanologi dan Bencana Geologi*, Volume 3 Nomor 2, 19-29.

Zaennudin, A., Dana, I., Wahyudin, D., Dalimin, R., & Bacharudin, R. (1986). *Laporan Pemetaan Geologi G. Kelud*. Bandung: Direktorat Vulkanologi.