

## DAFTAR PUSTAKA

- Alkema, L., Kantorova, V., Menozzi, C. & Biddlecom, A. (2013) National, regional, and global rates and trends in contraceptive prevalence and unmet need for family planning between 1990 and 2015: a systematic and comprehensive analysis. *The Lancet*, 381(9878): 1642-1652.
- Ariawan, I. (2006) Indeks Sosio-ekonomi Menggunakan Principal Component Analysis. *Kesmas, Jurnal Kesehatan Masyarakat Nasional*, Vol.1(No.2): 83-87.
- Asih, L. & Oesman, H. (2009) *Faktor Yang Mempengaruhi Pemakaian Kontrasepsi Jangka Panjang (MKJP)*, Jakarta:BKKBN.
- Balitbangkes (2012) *Laporan Akhir Riset Fasilitas Kesehatan 2011 Puskesmas*, Jakarta:Kementerian Kesehatan RI.
- Balitbangkes (2013) *Riset Kesehatan Dasar (RISKESDAS) 2013*, Jakarta:Kementerian Kesehatan RI.
- Berdzuli, N., Rossi, E. & Zlidar, V. (2009) Improving Family Planning Pre-Service Education: Experience from the Eastern Europe and Eurasia Region. Europe and Eurasia Regional Family Planning Activity for the U.S. Agency for International Development.
- Bertrand, J. T., Magnani, R. J. & Rutenberg, N. (1994) *Handbook Of Indicators For Family Planning*:USAID Contract Number: DPE-3060-C-00-1054-00.
- BKKBN (2011) *Kamus Istilah Kependudukan Dan Keluarga Berencana*, Jakarta:BKKBN.
- BKKBN (2015) Rencana Strategis Badan Kependudukan Dan Keluarga Berencana Nasional 2015-2019. Jakarta, Indonesia: BKKBN.
- Blumenthal, P. D., Voedisch, A. & Gemzell-Danielsson, K. (2011) Strategies to prevent unintended pregnancy: increasing use of long-acting reversible contraception. *Human Reproduction Update*, 17(1): 121-137.
- Bongaarts, J., Cleland, J., Townsend, J. W., Bertrand, J. T. & Gupta, M. D. (2012) *Family planning programs for the 21st century : Rationale and design*, New York:The Population Council.
- BPS, BKKBN, Kemenkes & ICF (2013) *Survei Demografi Kesehatan Indonesia 2012*, Jakarta:Badan Pusat Statistik.
- Broecker, J., Jurich, J. & Fuchs, R. (2016) The Relationship between Long Acting Reversible Contraception and Insurance Coverage: A Retrospective Analysis. *Contraception*, 93(3): 266-72.
- Bruce, J. (1990) Fundamental Elements of the Quality of Care: A Simple Framework. *Studies in Family Planning*, 21(2): 61-91.
- Eeckhaut, M. C. W., Sweeney, M. M. & Gipson, J. D. (2014) Who is using long-acting reversible contraceptive methods? Findings from nine low-fertility countries. *Perspectives on sexual and reproductive health*, 46(3): 149-155.
- Garrett, C. C., Keogh, L. A., Kavanagh, A., Tomnay, J. & Hocking, J. S. (2015) Understanding the low uptake of long-acting reversible contraception by

- young women in Australia: A qualitative study. *BMC Women's Health*, 15(1).
- Gavin, L., Moskosky, S., Carter, M., Curtis, K., Glass, E., Godfrey, E., Marcell, A., Mautone-Smith, N., Pazol, K., Tepper, N. & Zapata, L. (2014) Providing quality family planning services: Recommendations of CDC and the U.S. Office of Population Affairs. *Morbidity and Mortality Weekly Report*, 63(Rr-04): 1-54.
- Griffiths, P. & Stephenson, R. (2001) Understanding users' perspectives of barriers to maternal health care use in Maharashtra, India. *Journal Biosocial Science*, 33(3): 339-59.
- Gudaynhe, S. W., Zegeye, D. T., Asmamaw, T. & Kibret, G. D. (2014) Factors Affecting the use of Long-Acting Reversible Contraceptive Methods among Married Women in Debre Markos Town, Northwest Ethiopia 2013. *Global Journal of Medical Research (E)*, 14(5).
- Harper, C. C., Rocca, C. H., Thompson, K. M., Morfesis, J., Goodman, S., Darney, P. D., Westhoff, C. L. & Speidel, J. J. (2015) Reductions in pregnancy rates in the USA with long-acting reversible contraception: a cluster randomised trial. *The Lancet*, 386(9993): 562-568.
- Harper, C. C., Stratton, L., Raine, T. R., Thompson, K., Henderson, J. T., Blum, M., Postlethwaite, D. & Speidel, J. J. (2013) Counseling and provision of long-acting reversible contraception in the US: National survey of nurse practitioners. *Preventive Medicine*, 57(6): 883-888.
- Harvey, C., McNamee, K. & Stewart, M. (2013) A practical guide to contraception. Part 2: Long-acting reversible methods. *MedicineToday*, 14(8): 39-51.
- Hubacher, D., Mavranetzouli, I. & McGinn, E. (2008) Unintended pregnancy in sub-Saharan Africa: magnitude of the problem and potential role of contraceptive implants to alleviate it. *Contraception*, 78(1): 73-78.
- Jaccard, J. (2009) *Unlocking the contraceptive conundrum*, Washington, D.C.:The National Campaign to Prevent Teen and Unplanned Pregnancy.
- Kemenkes (2013a) *Buku Pegangan Sosialisasi Jaminan Kesehatan Nasional (JKN) dalam Sistem Jaminan Sosial Nasional*, Jakarta:Kementerian Kesehatan RI.
- Kemenkes (2013b) *Rencana aksi nasional pelayanan keluarga berencana tahun 2014-2015*, Jakarta:Kementerian Kesehatan RI.
- Kemenkes & BKKBN (2012) *Pedoman Pelayanan Keluarga Berencana Pasca Persalinan di Fasilitas Kesehatan*, Jakarta:Kemenkes RI dan BKKBN.
- Lipetz, C., Phillips, C. J. & Fleming, C. F. (2009) The cost-effectiveness of a long-acting reversible contraceptive (Implanon®) relative to oral contraception in a community setting. *Contraception*, 79(4): 304-309.
- Lunde, B., Smith, P., Grewal, M., Kumaraswami, T., Cowett, A. & Harwood, B. (2014) Long Acting Contraception Provision by Rural Primary Care Physicians. *Journal of Women's Health*, 23(6): 519-524.

- Menteri Kesehatan RI (2014) PERATURAN MENTERI KESEHATAN REPUBLIK INDONESIA NOMOR 28 Tahun 2014 TENTANG PEDOMAN PELAKSANAAN PROGRAM JAMINAN KESEHATAN NASIONAL. Jakarta: Kementerian Kesehatan RI.
- Menteri Kesehatan RI (2015) PERATURAN MENTERI KESEHATAN REPUBLIK INDONESIA NOMOR 99 TAHUN 2015 TENTANG PERUBAHAN ATAS PERATURAN MENTERI KESEHATAN NOMOR 71 TAHUN 2013 TENTANG PELAYANAN KESEHATAN PADA JAMINAN KESEHATAN NASIONAL. Jakarta: Kementerian Kesehatan RI.
- Merlo, J., Chaix, B., Yang, M., Lynch, J. & Ra°stam, L. (2005) A brief conceptual tutorial of multilevel analysis in social epidemiology: linking the statistical concept of clustering to the idea of contextual phenomenon. *J Epidemiol Community Health*, 59:443-449.
- Najib (2011) Pengetahuan Klien dan Kualitas Pelayanan sebagai Dasar Pemilihan Alat Kontrasepsi Hormonal. *Kesmas, Jurnal Kesehatan Masyarakat Nasional*, Vol.6(No.3): 111-116.
- Nasution, S. L. (2011) *Faktor - Faktor Yang Mempengaruhi Penggunaan MKJP Di Enam Wilayah Indonesia*, Jakarta, Indonesia:BKKBN.
- Oesman, H. (2014) Sudahkah Provider Terlatih CTU IUD dan Implan Melakukan Pelayanan? Jakarta: Badan Kependudukan dan Keluarga Berencana Nasional.
- Performance Monitoring and Accountability 2020 (PMA2020) Project (2015) Brief Indicator Report: Indonesia 2015. Bill & Melinda Gates Institute for Population and Reproductive Health, Johns Hopkins Bloomberg School of Public Health: Baltimore, MD: PMA2020.
- Pusat Kebijakan dan Manajemen Kesehatan FK UGM (2014) *Kajian Program Keluarga Berencana di Era Jaminan Kesehatan Nasional 2014*, Yogyakarta:Pusat Kebijakan dan Manajemen Kesehatan, FK UGM.
- Qazi, H. A., Hashmi, A., Raza, S. A. & Ghauri, A. (2010) Contraceptive Methods and Factors Associated with Modern Contraceptives In Use. *Journal of Family and Reproductive Health*, 4(1): 41-46.
- Samandari, G., Speizer, I. S. & O'Connell, K. (2010) The role of social support and parity in contraceptive use in Cambodia. *International Perspectives on Sexual and Reproductive Health*, 36(3): 122-31.
- Secura, G. M., Allsworth, J. E., Madden, T., Mullersman, J. L. & Peipert, J. F. (2010) The Contraceptive CHOICE Project: Reducing Barriers to Long-Acting Reversible Contraception. *American journal of obstetrics and gynecology*, 203(2): 115.e1-115.e7.
- Stephenson, R., Baschieri, A., Clements, S., Hennink, M. & Madise, N. (2007) Contextual Influences on Modern Contraceptive Use in Sub-Saharan Africa. *American Journal of Public Health*, 97(7): 1233-1240.

- Tafese, F., Woldie, M. & Megerssa, B. (2013) Quality of Family Planning Services in Primary Health Centers of Jimma Zone, Southwest Ethiopia. *Ethiopian Journal of Health Sciences*, 23(3): 245-254.
- Wang, W., Alva, S., Winter, R. & Burgert, C. (2013) *Contextual Influences of Modern Contraceptive Use among Rural Women in Rwanda and Nepal. DHS Analytical Studies No. 41*, Calverton, Maryland, USA:ICF International.
- Weisberg, E. (2014) Promoting the Use of Long-Acting Reversible Contraceptives. *Austin Journal of Obstetrics and Gynecology*, 1(6): 6.
- Wellings, K., Zhihong, Z., Krentel, A., Barrett, G. & Glasier, A. (2007) Attitudes towards long-acting reversible methods of contraception in general practice in the UK. *Contraception*, 76(3): 208-214.
- Welsh, M. J., Stanback, J. & Shelton, J. (2006) Access to modern contraception. *Best Practice & Research Clinical Obstetrics & Gynaecology*, 20(3): 323-338.
- Wenjuan, W., Wang, S., Pullum, T. & Ametepi, P. (2012) *How Family Planning Supply and the Service Environment Affect Contraceptive Use: Findings from Four East African Countries*, Calverton, Maryland, USA:ICF International.
- WHO (2010) *Monitoring the Building Blocks of Health Systems: A Handbook of Indicators and Their Measurement Strategies*, Geneva:World Health Organization.
- WHO/RHR & CCP (2011) *Family Planning: A Global Handbook for Providers (2011 update)*, Baltimore and Geneva:CCP and WHO.
- Wilopo, S. A. (2010) Dari Pengendalian Pertumbuhan Penduduk Melalui KB ke Kesehatan Reproduksi. In: Tukiran, A. J. P., & P. M. Kutanegara (ed.) *Keluarga Berencana dan Kesehatan Reproduksi* Yogyakarta: PSPK UGM.
- Wilopo, S. A. (2014a) *Analisa Kebijakan Dan Rekomendasi RPJMN III: Bidang Keluarga Berencana*, Yogyakarta:BAPPENAS, UNFPA dan Pusat Kesehatan Reproduksi, Fakultas Kedokteran, UGM.
- Wilopo, S. A. (2014b) Kebijakan Universal Health Coverage untuk Pelayanan KB dan Kesehatan Reproduksi dan Dinamika Kependudukan Indonesia. *Pertemuan Ilmiah Nasional Kependudukan dan Pembangunan Berkelanjutan*. Bandung, Indonesia.
- Wilopo, S. A. (2014c) Keluarga Berencana: Pilihan dan tantangan untuk negara sedang berkembang dan Indonesia. *Contraceptive Technology Update 2014*. Yogyakarta, Indonesia.
- Withers, M., Tavrow, P. & Abe, D. (2012) Who meets their intentions to stop childbearing? Results of a longitudinal study in rural eastern Bali, Indonesia. *Health Care Women Int*, 33(9): 814-32.

Wolde, M. (2015) USE AND FACTORS ASSOCIATED WITH LONG ACTING FAMILY PLANNING METHODS AMONG FAMILY PLANNING CLIENTS IN HEALTH FACILITIES OF HARARI REGION, ETHIOPIA. *Public Health*, Master, Harayama University.