

## Daftar Pustaka

- Arno, A., Gauglitz, G., Barret, J. and Jeschke, M. (2014). Up-to-date approach to manage keloids and hypertrophic scars: A useful guide. *Burns*, 40(7), pp.1255-1266.
- Berman, A. and Koziar, B. (2008). *Koziar&Erb's fundamentals of nursing*. 1st ed. Upper Saddle River, N.J.: Pearson Prentice Hall.
- Boyd, M.R., 1997. The NCI in vitro anticancer drug discovery screen. In *Anticancer Drug Development Guide* (pp. 23-42). Humana Press.
- Brissett, A.E. and Sherris, D.A., 2001. Scar contractures, hypertrophic scars, and keloids. *Facial plastic surgery*, 17(04), pp.263-272.
- Broughton, G., Janis, J. and Attinger, C. (2006). Wound Healing: An Overview. *Plastic and Reconstructive Surgery*, 117(SUPPLEMENT), pp.1e-S-32e-S.
- Brown, J. and Bayat, A. (2009). Genetic susceptibility to raised dermal scarring. *British Journal of Dermatology*, 161(1), pp.8-18.
- Burton J., Lovell C.R. 1998. *Disorder of Connective Tissue*. 6<sup>th</sup> ed., Vol.3 Blackwell Science Ltd.
- Carantino, I., Florescu, I.P. and Carantino, A., 2010. Overview about the keloid scars and the elaboration of a non-invasive, unconventional treatment. *Journal of medicine and life*, 3(2), p.122.

- Carlos, J. 1998. *Histologi dasar*. Penerbit Buku Kedokteran EGC; Jakarta. pp. 92-109.
- Chaudhuri, T. and Dey, P. (2014). Pharmacological aspects of *Nerium indicum* Mill: A comprehensive review. *Pharmacognosy Reviews*, 8(16), p.156.
- Chike-Obi, C. J., Cole, P. D. & Brisset, A. E., 2009. Keloids: Pathogenesis, Clinical Features, and Management. *Seminar in Plastic Surgery*, 23(3), pp. 178-184.
- Dachlan, I. (2015). *Pengembangan 5 $\alpha$ -Oleandrin Isolasi dari Daun Kembang Mentega (*Nerium indicum* Mill.) sebagai Obat Anti Keloid Kajian in vitro pada Sel Fibroblas Keloid* (Doctoral dissertation, Gadjah Mada University).
- Depkes, R.I., 1995. Farmakope Indonesia. *Edisi IV*, 4(5), p.7.
- Djuanda, A. (2007). *Ilmu penyakit kulit dan kelamin*. 5<sup>th</sup> ed. Jakarta: Fakultas Kedokteran Universitas Indonesia.
- Gandjar, I.G. and Rohman, A. 2007. *Kimia Farmasi Analisis*. Yogyakarta: Pustaka Pelajar.
- Gauglitz, G. (2013). Management of keloids and hypertrophic scars: current and emerging options. *Clinical, Cosmetic and Investigational Dermatology*, p.103.

- Gauglitz, G.G., Korting, H.C., Pavicic, T., Ruzicka, T. and Jeschke, M.G., 2011. Hypertrophic scarring and keloids: pathomechanisms and current and emerging treatment strategies. *Mol Med*, 17(1-2), pp.113-125.
- Hahn-Deinstrop, E., 2007. *Applied thin-layer chromatography*. John Wiley & Sons.
- Hay, R. J. and Ashbee, H. R. (2010) Mycology, in *Rook's Textbook of Dermatology*, 8<sup>th</sup> Ed. (eds T. Burns, S. Breathnach, N. Cox and C. Griffiths), Wiley-Blackwell, Oxford, UK.
- Heinrich, M. (2004). *Fundamentals of pharmacognosy and phytotherapy*. 1st ed. Edinburgh: Churchill Livingstone, pp.245-252.
- Hostettmann, K., Hostettmann, M. and Marston, A., 1995. Cara Kromatografi Preparatif. *Penggunaan Pada Isolasi Senyawa Alam*, Penerbit ITB, Bandung.
- Indonesia, D.K.R., 2000. Parameter standar umum ekstrak tumbuhan obat. *Jakarta: Departemen Kesehatan Republik Indonesia*, pp.10-12.
- Irawan, T.A., 2010. *Peningkatan Mutu Minyak Nilam dengan Ekstraksi dan Destilasi pada Berbagai Komposisi Pelarut* (Doctoral dissertation, Diponegoro University).
- Jagadeesan, J. and Bayat, A., 2007. Transforming growth factor beta (TGFβ) and keloid disease. *International Journal of Surgery*, 5(4), pp.278-285.
- Jones, M., Hardy, C. and Ridgway, J. (2016). Keloid Management. *Advances in Skin & Wound Care*, 29(7), pp.303-307.

- Jung, J.Y., Roh, M.R., Kwon, Y.S. and Chung, K.Y., 2009. Surgery and perioperative intralesional corticosteroid injection for treating earlobe keloids: a korean experience. *Annals of dermatology*, 21(3), pp.221-225.
- Kelly, A.P. 1991. *Keloids and Hipertrophic Scars*.1<sup>st</sup> ed. New York: McGraw-Hill Inc.
- Kiran, C. and Prasad, D.N., 2014. A Review on: Nerium oleander Linn.(Kaner). *Int J Pharmacognosy Res*, 6(3), pp.593-597.
- Kurniawati, Y., Adi, S., Achadiyahani, A., Suwarsa, O., Erlangga, D. and Putri, T., 2015. KULTUR PRIMER FIBROBLAS: PENELITIAN PENDAHULUAN. *Medical Journal of Andalas*, 37(5).
- Lowell Goldsmith., Stephen Katz., Barbara Gilchrest., Amy Paller., and David Leffell., (2007). *Fitzpatrick's Dermatology In General Medicine, Seventh Edition*. 1st ed. McGraw-Hill Publishing, pp.553-554.
- Ma, X., Chen, J., Xu, B., Long, X., Qin, H., Zhao, R.C. and Wang, X., 2015. Keloid-derived keratinocytes acquire a fibroblast-like appearance and an enhanced invasive capacity in a hypoxic microenvironment in vitro. *International journal of molecular medicine*, 35(5), pp.1246-1256.
- Mescher, A.L. (2011). *Histologi Dasar Junquierra, Teksdan Atlas*. 12<sup>th</sup> ed. Jakarta: EGC
- Muhammad, F. (2017). *Aktivitas Antifibrotik Ekstrak Klorofom Nerium Indicum Mill. Dalam Menghambat Proliferasi Fibroblas Keloid dengan MTT Assay* (Skripsi, Universitas Gadjah Mada).

Mutalik, S., 2005. Treatment of keloids and hypertrophic scars. *Indian Journal of Dermatology, Venereology, and Leprology*, 71(1), p.3.

Newman RA, Kondo Y, Yokoyama T, Dixon S, Cartwright C, Chan D, et al. Autophagic cell death of human pancreatic tumor cells mediated by oleandrin, a lipid-soluble cardiac glycoside. *Integr Cancer Ther.* 2007;6:354–64.

Rajan, V. and Murray, R. (2017). *Wound Practice & Research: Journal of the Australian Wound Management Association - The Duplicitous Nature of Inflammation in Wound Repair (Health Collection) - Informit*. [online] Search.informit.org. Available at: <http://search.informit.org/documentSummary;dn=292767912212993;res=IELHEA> [Accessed 3 Des. 2017].

Reddy, G., Saranya, C. and Kumar, C. (2012). Wound Healing Potential Of Indian Medicinal Plants. *International Journal of Pharmacy Review & Research*, 2(2), pp.75-78.

Riss, T.L., Moravec, R.A., Niles, A.L., Benink, H.A., Worzella, T.J. and Minor, L., 2015. Cell viability assays.

Rittié, L. and Fisher, G.J., 2005. Isolation and culture of skin fibroblasts. *Fibrosis Research: Methods and Protocols*, pp.83-98.

Saifudin, A., Rahayu, V. and Teruna, H.Y., 2011. Standardisasi Bahan Obat Alam. *Yogyakarta: Graha Ilmu*.

- Sarker, S.D. and Nahar, L., 2006. An introduction to natural products isolation. *Series Editor John M. Walker School of Life Sciences University of Hertfordshire Hatfield, Hertfordshire, AL10 9AB, UK*, p.1.
- Sastrohamidjojo, H., 1991. Kromatografi. *Edisi Kedua, Liberty, Yogyakarta*.
- Siddiqui, B.S., Begum, S., Siddiqui, S. and Lichter, W., 1995. Two cytotoxic pentacyclitriterpenoids from Nerium oleander. *Phytochemistry*, 39(1), pp.171-174.
- Siddiqui, B.S., Khatoon, N., Begum, S., Farooq, A.D., Qamar, K., Bhatti, H.A. and Ali, S.K., 2012. Flavonoid and cardenolide glycosides and a pentacyclitriterpene from the leaves of Nerium oleander and evaluation of cytotoxicity. *Phytochemistry*, 77, pp.238-244.
- Siddiqui, S., Hafeez, F., Begum, S. and Siddiqui, B.S., 1986. Isolation and structure of two cardiac glycosides from the leaves of Nerium oleander. *Phytochemistry*, 26(1), pp.237-241.
- Siham L, Saida O, Moha T, Nadia S and Hakima A (2014). Chemical analysis and antioxidant activity of “Nerium oleander” leaves. *On line J. Biol Sci.*, 14: 1-7.
- Sjamsuhidajat, R. (2010). *Buku ajar ilmu bedah*. 1st ed. Jakarta: Penerbit Buku Kedokteran ECG.
- Stockert, J.C., Blázquez-Castro, A., Cañete, M., Horobin, R.W. and Villanueva, Á., 2012. MTT assay for cell viability: Intracellular localization of the formazan product is in lipid droplets. *Actahistochemica*, 114(8), pp.785-796.
- Sudjadi, 1986, *Metode Pemisahan*, 167 – 177, Fakultas Farmasi, Universitas Gadjah Mada, Yogyakarta.

- Syamsuni, H.A., 2006. *Ilmuresep. Penerbit Buku Kedokteran EGC, Jakarta.*
- Tarkowska, J. (2009). Antimitotic action of glycosides of Nerium oleander L. *Hereditas*, 67(2), pp.205-211.
- Taylor, I. and Johnson, C. (1999). *Recent advances in surgery*. 1<sup>st</sup> ed. Edinburgh: Churchill Livingstone.
- Turan, N., Akgün-Dar, K., Kuruca, S.E., Kiliçaslan-Ayna, T., Seyhan, V.G., Atasever, B., Meriçli, F. and Çarin, M., 2006. Cytotoxic effects of leaf, stem and root extracts of Nerium oleander on leukemia cell lines and role of the p-glycoprotein in this effect. *J Exp Ther Oncol*, 6(1), pp.31-38.
- Vijayvergia, R. and Kumar, J., 2007. Quantification of primary metabolites of Nerium indicum Mill. *Asian J. Exp. Sci*, 21(1), pp.123-128.
- Wahyuningsih M.S.H., Maryani, R. and Sulistiyorini, E., (n.d.). Jure (N.indicum Mill.). Retrieved from: [http://ccrc.farmasi.ugm.ac.id/?page\\_id=368](http://ccrc.farmasi.ugm.ac.id/?page_id=368) (accessed 15 Jan. 2017)
- Wahyuningsih M.S.H., Mubarika S., Ganjar I.G and Wahyuono S., 2005. Deteksi mekanisme anti kanker Oleandrin hasil isolasi dari daun *Nerium indicum* Mill. Terhadap sel MCF-7 menggunakan fluorescein isothiocyanateannexin V dan gel agarose. *MOT*. 10(33):21-26.

Wahyuningsih M.S.H., Wahyuono S.1999. Skriningtoksisitas dengan BST dari daun beberapa spesies tanaman yang secara tradisional untuk mengobati tumor di Indonesia.*BIK*. 31(1):17-22.

Yamauchi, T., Hisamitsu Pharmaceutical Co, 1974. *Process for isolating oleandrin from neriumodorum*.U.S. Patent 3,833,472.