

## DAFTAR PUSTAKA

- Aviram, A., Hod, M. & Yogev, Y. (2011) Maternal obesity: Implications for pregnancy outcome and long-term risks—a link to maternal nutrition. *International Journal of Gynecology & Obstetrics*, 115, Supplement 1S6-S10.
- Balitbangkes (2013) *Riset Kesehatan Dasar (RISKESDAS) 2013*, Jakarta:Kementerian Kesehatan RI.
- Bilano, V. L., Ota, E., Ganchimeg, T., Mori, R. & Souza, J. P. (2014) Risk Factors of Pre-Eclampsia/Eclampsia and Its Adverse Outcomes in Low- and Middle-Income Countries: A WHO Secondary Analysis. *PLoS ONE*, 9(3): e91198.
- Bodnar, L. M., Ness, R. B., Markovic, N. & Roberts, J. M. (2005) The Risk of Preeclampsia Rises with Increasing Prepregnancy Body Mass Index. *Annals of Epidemiology*, 15(7): 475-482.
- BPS, BKKBN, Kemenkes & ICF (2013) *Survei Demografi Kesehatan Indonesia 2012*, Jakarta:Badan Pusat Statistik.
- Chen, Z., Du, J., Shao, L., Zheng, L., Wu, M., Ai, M. & Zhang, Y. (2010) Prepregnancy body mass index, gestational weight gain, and pregnancy outcomes in China. *International Journal of Gynecology & Obstetrics*, 109(1): 41-44.
- Cormick, G., Betrán, A. P., Ciapponi, A., Hall, D. R. & Hofmeyr, G. J. (2016) Inter-pregnancy interval and risk of recurrent pre-eclampsia: systematic review and meta-analysis. *Reproductive Health*, 1383.
- Cunningham, F. G. & Gant, N. (2005) *Obstetrics*:Medical Publishing Division.
- Datta, S. (2016) The obesity epidemic: time for the Government ‘heavies’ to step in? *BJOG: An International Journal of Obstetrics & Gynaecology*, 123(2): 161-162.
- Dodd, J. & Thangaratinam, S. (2016) Researchers’ position statement on tackling obesity in pregnancy: the International Weight Management in Pregnancy (i-WIP) collaboration pleads for public health intervention. *BJOG: An International Journal of Obstetrics & Gynaecology*, 123(2): 163-164.
- Duckitt, K. & Harrington, D. (2005) Risk factors for pre-eclampsia at antenatal booking: systematic review of controlled studies. *BMJ : British Medical Journal*, 330(7491): 565-565.

- Duley, L. (2009) The Global Impact of Pre-eclampsia and Eclampsia. *Seminars in Perinatology*, 33(3): 130-137.
- Durst, J. K., Tuuli, M. G., Stout, M. J., Macones, G. A. & Cahill, A. G. (2016) Degree of obesity at delivery and risk of preeclampsia with severe features. *American Journal of Obstetrics and Gynecology*.
- Endeshaw, M., Abebe, F., Worku, S., Menber, L., Assress, M. & Assefa, M. (2016) Obesity in young age is a risk factor for preeclampsia: a facility based case-control study, northwest Ethiopia. *BMC Pregnancy and Childbirth*, 16237.
- Fortner, R. T., Pekow, P., Solomon, C. G., Markenson, G. & Chasan-Taber, L. (2009) Prepregnancy body mass index, gestational weight gain, and risk of hypertensive pregnancy among Latina women. *American Journal of Obstetrics and Gynecology*, 200(2): 167.e1-167.e7.
- Gordis, L. (2014) *Epidemiology. (5rd Edition)*, Philadelphia Newyork:W.B. Saunders Company.
- Guedes-Martins, L., Carvalho, M., Silva, C., Cunha, A., Saraiva, J., Macedo, F., Almeida, H. & Gaio, A. R. (2015) Relationship between body mass index and mean arterial pressure in normotensive and chronic hypertensive pregnant women: a prospective, longitudinal study. *BMC Pregnancy and Childbirth*, 15281.
- Gunatilake, R. P. & Perlow, J. H. (2011) Obesity and pregnancy: clinical management of the obese gravida. *American Journal of Obstetrics and Gynecology*, 204(2): 106-119.
- Harutyunyan, A., Armenian, H. & Petrosyan, V. (2013) Interbirth interval and history of previous preeclampsia: a case-control study among multiparous women. *BMC Pregnancy and Childbirth*, 13244-244.
- Jeyabalan, A. (2013) Epidemiology of preeclampsia: Impact of obesity. *Nutrition reviews*, 71(0 1): 10.1111/nure.12055.
- Kaypour, F., Masomi Rad, H. & Ranjbar Novin, N. (2006) The predictive value of serum uric acid, roll-over test, and body mass index in pre-eclampsia. *International Journal of Gynecology & Obstetrics*, 92(2): 133-134.
- M.D.Brook (2010) Pregnancy, Preeclampsia. *Department of Emergency Medicine, St Mary-Corwin Medical Center*.

Mbah, A., Kornosky, J., Kristensen, S., August, E., Alio, A., Marty, P., Belogolovkin, V., Bruder, K. & Salihua, H. (2010) Super-obesity and risk for early and late

pre-eclampsia. *BJOG An International Journal of Obstetrics and Gynaecology*.  
Mustafa, R., Ahmed, S., Gupta, A. & Venuto, R. C. (2012) A Comprehensive Review of Hypertension in Pregnancy. *Journal of Pregnancy*, 2012105918.

Roberts, J. M., Bodnar, L. M., Patrick, T. E. & Powers, R. W. (2011) The Role of Obesity in Preeclampsia. *Pregnancy hypertension*, 1(1): 6-16.

Sacco, L., Caulfield, L., Zavaleta, N. & Retamozo, L. (2003) Dietary pattern and usual nutrient intakes of Peruvian women during pregnancy. *European Journal of Clinical Nutrition*

Samuels-Kalow, M. E., Funai, E. F., Buhimschi, C., Norwitz, E., Perrin, M., Calderon-Margalit, R., Deutsch, L., Paltiel, O., Friedlander, Y., Manor, O. & Harlap, S. (2007) Prepregnancy body mass index, hypertensive disorders of pregnancy, and long-term maternal mortality. *American Journal of Obstetrics and Gynecology*, 197(5): 490.e1-490.e6.

Shaikh, H., Robinson, S. & Teoh, T. G. (2010) Management of maternal obesity prior to and during pregnancy. *Seminars in Fetal and Neonatal Medicine*, 15(2): 77-82.

Sibai, B., Dekker, G. & Kupferminc, M. (2006) Pre-eclampsia. *The Lancet*, 365(9461): 785-799.

Slamet, A. s. R. (2014) Hubungan Obesitas Kehamilan dengan kejadian Preeklamsia di Rumah Sakit Daerah Muntilan Kabupaten Magelang. *Fakultas Kedokteran, Universitas Gajah Mada*.

Stegers, E. A. P., von Dadelszen, P., Duvekot, J. J. & Pijnenborg, R. (2010) Pre-eclampsia. *The Lancet*, 376(9741): 631-644.

Stuebe, A. M., Landon, M. B., Lai, Y., Spong, C. Y., Carpenter, M. W., Ramin, S. M., Casey, B., Wapner, R. J., Varner, M. W., Rouse, D. J., Sciscione, A., Catalano, P., Harper, M., Saade, G., Sorokin, Y., Peaceman, A. M. & Tolosa, J. E. (2012) Maternal BMI, glucose tolerance, and adverse pregnancy outcomes. *American Journal of Obstetrics and Gynecology*, 207(1): 62.e1-62.e7.

Sween, L. K., Althouse, A. D. & Roberts, J. M. (2015) [10-OR]: Early pregnancy percent body fat increases preeclampsia risk. *Pregnancy Hypertension: An International Journal of Women's Cardiovascular Health*, 5(1): 5-6.

- Thangaratinam, S., Langenveld, J., Mol, B. W. & Khan, K. S. (2011) Prediction and primary prevention of pre-eclampsia. *Best Practice & Research Clinical Obstetrics & Gynaecology*, 25(4): 419-433.
- Trogstad, L., Magnus, P. & Stoltenberg, C. (2011) Pre-eclampsia: Risk factors and causal models. *Best Practice & Research Clinical Obstetrics & Gynaecology*, 25(3): 329-342.
- Uzan, J., Carbonnel, M., Piconne, O., Asmar, R. & Ayoubi, J.-M. (2011) Pre-eclampsia: pathophysiology, diagnosis, and management. *Vascular Health and Risk Management*, 7467-474.
- Walsh, S. W. (2007) Obesity: a risk factor for preeclampsia. *Trends in Endocrinology & Metabolism*, 18(10): 365-370.
- Wong, T. Y., Groen, H., Faas, M. M. & van Pampus, M. G. (2013) Clinical risk factors for gestational hypertensive disorders in pregnant women at high risk for developing preeclampsia. *Pregnancy Hypertension: An International Journal of Women's Cardiovascular Health*, 3(4): 248-253.