



## DAFTAR PUSTAKA

- Abubakari, A., Kynast-Wolf, G. & Jahn, A. (2015) Prevalence of abnormal birth weight and related factors in Northern region, Ghana. *BMC Pregnancy Childbirth*, 15(1): 335.
- Alwan, N. A., Cade, J. E., McArdle, H. J., Greenwood, D. C., Hayes, H. E. & Simpson, N. A. (2015) Maternal iron status in early pregnancy and birth outcomes: insights from the Baby's Vascular health and Iron in Pregnancy study. *Br J Nutr*, 113(12): 1985-92.
- Bahk, J., Yun, S. C., Kim, Y. M. & Khang, Y. H. (2015) Impact of unintended pregnancy on maternal mental health: a causal analysis using follow up data of the Panel Study on Korean Children (PSKC). *BMC Pregnancy Childbirth*, 1585.
- Balitbangkes (2013) *Riset Kesehatan Dasar (RISKESDAS) 2013 Dalam Angka*, Jakarta:Kementerian Kesehatan RI.
- Bediako, P. T., BeLue, R. & Hillemeier, M. M. (2015) A Comparison of Birth Outcomes Among Black, Hispanic, and Black Hispanic Women. *J Racial Ethn Health Disparities*, 2(4): 573-582.
- Bhaskar, R. K., Deo, K. K., Neupane, U., Chaudhary Bhaskar, S., Yadav, B. K., Pokharel, H. P. & Pokharel, P. K. (2015) A Case Control Study on Risk Factors Associated with Low Birth Weight Babies in Eastern Nepal. *Int J Pediatr*, 2015807373.
- Biratu, A. & Haile, D. (2015) Prevalence of antenatal depression and associated factors among pregnant women in Addis Ababa, Ethiopia: a cross-sectional study. *Reprod Health*, 1299.
- Bird, S. T., Chandra, A., Bennett, T. & Harvey, S. M. (2000) Beyond marital status: relationship type and duration and the risk of low birth weight. *Fam Plann Perspect*, 32(6): 281-7.
- Birgit Reimea, Pamela A. Ratnera, N., S., Tomaselli-Reimea, Ann Kellya, Beate A. Schueckingb & Wenzlaffc, P. (2006) The role of mediating factors in the association between social deprivation and low birth weight in Germany. *aUniversity of British Columbia Vancouver, BC, Canada bUniversity of Osnabrueck, Germany cPhysicians' Chamber of Lower Saxony, Germany*.
- BPS, BKKBN, Kemenkes & ICF (2013) *Survei Demografi Kesehatan Indonesia 2012*, Jakarta:BPS, BKKBN, Kemenkes, dan ICF.



- Brittain, K., Myer, L., Koen, N., Koopowitz, S., Donald, K. A., Barnett, W., Zar, H. J. & Stein, D. J. (2015) Risk Factors for Antenatal Depression and Associations with Infant Birth Outcomes: Results From a South African Birth Cohort Study. *Paediatr Perinat Epidemiol*, 29(6): 505-14.
- Chen, I., Jhangri, G. S., Lacasse, M., Kumar, M. & Chandra, S. (2015) Relationship Between Interpregnancy Interval and Adverse Perinatal and Neonatal Outcomes in Northern Alberta. *J Obstet Gynaecol Can*, 37(7): 598-605.
- Dahlui, M., Azahar, N., Oche, O. M. & Aziz, N. A. (2016) Risk factors for low birth weight in Nigeria: evidence from the 2013 Nigeria Demographic and Health Survey. *Glob Health Action*, 928822.
- Deal, S. B., Bennett, A. C., Rankin, K. M. & Collins, J. W. (2014) The relation of age to low birth weight rates among foreign-born black mothers: a population-based exploratory study. *Ethn Dis*, 24(4): 413-7.
- Dibaba, Y., Fantahun, M. & Hindin, M. J. (2013) The effects of pregnancy intention on the use of antenatal care services: systematic review and meta-analysis. *Reprod Health*, 1050.
- Eggleston, E., Tsui, A. O. & Kotelchuck, M. (2001) Unintended pregnancy and low birthweight in Ecuador. *Am J Public Health*, 91(5): 808-10.
- Finer, L. B. & Zolna, M. R. (2011) Unintended pregnancy in the United States: incidence and disparities, 2006. *Contraception*, 84(5): 478-85.
- Fischer, R. C., Stanford, J. B., Jameson, P. & DeWitt, M. J. (1999) Exploring the concepts of intended, planned, and wanted pregnancy. *J Fam Pract*, 48(2): 117-22.
- Flower, A., Shawe, J., Stephenson, J. & Doyle, P. (2013) Pregnancy planning, smoking behaviour during pregnancy, and neonatal outcome: UK Millennium Cohort Study. *BMC Pregnancy Childbirth*, 13238.
- Fraser, D. M. & Cooper, M. A. (2009) Myles Buku Ajar Bidan 14.
- Gariepy, M., A., Lundsberg, S., L., Stolar, Marilyn, Stanwood, L., N., Yonkers & A., K. (2014) Are pregnancy planning and timing associated with preterm or small for gestational age births? *Fertility and Sterility*.



Gariepy, A. M., Lundsberg, L. S., Stolar, M., Stanwood, N. L. & Yonkers, K. A. (2015) Are pregnancy planning and timing associated with preterm or small for gestational age births? *Fertil Steril*, 104(6): 1484-92.

Gebremeskel, F., Dibaba, Y. & Admassu, B. (2015) Timing of first antenatal care attendance and associated factors among pregnant women in Arba Minch Town and Arba Minch District, Gamo Gofa Zone, south Ethiopia. *J Environ Public Health*, 2015971506.

Geraldine, B. & Wellings, K. (2002) What is a 'planned' pregnancy? empirical data from a British study. *Social Science & Medicine*, 55545–557.

Gordis, L. (2014) Epidemiology. London New York, WB, Saunders Company.

Hasan, D., Husein Alatas, D., Abdul Latief, D., Sukman Tulus Putra, D., Antonius Pudjiadi, D., Advani, N. & Endang Windiastuti, D. (2000) Buku Kuliah 3 Ilmu Kesehatan Anak. 9 939-1300.

Kaur, M., Chauhan, A., Manzar, M. D. & Rajput, M. M. (2015) Maternal Anaemia and Neonatal Outcome: A Prospective Study on Urban Pregnant Women. *J Clin Diagn Res*, 9(12): Qc04-8.

Kayode, G. A., Amoakoh-Coleman, M., Agyepong, I. A., Ansah, E., Grobbee, D. E. & Klipstein-Grobusch, K. (2014) Contextual Risk Factors for Low Birth Weight: A Multilevel Analysis. *PLoS ONE*, 9(10): e109333.

Kemenkes (2015) *Rencana Strategis Kementerian Kesehatan Tahun 2015-2019*, Jakarta:Kementerian Kesehatan RI.

Kusparlina (2016) Hubungan Antara Umur dan Status gizi ibu berdasarkan Ukuran Lingkar Lengan Atas dengan jenis BBLR. *Forikes Voice*, Vol 7, No 1

Lemeshow (1997).

Liu, A., Zhang, R., Li, Z., Qu, P., Zhao, Y. & Yan, H. (2015) [Incidence of low birth weight among single live birth neonates and influencing factors in Shaanxi]. *Zhonghua Liu Xing Bing Xue Za Zhi*, 36(11): 1244-8.

Luca, A. C., Holoc, A. S. & Iordache, C. (2015) CONGENITAL HEART MALFORMATIONS IN NEWBORN BABIES WITH LOW BIRTH WEIGHT. *Rev Med Chir Soc Med Nat Iasi*, 119(2): 353-60.



- Martinson, M. L. & Reichman, N. E. (2016) Socioeconomic Inequalities in Low Birth Weight in the United States, the United Kingdom, Canada, and Australia. *Am J Public Health*, e1-e7.
- Melo, E. C., Oliveira, R. R. & Mathias, T. A. (2015) Factors associated with the quality of prenatal care: an approach to premature birth. *Rev Esc Enferm USP*, 49(4): 540-9.
- Merklinger-Gruchala, A., Jasienska, G. & Kapiszewska, M. (2015) Short interpregnancy interval and low birth weight: A role of parity. *Am J Hum Biol*, 27(5): 660-6.
- Miller, H. C. & Jekel, J. F. (1987) The effect of race on the incidence of low birth weight: persistence of effect after controlling for socioeconomic, educational, marital, and risk status. *Yale J Biol Med*, 60(3): 221-32.
- Mochtar, P. D. R. (1998a) Sinopsis Obstetri Obstetri Fisiologi Obstetri Patologi. 2453.
- Mochtar, R. (1998b) Sinopsis Obstetri Obstetri Fisiologi Obstetri Patologi Jilid I Edisi 2448.
- Mohllajee, A. P., Curtis, K. M., Morrow, B. & Marchbanks, P. A. (2007) Pregnancy Intention and Its Relationship to Birth and Maternal Outcomes. *Obstetrics & Gynecology*, 109(3): 678-686.
- Moreau, C., Bohet, A., Trussell, J. & Bajos, N. (2014) Estimates of unintended pregnancy rates over the last decade in France as a function of contraceptive behaviors. *Contraception*, 89(4): 314-321.
- Mulder, E. J. H., Robles de Medina, P. G., Huizink, A. C., Van den Bergh, B. R. H., Buitelaar, J. K. & Visser, G. H. A. (2002) Prenatal maternal stress: effects on pregnancy and the (unborn) child. *Early Human Development*, 70(1-2): 3-14.
- Oulman, E., Kim, T. H., Yunis, K. & Tamim, H. (2015) Prevalence and predictors of unintended pregnancy among women: an analysis of the Canadian Maternity Experiences Survey. *BMC Pregnancy Childbirth*, 15260.
- Parisa, J., hodsi, Z. G. & Hojjatoleslami, S. (2014) Health Behavior's Deference in Intended and Unintended Pregnancies. *Gynecologist, Taamin Ejtemae Hospital of Hamedan, Hamedan, Iran*
- Department of midwifery, Toyserkan Branch, Islamic Azad University, Toyserkan*
- Department of Nursing, Hamedan Branch, Islamic Azad University, Hamedan, Iran*



- Phoa, K. Y., Chedraui, P., Perez-Lopez, F. R., Wendte, J. F., Ghiabi, S., Vrijkotte, T. & Pinto, P. (2016) Perinatal outcome in singleton pregnancies complicated with preeclampsia and eclampsia in Ecuador. *J Obstet Gynaecol*, 1-4.
- Prawirohardjo, S. (2014) Ilmu Kebidanan. 4667.
- Rahman, M. M. (2015) Is Unwanted Birth Associated with Child Malnutrition in Bangladesh? *Int Perspect Sex Reprod Health*, 41(2): 80-8.
- Raisanen, S., Kancherla, V., Kramer, M. R., Gissler, M. & Heinonen, S. (2014) Placenta previa and the risk of delivering a small-for-gestational-age newborn. *Obstet Gynecol*, 124(2 Pt 1): 285-91.
- Reza, S., Ahmadian, M., ghalibaf, M. b. & hashemian, M. (2013) Survey on correlation between unplan pregnancy and low birth weight in new infants. *Iranian Journal Of Neonatology*, 4.
- Sable, M. R. & Wilkinson, a. D. S. (2000) Impact of Perceived Stress, Major Life Events and Pregnancy Attitudes on Low Birth Weight. *Family Planning Perspectives*, 32.
- Sastroasmoro, S. I., S. (2002) Dasar-dasar metodologi penelitian klinis, Jakarta: Sagung Seto.
- Sclowitz, I. K. & Santos Ida, S. (2006) [Risk factors for repetition of low birth weight, intrauterine growth retardation, and prematurity in subsequent pregnancies: a systematic review]. *Cad Saude Publica*, 22(6): 1129-36.
- Shah, P. S., Balkhair, T., Ohlsson, A., Beyene, J., Scott, F. & Frick, C. (2011) Intention to become pregnant and low birth weight and preterm birth: a systematic review. *Matern Child Health J*, 15(2): 205-16.
- Sharifzadeh, F., Kashanian, M., Jouhari, S. & Sheikhansari, N. (2015) Relationship between pre-pregnancy maternal BMI with spontaneous preterm delivery and birth weight. *J Obstet Gynaecol*, 35(4): 354-7.
- Smits, L. J. M. & Essed, G. G. M. (2001) Short interpregnancy intervals and unfavourable pregnancy outcome: role of folate depletion. *The Lancet*, 358(9298): 2074-2077.
- Soetjiningsih & Ranuh, I. N. G. (1998) Tumbuh Kembang Anak. 1-252.
- Stella, C. N. (2008) Low Birth Weight in Nigeria: Does Antenatal Care Matter? *The Hague, The Netherlands November*.



Stern, J. & Salih Joelsson, L. (2016) Is pregnancy planning associated with background characteristics and pregnancy-planning behavior? 95(2): 182-9.

Strohle, A. & Bohn, T. (2015) Folate and Prevention of Neural Tube Defects: New Insights from a Bayesian Model. *Int J Vitam Nutr Res*, 85(3-4): 109-11.

Sulaiman (1983) Obstetri Fisiologi. *Bagian Obstetri & Ginekologi Fakultas Kedokteran Universitas Padjajaran Bandung*.

Taber, B.-z. (1994) Kapita Selekta Kedaruratan Obstetri Dan Ginekologi. 1539.

Urbaniak, T., Klejewski, A. & Sobczyk, K. (2015) [Influence of smoking on pregnancy course and fetal development]. *Przegl Lek*, 72(3): 144-7.

Valero De Bernabe, J., Soriano, T., Albaladejo, R., Juarranz, M., Calle, M. E., Martinez, D. & Dominguez-Rojas, V. (2004) Risk factors for low birth weight: a review. *Eur J Obstet Gynecol Reprod Biol*, 116(1): 3-15.

van den Berg, G., van Eijsden, M., Vrijkotte, T. G. & Gemke, R. J. (2013) Suboptimal maternal vitamin D status and low education level as determinants of small-for-gestational-age birth weight. *Eur J Nutr*, 52(1): 273-9.

WHO, U. (2004) Low Birthweiht Country, Regional and Global Estimates. *United Nations Children's Fund and World Health Organization, Low Birthweight: Country, regional and global estimates*. UNICEF, New York.

Xaverius, P., Alman, C., Holtz, L. & Yarber, L. (2015) Risk Factors Associated with Very Low Birth Weight in a Large Urban Area, Stratified by Adequacy of Prenatal Care. *Matern Child Health J*.

Yorita, E. (2009 ) Kejadian Bayi Berat Lahir Rendah Pada Kehamilan Tidak diinginkan Di Kabupaten Purworejo.

Zolna, M. & Lindberg, a. L. (2012) Unintended Pregnancy: Incidence and Outcomes Among Young Adult Unmarried Women in the United States, 2001 and 2008.