



DAFTAR PUSTAKA

- Adriaens E., 2011, The Slug Mucosal Irritation Assay : an alternative assay for local tolerance testing, *Nation Centre for the Replacement, Refinement and Reduction of Animal in Research*, 8, 1-9.
- Agusta, A, 2011, *Minyak Atsiri Tumbuhan Tropika Indonesia*, Penerbit ITB, Bandung.
- Agustiningsih, Wildan,A., and Mindaningsih, 2010, Optimasi cairan Penyari pada pembuatan ekstrak Daun Pandan wangi(Pandanus amaryllifous Roxb) secara maserasi terhadap kadar fenolik dan flavonoid total, *Momentum*, 6(2); 36-41.
- Anonim,2009, *British Pharmacopoeia*, 6597, The Stationary Office, London
- Arambewela L.,Kumaratunga K.G.A., and Kalyani D., 2005, Studies on *Piper betle* of Sri Langka, *J.Natr.Sci., Foundation Sri Lanka*, 33(2);133-139
- Departemen Kesehatan RI, 2000^a, Inventaris Tanaman Obat Indonesia(I), Jilid 1, *Departemen Kesehatan dan Kesejahteraan Sosial RI Badan Penelitian dan Pengembangan Kesehatan*, Jakarta, h.183-184.
- Departemen Kesehatan RI, 2000^b, Parameter Standar Umum Ekstrak tumbuhan Obat dan Makanan,Cetakan Pertama, *Dep.Kes. RI,Dir.Jen POM,Direktorat Pengawasan Obat Tradisiona*, 5- 12.
- Badan POM, 2004, Monograph of Indonesian Medicinal Plant Extracts, volume 1, *National Agency of Drug and Food Control, The Republik of Indonesia(Badan POM)*, 90-93.
- Dash, S., Murthy, P. N., Nath, L. & Chowdhury, P., 2010, Kinetic Modeling on Drug Release from Controlled Drug Delivery Systems, *Acta Poloniae Pharmaceutica-Drug Research*, 67(3),217-223.
- De Alvarenga, 2011, Characterization and properties of chitosan, *Biotechnology of biopolymers*, Prof.Magdy Elnashar(Ed.), *In Tech*.
- Dutta P.K., Dutta J., and Tripathi V.S., 2004, Chitin and Chitosan: Chemistry, properties and applications, *Journal of Scientific & Industrial Research*, vol.63, pp. 20-31.
- Carprette, D. R., 2012, Measuring Protein Concentration Using absorbance at 280 nm, (http://www.ruf.rice.edu/~bioslabs/methods/protein/abs_280.html.), 6 Desember 2013.



Facklam, R, 2010, Culture and Identification of Infectious Agents, <http://pathmicro.med.sc.edu/fox/culture.htm>, 17 Juni 2013.

Fathilah,A.R.,Bakri,MM.,dan Rahim, Z.H.A.,2000, cit , T.Nalina dan Rahim, Z.H.A.,2007, The crude aqueous extract of Piper betleL. And its antibacterial effect towards Streptococcus mutans, *Amerc.Jour.of Biotech and Biochem*, 3, 1.

Florence A.T., and Attwood D, 1994, *Physicochemical principles of pharmacy*, second ed., The Macmillan Press LTD, London, Hongkong, pp.205-219.

Forssten,S.D., Marika Björklund and Arthur C. Ouwehand, 2010, *Streptococcus mutans*, Caries and Simulation Models, *Nutrients* , 2, 290-298

Gani,B.A.,Chrismirina,S.,Hayati,Z., Winiati, E., Bachtiar, B.M. & Wibawan I.W.T., 2009, The Ability of IgY to Recognize Surface Proteins of Streptococcus mutans, *Dental Journal*, 42(4),189-193.

Gibson,M. Ed.,2004, Co-solvent, A Practical Guide from Candidate Drug Selection to Commercial Dosage Form, *Interpharm(CRC)*, 198-200.

Hamida, Sofiana, 2013, Formulasi Patch Bukal Mukoadhesif Ekstrak Daun Sirih: Pengaruh Kombinasi Chitosan dan Release Enhancer Substances Terhadap Aktivitas Antibakteri dan Sifat Fisik Patch, *Skripsi*, Fakultas Farmasi Universitas Gadjah Mada, Yogyakarta

Hermawan, 2007, Pengaruh Ekstrak Daun Sirih (Piper betle L.) terhadap pertumbuhan *Staphylococcus Aureus* dan *Escherichia Coli* dengan Metode Difusi Disk, *Artikel Ilmiah*, Universitas Airlangga.

Intan Purnama, 2008, Aktivitas antibakteri tetes mata infus daun sirih(*Piper betle* L.) terhadap *Staphylococcus aureus*, *Skripsi*, Jurusan Farmasi – Fakultas Matematik dan Ilmu Pengetahuan Alam, Universitas Islam Indonesia.

Jawetz, E., Melnick, J.L., dan Alderberg, E.A., 2001, *Mikrobiologi untuk Profesi Kesehatan*, diterjemahkan oleh Bagian Mikrobiologi Fakultas Kedokteran Universitas Airlangga, Airlangga University Press, Surabaya

Jones D., 2008, *Pharmaceutics-Dosage Forms and Design*, Pharmaceutical Press,London-Chicago, pp. 5-8.

Kaul,M.,Aruna,R., Surender,V., dan Sapna,S., 2011, An overview on Buccal Drug Delivery System,*Ind.J.Pharm.Sci.*,vol.2(6):1302 – 1321.



Khaimar,G.A., and Sayyad,F.J., 2010,Development of buccal drug delivery system based on mucoadhesive polymer, *Int.Jour.of Pharm.Tech.Research*, 2(1):719 – 739.

Khaimar,A., Jain,P.,Baviskar.D, dan Jain .D; 2009, Development of Mucoadhesive Buccal Patch containing Aceclofenac: In Vitro Evaluation, *Int.Jour. of Pharm Tech Research*, vol.1,No.4,pp.978 – 981.

Koo, H., Hayacibara, M.F., Schobel, B.D., Cury, J.A., Rosalen, P.L.,Park, Y.K., Vacca-Smith, A.M., and Bowen, W.H., 2003, Inhibition of *Streptococcus mutans* Biofilm Accumulation and Polysaccharide Production by Apigenin and TT-Farnesol, *J.Antimicrob.Chemother*,52(5), 782-789.

Korsmeyer, R.W., Gurny, R., Doelker, E.M., Buri, P., Peppas, N.A., 1983, Mechanism of solute release from porous hydrophilic polymers. *Int. J. Pharm.* 15, 25–35 cit Mouzam, I., Dehghan, M. H. G., Asif, S., Sahuji, T., Chudiwal, P., 2011, Development of a Novel Floating Ring Capsule-Type Dosage Form for Stomach Specific Delivery, *Saudi Pharmaceutical Journal*.

Kumar, A., Phatarpekar V, Pathak N, Padhee K., Garg M , and Sharma N., 2011, Formulation Development and Evaluation of Carvedilol Bioerodable Buccal Mucoadhesive Patches, *IJCP*, vol. 02(03),1-5.

Liebenberg, W., Engelerecht, E., Wessels, A., Devarakonda, B., Yang, W. & Villiers, M.D., 2004, Comparative Study of the Release of Active Ingredients from Semisolid Cosmeceuticals Measured with Franz, Enhancer or Flow-Through Cell Diffusion Apparatus, *Journal of Food and Drug Analysis*, 12(1), 19-28

Lemos ,J.A., Quivey, R.G,Jr, Koo,H and Abranches,J , 2013,Streptococcus mutans: a new Gram-positive paradigm, *Microbiology* , 159, 436– 445.

Mahon, C.R., and Manuselis, J. R.,1995, *Textbook of Diagnosis Microbiology*, 26-32, WB Sanders Company, Philadelphia.

Miller, J. C. and Miller, J. N., 1991, *Statistik untuk Kimia Analitik*, diterjemahkan oleh Suroso, Edisi Kedua, Penerbit ITB, Bandung

Miller,N.S.,2005, The use of mucoadhesive polymer drug delivery, *Adv.Drug Delyv.Rev.*,57,1666-1691.



Nash, R. A. and Wachter, A. H., 2003, *Pharmaceutical Process Validation*, an International Third Edition, p.553.

Obaidat,R.M., Bader,A., Al-Rajab, W., Sheikha, G.A., and Obaidat, A.A.,2011, Preparation of Mucoadhesive Oral Patches Containing Tetracycline Hydrochloride and Carvacrol for Treatment of Local Mouth Bacterial Infections and Candidiasis , *Sci Pharm.*, 79: 197-212.

Peppas,N. A., and Sahlin,J.J.,1989, A simple equation for the discription of solute release,III,Coupling of Diffusion and relaxation, *International of Journal of Pharmaceutics*,57, 169-172.

Public Health England. (2014). Identification of *Streptococcus* species, *Enterococcus* species and Morphologically Similar Organisms. UK Standards for Microbiology Investigations. ID 4 Issue 2.3. <http://www.hpa.org.uk/SMI/pdf>.

Rao, N.G.R, Shravani B., and Reddy, M. S., 2013, Overview on Buccal Drug Delivery Systems, *J. Pharm. Sci. And Res.*, Vol. 5(4), 80-88.

Rasool,B.K.A, dan Khan,S.A,(2010),In vitro Evaluation of Miconazole mucoadhesive Buccal Films, *International Journal of App. Pharmaceutics*,Vol.2,Issue 4,23 – 26.

Rathbone , M. J.,(ed.), 1996, *Oral Mucosal Drug Delivery* , Marcel Dekker, Inc, New York, Basel.

Retno Sari dan Dewi Isadiartuti, 2006, Studi efektivitas sediaan gel antiseptik tangan ekstrak daun sirih(Piper betle Linn), *Majalah Farmasi Indonesia*, 17(4), 163-169

Rowe,R.C., Sheskey,P.J., Owen,S.C.,2006, *Handbook of Pharmaceutical Excipients* , 5th ed., Pharmaceutical Press, London.

Roy, S., Pal , K., Anis, A., Pramanik, K., and Prabakar , B., 2009, Polymers in Mucoadhesive Drug Delivery Systems : A Brief Note, *Designed Monomers and Plymers*, 12, 483-495.

Roychowdhury, S., Gupta, R. & Saha, S., 2011, A Review of Buccal Mucoadhesive Drug Delivery Systems, *Indo-Global Journal of Pharmaceutical Science*,3, 223-233.

Seedher,N. and Kanojia,M.,2008, Micellar Solubilization of Some Poorly Soluble Antidiabetic Drugs : A Technical Note, *AAPS PharmSci Tech*, Juni;9(2): 431-436



Seedher,N. and Agrawal,P.,2009, Various Solvent Systems for Solubility Enhancement of Enrofloxacin, *Indian J.Pharm Sci.*,Jan-Feb, 71,(1): 82-87

Sharma,G.K., Sharma,P.K.,Bansal,M., 2011, Pharma Sci.Monitor, A review on mucoadhesive buccal patch as a novel drug delivery system,Dep.of Phar.Tech., Meerut Institute of Engineering & Technology,NH-58, Baghpat Road-Bypass Crossing, Meerut-250005 (UP),India.

Siewert, M., Dressman, J., Brown, C & Shah, V., 2003, *FIP/AAPS Guidelines for Dissolution/In vitro Release Test Novel/Special Dosage Forms*, Aventis Pharma AG, Frankfurt, 6-15.

Sutton, S., 2011, Measurement of Microbial Cells by Optical Density, *Journal of Validation Technology*, 17 (1), 46-49.

Suwondo,S., Sidik, Sumadilaga R. S., dan Soelarko, R. M.,1991, *Aktivitas Antibakteri Daun Sirih (Piper betle L.) terhadap Bakteri Gingivitis dan Bakteri Pembentuk Plak/Karies Gigi(Streptococcus mutans)*, *The Journal on Indonesia Medicinal Plants*, No. 1, Volume 1, 1-4

T.Nalina dan Rahim,Z.H.A., 2007, The crude aqueous extract of Piper betle L. And its antibacterial Effect towards Streptococcus mutans,*Americ.Jour.of Biotech and Biochem*,3,1,pp.10 – 14.

Yalkowsky, S. H.,(ed.), 1981, *Techniques of Solubilization of Drugs*, Marcel Dekker,Inc.,NewYork,Basel