

## DAFTAR PUSTAKA

- Anders, C. K., Johnson, R., Litton R., Phillips M. & Bleyer A. 2009. Breast Cancer Before Age 40 Years. *Seminars in Oncology*, 36 (3), 237-249.
- Assi, H. A., Khoury K. E., Dbouk H., Khalil L. E., Mouhieddine, T. H. & El Saghir, N. S. 2013. Epidemiology and prognosis of breast cancer in young women. *Journal of Thoracic Disease*, 5 Suppl 1, S2-8.
- Azim, H. & Partridge, A. H. 2014. Biology of breast cancer in young women. *Breast Cancer Research*, 16(4), 427.
- Bos, R., Van der Groep, P., Greijer, A. E., Shvarts, A., Meijer, S., Pinedo, H. M., et al. 2003. Levels of hypoxia-inducible factor-1alpha independently predict prognosis in patients with lymph node negative breast carcinoma. *Cancer*, 97(6), 1573–1581.
- Bos, R., Zhong H., Hanrahan, C. F., Mommers, E. C. M., Semenza, G. L., Pinedo, H. M., et al. 2001. Levels of Hypoxia-Inducible Factor-1alpha During Breast Carcinogenesis. *Journal of the National Cancer Institute*, 93(4), 309–314.
- Butschak, G. & Schramm, T. 1982. Mechanisms of Carcinogenesis. *World Cancer Report 2008*, 159(2), 146–154.
- Danaei, G., Vander Hoorn, S., Lopez, A. D., Murray, C. J. L. & Ezzati, M. 2005. Causes of cancer in the world: comparative risk assessment of nine behavioural and environmental risk factors. *The Lancet*, 366(9499), 1784–1793.
- Gnerlich, J. L., Deshpande, A. D., Jeffe, D. B., White, N. & Margenthaler, J. A. 2009. Elevated Breast Cancer Mortality in Young Women (<40 Years) Compared with Older Women Is Attributed to Poorer Survival in Early Stage Disease. *Journal of the American College of Surgeons*, 208(3), 341–347.
- Gong, Y. 2013. *Breast Cancer: Pathology, Cytology, and Core Needle Biopsy Methods for Diagnosis*. New York: Springer
- Harris J. R., Lippman, M. E., Morrow, M. & Osborne C. K. 2010. *Diseases of the Breast 4th ed*. Philadelphia, Pa: Lippincott Williams & Wilkins.

- He, P., Han, Q., Liu, J., Liu, D., Zhao, X., Hu, T., et al. 2013. The Association between Hypoxia-inducible factor-1 alpha gene C1772T polymorphism and cancer risk: A meta-analysis of 37 case-control studies. *PLOS ONE*, 8(12), 1–13.
- Howell, A., Anderson, A. S., Clarke, R. B., Duffy, S. W., Evans, D. G., Garcia-Closas, M., et al. 2014. Risk determination and prevention of breast cancer. *Breast Cancer Research*, 16(5), 446.
- Huang, C., Lian, S., Hou, M., Chai, C., Yang, Y., Lin, S., et al. 2014. SNP 1772 C > T of HIF-1 $\alpha$  gene associates with breast cancer risk in a Taiwanese population. *Cancer Cell International*, 14(1), 87.
- Junqueira, L.C. & Carneiro, J., 2005. *Basic Histology: Text and Atlas* 11th ed., New York: McGraw-Hill Medical.
- Kementrian Kesehatan Indonesia. 2013. *Profil Kesehatan Indonesia 2012*. Diakses pada tanggal 11 Oktober 2015. <<http://kemkes.go.id>>
- Kim, H. & Choi, D. H. 2013. Distribution of BRCA1 and BRCA2 Mutations in Asian Patients with Breast Cancer. *Journal of Breast Cancer*. 16(4), 357-365
- Kim, H. O., Jo, Y. H., Lee, J., Lee, S. S., & Yoon, K. 2008. The C1772T genetic polymorphism in human HIF-1 $\alpha$  gene associates with expression of HIF-1 $\alpha$  protein in breast cancer. *Oncology Reports*, 1181-1187.
- Kimbrow, K. S. & Simons, J. W. 2006. Hypoxia-inducible factor-1 in human breast and prostate cancer. *Endocrine-Related Cancer*, 13(3), 739–749.
- Lacey, J. V., Kreimer, A. R., Buys, S. S., Marcus, P. M., Chang, S., Leitzmann, M. F., et al., 2009. Breast cancer epidemiology according to recognized breast cancer risk factors in the Prostate, Lung, Colorectal and Ovarian (PLCO) Cancer Screening Trial Cohort. *BioMed Central Cancer*, 9(1), 84.
- Lemeshow, S., Hosmer Jr, D. W., Klar, J. & Lwanga, S. K. 1990. Part 1: Statistical Methods for Sample Size Determination. *Adequacy of Sample Size in Health Studies*, 247.
- Li, Y., Li, C., Shi, H., Lou, L. & Liu, P. 2015. The association between the rs11549465 polymorphism in the hif-1 $\alpha$  gene and cancer risk: A meta-

analysis. *International Journal of Clinical and Experimental Medicine*, 8(2), 1561–1574.

Moore, K. L., Dalley, A. F. & Agur, A. M. R. 2010. *Clinically Oriented Anatomy 5th Ed.*, Lippincott Williams & Wilkins.

Naidu, R., Har, Y. C. & Taib, N. A. 2009. Associations between hypoxia-inducible factor-1 $\alpha$  (HIF-1 $\alpha$ ) gene polymorphisms and risk of developing breast cancer. *Neoplasma* 56(5).

Osborne, C. 2004. Oncogenes and Tumor Suppressor Genes in Breast Cancer: Potential Diagnostic and Therapeutic Applications. *The Oncologist*, 9(4), 361–377.

Purnomosari, D., Pals, G., Wahyono, A., Aryandono, T., Manuaba, T. W., Haryono, S. J., et al. 2007. BRCA1 and BRCA2 germline mutation analysis in the Indonesian population. *Breast Cancer Research and Treatment*, 106(2), 297–304.

Ren H., Wang, X., Kang, H., Lin, S., Wang, M. & Dai, Z. 2014. Associations Between C1772T Polymorphism in Hypoxia-Inducible Factor-1 $\alpha$  Gene and Breast Cancer: A Meta-Analysis. *Medical Science Monitor*, 20, 2578–2583.

Ribeiro, A. L., Gaspar, J. F., Pereira, T. & Ribeiro, V. 2013. Lack of relevance of HIF-1 $\alpha$  polymorphisms in breast cancer in a Portuguese population. *Anticancer Research*, 33(6), 2549–2555.

Schnitt, S. J. 2010. Classification and prognosis of invasive breast cancer: from morphology to molecular taxonomy. *Modern Pathology: An official Journal of The United States and Canadian Academy of Pathology, Inc*, 23 Suppl 2(S2), S60–S64.

Sharma, S., Kapahi, R. Sambyal, V., Guleria, K., Manjari, M., Sudan, M., et al. 2014. No association of hypoxia inducible factor-1 $\alpha$  gene polymorphisms with breast cancer in North-West Indians. *Asian Pac J Cancer Prev*, 15(22), 9973–9978.

Tanimoto, K., Yoshiga, K., Eguchi, H., Kaneyasu, M., Ukon, K., Kumazaki, T., et al. 2003. Hypoxia-inducible factor-1 $\alpha$  polymorphisms associated with enhanced transactivation capacity, implying clinical significance. *Carcinogenesis*, 24(11), 1779–1783.

- Tse, G., Tan, P.H. & Schmitt, F. 2013. Basic Histopathology of Breast Lesions. *Fine Needle Aspiration Cytology of the Breast*, 7–29.
- Thompson, P. A., Lopez, A. M., & Stopeck, A. 2005. 'Breast cancer prevention' in Fundamentals of Cancer Prevention. *Springer Berlin Heidelberg*, 255-276.
- Vleugel, M. M., Greijer, A. E., Van Der Wall, E. & Van Diest, P. J. 2005. Mutation analysis of the HIF-1alpha oxygen-dependent degradation domain in invasive breast cancer. *Cancer Genetics and Cytogenetics*, 163(2), 168–172.
- World Health Organization. 2012. GLOBOCAN 2012: Estimated Cancer Incidence, Mortality and Prevalence Worldwide in 2012. Dilihat pada tanggal 12 Oktober 2015. <  
[http://globocan.iarc.fr/Pages/fact\\_sheets\\_cancer.aspx](http://globocan.iarc.fr/Pages/fact_sheets_cancer.aspx)>
- Yan, Q., Chen, P., Wang, S., Liu, N., Zhao, P. & Gu, A. 2014. Association between HIF-1alpha C1772T/G1790A polymorphisms and cancer susceptibility: an updated systematic review and meta-analysis based on 40 case-control studies. *BioMed Central Cancer*, 14(1), 950.
- Youlden, D. R., Cramb, S. M., Yip, C. H. & Baade, P. D. 2014. Incidence and Mortality of Female Breast Cancer in the Asia-Pacific Region. *Cancer Biology & Medicine*, 11(2), 101–115.
- Zhao, T. Lv, J., Zhao, J. & Nzekebaloudou, M. 2009. Hypoxia-inducible factor-1 $\alpha$  gene polymorphisms and cancer risk: a meta-analysis. *Journal of Experimental & Clinical Cancer Research*, 28(1), 159.