

## Chapter VI

### References

- Aronowski, J. & Zhao, X., 2011. Molecular pathophysiology of cerebral hemorrhage: Secondary brain injury. *Stroke*, 42(6), pp.1781-1786.
- Bhalla, A. et al., 2013. Differences in outcome and predictors between ischemic and intracerebral hemorrhage: The South London Stroke Register. *Stroke*, 44(8), pp.2174-2181.
- Dromerick, A.W., Edwards, D.F. & Diringer, M.N., 2003. Sensitivity to changes in disability after stroke: A comparison of four scales useful in clinical trials. *The Journal of Rehabilitation Research and Development*, 40(1), p.1.
- KEMENKES RI, 2013. HASIL RIKESDAS 2013. *KEMENTRIAN KESEHATAN REPUBLIK INDONESIA*. Available at: [http://www.depkes.go.id/resources/download/general/Hasil\\_Riskesdas\\_2013.pdf](http://www.depkes.go.id/resources/download/general/Hasil_Riskesdas_2013.pdf).
- Kusuma, Y. et al., 2009. Burden of stroke in Indonesia. *International journal of stroke: official journal of the International Stroke Society*, 4(5), pp.379-380.
- Lundelin, K. et al., 2012. Knowledge of stroke warning symptoms and intended action in response to stroke in Spain: A nationwide population-based study. *Cerebrovascular Diseases*, 34(2), pp.161-168.

Paolucci, S. et al., 2003. Functional Outcome of Ischemic and Hemorrhagic Stroke Patients after Inpatient Rehabilitation: A Matched Comparison. *Stroke*, 34(12), pp.2861-2865.

Perna, R. & Temple, J., 2015. Rehabilitation Outcomes: Ischemic versus Hemorrhagic Strokes. , 2015.

Persaud, N. et al., 2016. Why clinicians prognosticate stroke patients poorly: Results from the clinician judgment versus risk score to predict stroke outcomes randomized study. *Journal of Stroke and Cerebrovascular Diseases*, 25(6), pp.1349-1354. Available at: <http://dx.doi.org/10.1016/j.jstrokecerebrovasdis.2016.01.024>.

Quinn, T.J., Langhorne, P. & Stott, D.J., 2011. Barthel index for stroke trials: Development, properties, and application. *Stroke*, 42(4), pp.1146-1151.

Salter, K., Campbell, N., Richardson, M., Mehta, S., Jutai, J., Zettler, L., Moses, M., McClure, A., Mays, R., Foley, N., Teasel, R., 2013. Outcome measures in stroke rehabilitation. *Handbook of Clinical Neurology*, 110(September 2011), pp.105-111.

Shah, S., Vanclay, F. & Cooper, B., 1989. Improving the sensitivity of the Barthel Index for stroke rehabilitation. *J Clin Epidemiol*, 42(8), pp.703-709.

Siddiqui, U.M. et al., 2016. Original Article Major Contributing Factors for First Ever Cerebral

Infarction. , 5(1), pp.6-9.

WHO, 2014. WHO | Noncommunicable diseases. *Fact sheet*.

World Health Organization, 2014. Noncommunicable Diseases (NCD) Country Profiles: Indonesia. , p.2014.

Yudiarto, F. et al., 2014. Indonesia Stroke Registry (S12.003). *Neurology*, 82(10 Supplement), p.S12.003.

Andersen, K.K. et al., 2009. Hemorrhagic and Ischemic Strokes Compared Stroke Severity , Mortality , and Risk Factors. , pp.2068-2073.

Barker-Collo, S. et al., 2015. Sex Differences in Stroke Incidence, Prevalence, Mortality and Disability-Adjusted Life Years: Results from the Global Burden of Disease Study 2013. *Neuroepidemiology*, 45(3), pp.203-214.

Bhalla, A. et al., 2013. Differences in outcome and predictors between ischemic and intracerebral hemorrhage: The South London Stroke Register. *Stroke*, 44(8), pp.2174-2181.

Black-Schaffer, R.M. & Winston, C., 2004. Age and functional outcome after stroke. *Topics in stroke rehabilitation*, 11(2), pp.23-32.

Jørgensen, H.S. et al., 1995. Intracerebral hemorrhage versus infarction: stroke severity, risk factors, and prognosis. *Annals of neurology*, 38(1), pp.45-50. Available at: <http://www.ncbi.nlm.nih.gov/pubmed/7611724>.

Nakayama, H. et al., 1994. The influence of age on stroke outcome. The Copenhagen Stroke Study. *Stroke; a journal of cerebral circulation*, 25(4),

pp.808-813.

Petrea, R.E. et al., 2009. Gender differences in stroke incidence and poststroke disability in the framingham heart study. *Stroke*, 40(4), pp.1032-1037.

Quinn, T.J., Langhorne, P. & Stott, D.J., 2011. Barthel index for stroke trials: Development, properties, and application. *Stroke*, 42(4), pp.1146-1151.

Rost, N.S. et al., 2016. Stroke Severity Is a Crucial Predictor of Outcome: An International Prospective Validation Study. *Journal of the American Heart Association*, 5(1), pp.1-8. Available at: <http://www.ncbi.nlm.nih.gov/pubmed/26796252>.

Shah, S., Vanclay, F. & Cooper, B., 1989. Predicting discharge status at commencement of stroke rehabilitation. *Stroke*, 20, pp.766-769.

Asmadi, A & Lamsudin, R., 1998. Prognosis Stroke, *Berita Kedokteran Masyarakat Suplemen XVI*; 1:89-94.