

DAFTAR PUSTAKA

- Advisory Council on the Misuse of Drugs (ACMD). 2013. Ketamine: A review of use and harm. ACMD. London
- Alomari, R.A., Fernandez, M., Banks, J.B., Acosta, J. dan Tartar, J. 2015. Acute Stress Dysregulates the LPP ERP Response to Emotional Pictures and Impairs Sustained Attention: Time-Sensitive Effects. *Brain Sciences*, 5(2), pp.201-219.
- Antony, L.J., Paruchuri, V. N. K. dan Ramanan, R. 2014. Antidepressant Effect of Ketamine in Sub Anaesthetic Doses in Male Albino Mice. *JCDR*, 8(6), pp. 5-7
- Babar, E., Özgünen, T., Melik, E., Polat, S. dan Akman, H. 2001. Effects of ketamine on different types of anxiety/fear and related memory in rats with lesions of the median raphe nucleus. *European Journal of Pharmacology*, 431(3), pp.315-320.
- Ballard, E.D., Ionescu, D.F., Vande Voort, J.L., Niciu, M.J., Richards, E.M., Luckenbaugh, D.A., et., al. 2014. Improvement in suicidal ideation after ketamine infusion: Relationship to Reductions in Depression and Anxiety. *Journal of Psychiatric Research*, 58, pp.161-166.
- Bandelow, B., Sher, L., Bunevicius, R., Hollander, E., Kasper, S., Zohar, J., et., al. 2012. Guidelines for the pharmacological treatment of anxiety disorders, obsessive–compulsive disorder and posttraumatic stress disorder in primary care. *International Journal of Psychiatry in Clinical Practice*, 16(2), pp.77-84.
- Browne, C. A. dan Lucki, I. 2013. Antidepressant effects of ketamine: mechanisms underlying fast-acting novel antidepressants. *Frontiers in Pharmacology*, 4.
- Culpepper, L. 2004. Effective Recognition and Treatment of Generalized Anxiety Disorder in Primary Care. *The Primary Care Companion to The Journal of Clinical Psychiatry*, 06(01), pp.35-41.
- Davis, M. dan Shi, C. 1999. The Extended Amygdala: Are the Central Nucleus of the Amygdala and the Bed Nucleus of the Stria Terminalis Differentially Involved in Fear versus Anxiety?. *Annals of the New York Academy of Sciences*, 877(1 ADVANCING FRO), pp.281-291.
- Eiraldi, R., Khanna, M.S., Jawad, A.F., Fishman, J., Glick, H.A., Schwartz, B.S., et., al. 2015. A hybrid effectiveness-implementation cluster randomized trial of group CBT for anxiety in urban schools: rationale, design, and methods. *Implementation Science*, 11(1).

- Everly, G.S. dan Lating, J.M. 2013. *A Clinical Guide to the Treatment of the Human Stress Response*. New York: Springer.
- Godbout, J.P. dan Glaser, R. 2006. Stress-Induced Immune Dysregulation: Implications for Wound Healing, Infectious Disease and Cancer. *Journal of Neuroimmune Pharmacology*, 1(4), pp.421-427.
- Haas, S.L. 2012. *The Effects of Repeated Ketamine Administration During Adolescence on Anxiety and Depressivelike Behaviors Induced by a Predator Odor*. MSc Thesis, Seton Hall University.
- Irwin, S.A., Iglewicz, A., Nelesen, R.A., Lo, J.Y., Carr, C., Romero, S.D., et.,al. 2013. Daily Oral Ketamine for the Treatment of Depression and Anxiety in Patients Receiving Hospice Care: A 28-Day Open-Label Proof-of-Concept Trial. *Journal of Palliative Medicine*, 16(8), pp.958-965.
- Jiloha, R.C. dan Bhatia, M. 2010. *Psychiatry for general practitioners*. New Delhi: New Age International Ltd.
- Kessler, R. C., Chiu, W. T., Demler, O. dan Walters, E. E. 2005. Prevalence, Severity, and Comorbidity of 12-Month DSM-IV Disorders in the National Comorbidity Survey Replication. *Archives of General Psychiatry*, 62(6), p.617.
- Komada, M., Takao, K. dan Miyakawa, T. 2008. Elevated Plus Maze for Mice. *Journal of Visualized Experiments*, (22).
- Krystal, J. H., Karper, L.P., Seibyl, J. P., Freeman, G.K., Delaney, R., Bremner, J. D., et., al. 1994. Subanesthetic Effects of the Noncompetitive NMDA Antagonist, Ketamine, in Humans. *Archives of General Psychiatry*, 51(3), p.199.
- Morgan, C.J.A. dan Curran, H.V. 2011. Ketamine use: a review. *Addiction*, 107(1), pp.27-38.
- Mosinger, J.L., Price, M. T., Bai, H. Y., Xiao, H., Wozniak, D. F. dan Olney, J. W. 1991. Blockade of both NMDA and non-NMDA receptors is required for optimal protection against ischemic neuronal degeneration in the in vivo adult mammalian retina. *Experimental Neurology*, 113(1), pp.10-17.
- Martinovich, T. 2012. *A Comparative Study of A Mind-Body Stress Reduction Group Programme to Build Resilience*. MC Thesis, University of Auckland.
- Nemiah, J. C. 2016. *ANXIETY: Signal, Symptom, and Syndrome*. [online]. Virginia: American Handbook of Psychiatry. [Diakses 18 Juni 2016]. Tersedia dari: http://www.freepsychotherapybooks.org/product/1099Anxiety_Signal_Symptom_and_Syndrome

- Parise, E. M., Alcantara, L. F., Warren, B. L., Wright, K. N., Hadad, R., Sial, O. K., et., al. 2013. Repeated Ketamine Exposure Induces an Enduring Resilient Phenotype in Adolescent and Adult Rats. *Biological Psychiatry*, 74(10), pp.750-759.
- Poleszak, E., Serefko, A., Szopa, A., Wośko, S., Dudka, J., Wróbel, A., et., al. 2013. NMDA receptor activation antagonizes the NMDA antagonist-induced antianxiety effect in the elevated plus-maze test in mice. *Pharmacological Reports*, 65(5), pp.1124-1131.
- Sadock, B.J., Sadock, V.A. dan Ruiz, P. 2015. *Kaplan & Sadock's synopsis of psychiatry*. Philadelphia: Wolters Kluwer.
- Shahzad, K. 2011. *Understanding mechanisms of Ketamine-induced human urinary tract damage*. MSc Thesis, University of York.
- Sharp, J. W. 1996. PCP and ketamine inhibit non-NMDA glutamate receptor mediated hsp70 induction. *Brain Research*, 728(2), pp.215-224.
- Sleigh, J., Harvey, M., Voss, L., dan Denny, B. 2014. Ketamine – More mechanisms of action than just NMDA blockade. *Trends in Anaesthesia and Critical Care*, 4(2-3), pp.76-81.
- Suliman, S., Hemmings, S. M. J. dan Seedat, S. 2013. Brain-Derived Neurotrophic Factor (BDNF) protein levels in anxiety disorders: systematic review and meta-regression analysis. *Frontiers in Integrative Neuroscience*, 7.
- Teixeira, R.R., Díaz, M. M., Santos, T.V.S., Bernardes, J.T.M., Peixoto, L.G., Bocanegra, O.L., et., al. 2015. Chronic Stress Induces a Hyporeactivity of the Autonomic Nervous System in Response to Acute Mental Stressor and Impairs Cognitive Performance in Business Executives. *PLOS ONE*, 10(3), p.e0119025.
- Walf, A. A. dan Frye, C.A. 2007. The use of the elevated plus maze as an assay of anxiety-related behavior in rodents. *Nat Protoc*, 2(2), pp.322-328.
- Wang, J., Goffer, Y., Xu, D., Tukey, D.S., Shamir, D.B., Eberle, S.E., et., al. 2011. A Single Subanesthetic Dose of Ketamine Relieves Depression-like Behaviors Induced by Neuropathic Pain in Rats. *Anesthesiology*, 115(4), pp.812-821.
- Zhang, L., Zhou, W., Ji, Y., Li, Y., Zhao, N., Chen, H., et., al. (2014). Anxiolytic effects of ketamine in animal models of posttraumatic stress disorder. *Psychopharmacology*, 232(4), pp.663-672.