

DAFTAR PUSTAKA

- [1] A. S. Go *et al.*, “Executive summary: heart disease and stroke statistics--2014 update: a report from the American Heart Association,” *Circulation*, vol. 129, no. 3, pp. 399–410, Jan. 2014.
- [2] A. Omran, “Changing patterns of health and disease during the process of national development,” *Heal. illness, Med. a Read. Med. Sociol.*, 1979.
- [3] World Health Organization, “Noncommunicable Diseases (NCD) Country Profiles: Indonesia,” 2014.
- [4] D. Pal, K. M. Mandana, S. Pal, D. Sarkar, and C. Chakraborty, “Knowledge-Based Systems Fuzzy expert system approach for coronary artery disease screening using clinical parameters,” *Knowledge-Based Syst.*, vol. 36, pp. 162–174, 2012.
- [5] F. J. Dieterle, “Multianalyte Quantifications by Means of Integration of Artificial Neural Networks, Genetic Algorithms and Chemometrics for Time-Resolved Analytical Data,” Universität Tübingen, 2003.
- [6] M. Negnevitsky, *Artificial intelligence: A Guide to Intelligent Systems*, 2nd ed. Harlow: Addison-Wesley Professional, 2005.
- [7] J. V. Tu, “Advantages and disadvantages of using artificial neural networks versus logistic regression for predicting medical outcomes,” *J. Clin. Epidemiol.*, vol. 49, no. 11, pp. 1225–1231, 1996.
- [8] M. Mitchell, *An Introduction to Genetic Algorithms*. Cambridge: MIT

Press, 1996.

- [9] I. Maalej, C. Rekik, D. Ben, H. Abid, and N. Derbel, “Interval Type-2 Takagi-Sugeno-Kang Fuzzy Logic Approach for Three-Tank System Modeling,” pp. 144–149, 2014.
- [10] D. Wu, “A Brief Tutorial on Interval Type-2 Fuzzy Sets and Systems,” pp. 1–13, 2013.
- [11] P. Melin and O. Castillo, “Review article A review on type-2 fuzzy logic applications in clustering , classification and pattern recognition,” *Appl. Soft Comput. J.*, vol. 21, pp. 568–577, 2014.
- [12] P. K. Anooj, “Clinical decision support system : Risk level prediction of heart disease using weighted fuzzy rules,” *J. King Saud Univ. - Comput. Inf. Sci.*, vol. 24, no. 1, pp. 27–40, 2012.
- [13] N. A. Setiawan, P. A. Venkatachalam, and A. F. M. Hani, “Diagnosis of Coronary Artery Disease Using Artificial Intelligence Based Decision Support System,” no. October, pp. 11–13, 2009.
- [14] S. Muthukaruppan and M. J. Er, “Expert Systems with Applications A hybrid particle swarm optimization based fuzzy expert system for the diagnosis of coronary artery disease,” *Expert Syst. Appl.*, vol. 39, no. 14, pp. 11657–11665, 2012.
- [15] H. Hagrass, “A hierarchical type-2 fuzzy logic control architecture for autonomous mobile robots,” *IEEE Trans. Fuzzy Syst.*, vol. 12, pp. 524–539, 2004.

- [16] H. Hagra, "Type-2 FLCs: A new generation of fuzzy controllers," *IEEE Comput. Intell. Mag.*, vol. 2, pp. 30–43, 2007.
- [17] J. M. Mendel, *Uncertain Rule-Based Fuzzy Logic Systems: Introduction and New Directions*. NJ: Prentice-Hall, 2001.
- [18] D. W. and W. W. Tan, "Genetic learning and performance evaluation of type-2 fuzzy logic controllers," *Eng. Appl. Artif. Intell.*, vol. 19, no. 8, pp. 829–841, 2006.
- [19] J. M. Health, "Angiography, Angiogram, and Arteriogram," 2005. [Online]. Available: <https://www.johnmuirhealth.com/services/cardiovascular-services/intervention/angiography-angiogram-arteriogram.html>. [Accessed: 29-Dec-2016].
- [20] NHF, "Coronary Angiography." National Heart Foundation of Australia, Canberra, pp. 1–4, 2008.
- [21] M. A. Chen, "Coronary angiography," 2015. [Online]. Available: <https://medlineplus.gov/ency/article/003876.htm>. [Accessed: 29-Dec-2016].
- [22] L. A. Zadeh, "Fuzzy Sets," *Inf. Control*, vol. 8, no. 3, pp. 338–353, 1965.
- [23] O. Castillo and P. Melin, *Type-2 Fuzzy Logic: Theory and Applications*, 1st ed. Heidelberg: Springer-Verlag Berlin Heidelberg, 2008.
- [24] A. Naba, *Tutorial CEPAT & MUDAH FUZZY LOGIC dengan MATLAB*. 2009.
- [25] M. MacGill, "Heart Rate: Normal Resting Heart Rate," 2015. [Online].

Available: <http://www.medicalnewstoday.com/articles/235710.php>.

[Accessed: 12-Jan-2017].

- [26] K. M. Robinson, “5 Heart Rate Myths Debunked,” 2015. [Online].

Available: <http://www.webmd.com/heart-disease/features/5-heart-rate-myths-debunked>. [Accessed: 12-Jan-2017].

- [27] C. Juang, S. Member, R. Huang, and Y. Lin, “A Recurrent Self-Evolving Interval Type-2 Fuzzy Neural Network for Dynamic System Processing,” vol. 17, no. 5, pp. 1092–1105, 2009.

- [28] N. N. Karnik and J. M. Mendel, “Introduction to Type-2 Fuzzy Logic Systems,” *Fuzzy Syst. Proc.*, pp. 915–920, 1998.

- [29] Q. Liang and J. M. Mendel, “Overcoming Time-Varying Co-Channel Interference Using Type-2 Fuzzy Adaptive Filters,” *IEEE Trans. Circuits Syst. II Analog Digit. Signal Process.*, vol. 47, no. 12, pp. 1419–1428, 2000.

- [30] Hongwei Wu and J. M. Mendel, “Uncertainty bounds and their use in the design of interval type-2 fuzzy logic systems,” *IEEE Trans. Fuzzy Syst.*, vol. 10, no. 5, pp. 622–639, 2002.

- [31] D. Wu and J. M. Mendel, “Enhanced Karnik-Mendel algorithms,” *IEEE Trans. Fuzzy Syst.*, vol. 17, no. 4, pp. 923–934, 2009.

- [32] M. Nie and W. W. Tan, “Towards An Efficient Type-Reduction Method for interval Type-2 Fuzzy Logic Systems,” vol. 2, pp. 1425–1432, 2008.

- [33] T. Takagi and M. Sugeno, “Fuzzy Identification of Systems and Its

- Applications to Modeling and Control,” *IEEE Trans. Syst. Man. Cybern.*, vol. SMC-15, no. 1, pp. 116–132, 1985.
- [34] M. Sugeno and G. T. Kang, “Structure Identification of Fuzzy Model,” *Fuzzy Sets Syst.*, vol. 28, no. 1, pp. 15–33, 1988.
- [35] Y. Yuan and H. Zhuang, “A genetic algorithm for generating fuzzy classification rules,” *Fuzzy Sets Syst.*, vol. 84, no. 1, pp. 1–19, 1996.
- [36] S. Guillaume, “Designing Fuzzy Inference Systems from Data : An Interpretability-Oriented Review,” *IEEE Trans. Fuzzy Syst.*, vol. 9, no. 3, pp. 426–443, 2001.
- [37] S. Wu, M. Ni, and W. E. Leithead, “A Fast Approach for Automatic Generation of Fuzzy Rules by Generalized Dynamic Fuzzy Neural Networks,” vol. 9, no. June, pp. 2453–2457, 2000.
- [38] Q. Shen and A. Chouchoulas, “Combining rough sets and data-driven fuzzy learning for generation of classification rules,” vol. 32, pp. 2073–2076, 1999.
- [39] O. Cordon, F. Herrera, and P. Villar, “Generating the Knowledge Base of a Fuzzy Rule-Based System by the Genetic Learning of the Data Base,” vol. 9, no. 4, pp. 667–674, 2001.
- [40] M. Sugeno and T. Yasukawa, “A Fuzzy-Logic-Based Approach to Qualitative Modeling,” vol. I, no. I, 1993.
- [41] M. Matteucci, “Fuzzy C-Means Clustering,” *A Tutorial on Clustering Algorithms*, 2003. [Online]. Available:

http://home.deib.polimi.it/matteucc/Clustering/tutorial_html/cmeans.html.

[Accessed: 25-Oct-2016].

- [42] A. Taskin and T. Kumbasar, “An Open Source Matlab / Simulink Toolbox for Interval Type-2 Fuzzy Logic Systems,” *Comput. Intell. 2015 IEEE Symp. Ser.*, pp. 1561–1568, 2015.
- [43] W. W. Tan, C. L. Foo, and T. W. Chua, “Type-2 Fuzzy System for ECG Arrhythmic Classification,” pp. 0–5, 2007.
- [44] R. B. D’Agostino and M. A. Stephens, *Goodness-of-Fit Techniques*, 1st ed. New York: Marcel Dekker, 1986.