

DAFTAR PUSTAKA

- Alsuheel, A.M., Shati, A.A., 2014. Factors predicting mortality in pediatric intensive care unit in a tertiary care center southwest region, Saudi Arabia. *J Med Med Sci*, 5: 113–120.
- Artinian, V., Krayem, H., DiGiovine, B., 2006. Effects of early enteral feeding on the outcome of critically ill mechanically ventilated medical patients. *Chest*, 129: 960–967.
- ASPEN Board of Directors, 2002. Guidelines for the use of parenteral and enteral nutrition in adult and pediatric patients. *J Parenter Enter Nutr*, 26: 235–240.
- Bagri, N.K., Jose, B., Shah, S.K., Bhutia, T.D., Kabra, S.K., Lodha, R., 2015. Impact of malnutrition on the outcome of critically ill children. *Indian J Pediatr*, 82: 601–605.
- Beausejour, M., Bockenkamp, B., Jouvett, P., Arsenault, V., Pelletier, V.-A., 2009. Assessment of calories prescribed and delivered to critically ill children. *theEuropean e-Journal Clin Nutr Metab*, 4: 172–175.
- Blössner, M., Onis, M. De, 2005. Malnutrition: quantifying the health impact at national and local levels. *Environmental Burd Dis Ser*, 1–51.
- Buchman, A.L., 2001. Complications of long-term home total parenteral nutrition: their identification, prevention and treatment. [Review] [207 refs]. *Dig Dis Sci*, 46: 1–18.
- Burritt, E., 2010. Use of indirect calorimetry in the pediatric intensive care unit. *Infant, Child, Adolesc. Nutr*, 2: 246–250.
- Costa, G.D.A., Delgado, I.A.F., Ferraro, I.A., Suely, I.T., Ii, O., 2010. Application of the pediatric risk of mortality score (PRISM) score and determination of mortality risk factors in a tertiary pediatric intensive care unit. *Clinics*, 65: 1087–1092.
- de Neef, M., Geukers, V.G.M., Dral, A., Lindeboom, R., Sauerwein, H.P., Bos, A.P., 2008. Nutritional goals, prescription and delivery in a pediatric intensive care unit. *Clin Nutr*, 27: 65–71.
- Dueñas, L., Casares, A.C.B. De, Rosenthal, V.D., Machuca, L.J., 1998. Device-associated infection rates in pediatric and neonatal intensive care units in El Salvador: findings of the INICC. *J Infect Dev Ctries*, 5: 445–451.
- Elke, G., van Zanten, A.R.H., Lemieux, M., McCall, M., Jeejeebhoy, K.N., Kott, M., Jiang, X., Day, A.G., Heyland, D.K., 2016. Enteral versus parenteral nutrition in critically ill patients: an updated systematic review and meta-analysis of randomized controlled trials. *Crit Care*, 20: 1-14.
- Franca, T., Ishikawa, L., Zorzella-Pezavento, S., Chiuso-Minicucci, F., Cunha, M. da, Sartori, A., 2009. Impact of malnutrition on immunity and infection. *J Venom Anim Toxins incl Trop Dis*, 15: 374–390.
- Gramlich, L., Kichian, K., Pinilla, J., Rodych, N.J., Dhaliwal, R., Heyland, D.K., 2004. Does enteral nutrition compared to parenteral nutrition result in better outcomes in critically ill adult patients? A systematic review of the literature. *Nutrition*, 20: 843–848.

- Hacimustafaglu, M., Yegin, N., Celebi, S., Ergun, G., Cetin, B.S., Calik, T., Sali, E., 2015. Hospital infections in the pediatric intensive care unit; 4-year evaluation, 2010-2013. *J Pediatr Inf*, 9: 56–63.
- Hardy, C.M., Dwyer, J., Snelling, L.K., Dallal, G.E., Adelson, J.W., 2002. Pitfalls in predicting resting energy requirements in critically ill children: a comparison of predictive methods to indirect calorimetry. *Nutr Clin Pract*, 17: 182–189.
- Hartl, W.H., Jauch, K.W., Parhofer, K., Rittler, P., 2009. Complications and monitoring - Guidelines on Parenteral Nutrition, Chapter 11. *Ger Med Sci*, 7: 1–12.
- Hasenboehler, E., Williams, A., Leinhase, I., Morgan, S.J., Smith, W.R., Moore, E.E., Stahel, P.F., 2006. Metabolic changes after polytrauma: an imperative for early nutritional support. *World J Emerg Surg*, 1: 29.
- Hendarto, A., 2002. Aspek Praktis Nutrisi Parenteral pada Anak. *Sari Pediatr*, 3: 227–234.
- Joosten, M., Hulst, J.M., 2008. Prevalence of malnutrition in pediatric hospital patients. *Curr Opin Pediatr*, 20: 590–596.
- Juliaty, A., 2013. Malnutrisi rumah sakit pada bangsal anak Rumah Sakit Dr. Wahidin Sudirohusodo Makassar. *Sari Pediatr*, 15: 65–68.
- Khalid, I., Doshi, P., DiGiovine, B., 2010. Early enteral nutrition and outcomes of critically ill patients treated with vasopressors and mechanical ventilation. *Am J Crit Care*, 19: 261–268.
- KSM Kesehatan Anak, 2014. Standar pelayanan medis kelompok staf medik kesehatan anak RSUP Dr. Sardjito. Yogyakarta.
- Lan, W.Y., 2014. Risk factors for death in pediatric intensive care unit of a tertiary children's hospital in Guangzhou city. Dissertation. The University of Hong Kong.
- Lee, H., Koh, S.O., Kim, H., Sohn, M.H., Kim, K.-E., Kim, K.W., 2013. Avoidable causes of delayed enteral nutrition in critically ill children. *J Korean Med Sci*, 28: 1055–1059.
- Levine, J.A., 2005. Measurement of energy expenditure. *Public Health Nutr*, 8: 1123–1132.
- Marlina, L., S, D.H., Garna, H., 2008. Perbandingan penggunaan pediatric index of mortality 2 (PIM) dan skor pediatric logistic organ dysfunction (PELOD), untuk memprediksi kematian pasien sakit kritis pada anak. *Sari Pediatr*, 10.
- McClave, S.A., Taylor, B.E., Martindale, R.G., Warren, M.M., Johnson, D.R., Braunschweig, C., McCarthy, M.S., Davanos, E., Rice, T.W., Cresci, G.A., Gervasio, J.M., Sacks, G.S., Roberts, P.R., Compher, C., 2016. Guidelines for the provision and assessment of nutrition support therapy in the adult critically ill patient: Society of Critical Care Medicine (SCCM) and American Society for Parenteral and Enteral Nutrition (A.S.P.E.N.). *J Parenter Enter Nutr*, 40: 159–211.
- Mehta, N., Bechard, L., Cahill, N., Wang, M., Day, A., Duggan, C., Heyland, D.K., 2012. Nutritional practices and their relationship to clinical outcomes in critically ill children—an international multicenter cohort study. *Crit Care Med*, 40: 2204–2211.

- Mehta, N.M., 2009. Approach to enteral feeding in the PICU. *Nutr Clin Pract*, 24: 377–87.
- Mehta, N.M., Corkins, M.R., Lyman, B., Malone, A., Goday, P.S., Carney, L.N., Monczka, J.L., Plogsted, S.W., Schwenk, W.F., 2013. Defining pediatric malnutrition: a paradigm shift toward etiology-related definitions. *J Parenter Enter Nutr*, XX: 1–22.
- Mehta, N.M., Mcaleer, D., Naples, E., Mitchell, P., Duggan, C., 2010. Challenges to optimal enteral nutrition in a multidisciplinary pediatric intensive care unit. *J Parenter Enter Nutr*, 34: 38–45.
- Metta, D., Soebardja, D., S, D.H., 2006. The use of pediatric logistic organ dysfunction (PELOD) scoring system to determine the prognosis of patients in pediatric intensive care units. *Paediatr Indones*, 46: 97–103.
- Meyer, R., Kulinskaya, E., Briassoulis, G., Taylor, R.M., Cooper, M., Pathan, N., Habibi, P., 2012. The challenge of developing a new predictive formula to estimate energy requirements in ventilated critically ill children. *Nutrit*, 27: 669–676.
- Mikhailov, T.A., Kuhn, E.M., Manzi, J., Christensen, M., Collins, M., Brown, A., Dechert, R., Scanlon, M.C., Wakeham, M.K., Goday, P.S., 2014. Early enteral nutrition is associated with lower mortality in critically ill children. *J Parenter Enter Nutr*, 38: 459–466.
- Navaeifar, M.R., Rezai, M.S., 2013. Device-associated nosocomial infection in children. *J Pediatr Rev*, 1: 25–41.
- Patel, J.J., Kozeniecki, M., Biesboer, A., Peppard, W., Ray, A.S., Thomas, S., Jacobs, E.R., Nanchal, R., Kumar, G., 2014. Early trophic enteral nutrition is associated with improved outcomes in mechanically ventilated patients with septic shock : a retrospective review. *J Intensive Care Med*, 1–7.
- Pichard, C., Thibault, R., Heidegger, C.P., Genton, L., 2009. Enteral and parenteral nutrition for critically ill patients: A logical combination to optimize nutritional support. *Clin Nutr Suppl*, 4: 3–7.
- Prieto, M.B., Cid, J.L., 2011. Malnutrition in the critically ill child: the importance of enteral nutrition. *Int J Environ Res Public Health*, 8: 4353–4366.
- Pudjiadi, A.H., Yanti, M., Tumbelaka, A.R., 2002. Prognostic factors of death in children admitted to pediatric intensive care unit, Cipto Mangunkusumo Hospital, Jakarta, Indonesia. *Paediatr Indones*, 42: 254–260.
- Rusmawatiningsy, D., Pudjiadi, A.H., Latief, A., 2014. Epidemiologi dan faktor risiko mortalitas syok septik pada anak. Tesis. Universitas Indonesia.
- Saraswati, D.D., Pudjiadi, A.H., Djer, M.M., Supriyatno, B., Syarif, D.R., Kurniati, N., 2014. Faktor risiko yang berperan pada mortalitas sepsis. *Sari Pediatr*, 15: 281–288.
- Sidiartha, I.G.L., 2008. Insidens malnutrisi rawat inap pada anak balita di Rumah Sakit Umum Pusat Sanglah Denpasar. *Sari Pediatr*, 9: 381–385.
- Silva, F.M., Bermudes, A.C.G., Maneschy, I.R., Feferbaum, R., Carvalho, W.B. De, Tannuri, U., Delgado, A.F., 2013. Impact of early enteral nutrition therapy on morbimortality reduction in a pediatric intensive care unit : a systematic review. *Rev Assoc Med Bras*, 59: 563–570.



- Society of Critical Care Medicine, 1999. Guidelines for ICU admission, discharge, and triage. *Crit Care Med*, 27: 633–638.
- Stahel, P.F., Flierl, M.A., Moore, E.E., 2010. “ Metabolic staging ” after major trauma – a guide for clinical decision making? *Scand J Trauma, Resusc Emerg Med*, 18: 18–20.
- Susianawati, V., Suryantoro, P., Naning, R., 2014. Prognostic predictor at pediatrics intensive care unit (PICU) with pediatric risk of mortality III (PRISM III) scores. *J Med Sci*, 46: 71–77.
- Tan, G.H., Tan, T.H., Goh, D.Y.T., 1998. Risk factors for predicting mortality in a paediatric intensive care unit. *Ann Acad Med*, 27: 813–818.
- Weckwerth, J.A., 2004. Monitoring enteral nutrition support tolerance in infants and children. *Nutr Clin Pract*, 19: 496–503.
- Winiarti, E., Kosim, M.S., Supriatna, M., 2012. Predicting PICU patient survival prognosis: pediatric logistic organ dysfunction vs pediatric index of mortality scores. *Paediatr Indones*, 52: 165–169.