

DAFTAR PUSTAKA

- Abbasi, F., McLaughlin, T., Lamendola, C., Kim, H., Reaven, G.M. 2001. Metabolic changes following sibutramine-assisted weight loss in obese individuals: role of plasma free fatty acids in the insulin resistance of obesity. *Metabolism* 50(7): 819-24.
- Adam, J.M.F. (Ed.), 2006. *Obesitas dan Sindroma Metabolik*. FK Universitas Padjajaran, Bandung.
- Aerbeli, I., Knabenhans, M.G., Ammann, R.S. 2011. Waist circumference and waist to height ratio percentile in a nationally representative sample of 6-13 year old children in Switzerland. *Swiss Med Wkly* 141: 1-6
- Al-Zurfi, B.M.N., Aziz, A.A., Abdullah, M.R., Noor, N.M. 2012. Waist height ratio compared to body mass index and waist circumference in relation to glycemic control in Malay type 2 diabetes mellitus patients, Hospital Universiti Sains Malaysia. *Int J Collab Res Internal Med Public Health* 4(4): 406-15.
- Alemzadeh, R., Wyatt, D.T., 2007. Diabetes mellitus in children. In: Kliegman, R.M., Behrman, R.E., Jenson, H.B., Stanton, B.F. editors. *Nelson Textbook of Paediatrics* 18th ed. Saunders, Philadelphia.
- Allamanda, E., Prawirohartono, E.P., Mulyani, N.S. 2010. Predicting hypertension using waist circumference in obese Indonesian adolescents. *Paediatrica Indonesiana* 50(5): 300-4.
- American Diabetes Association. 2000. Type 2 diabetes in children and adolescents. *Diabetes Care* 23: 381-92
- Anja, B.W., Booke, C.A., Blocker, T., Elke, K., Kristin, G. 2010. Measurement site for waist circumference affects its accuracy as an index of visceral and abdominal subcutaneous fat in a Caucasian population. *The Journal of Nutrition and Disease* 140(5): 954-961.
- Asdie, A.M. 2003. *Patogenesis dan terapi Diabetes Mellitus tipe 2*. Penerbit Medika FK UGM, Yogyakarta.
- Ashwell, M., Hsieh, S.D., 2005. Six reasons why the waist-to-height ratio is a rapid and effective global indicator for health risks of obesity and how its use could simplify the international public health message on obesity. *Int J Food Sci Nutr* 56(5): 303-7.
- Astuti, L.M.D., Prawirohartono, E.P., Noormanto, Julia, M. 2012. Obesitas sentral berhubungan dengan toleransi glukosa terganggu pada remaja perempuan. *Journal of Clinical Nutrition* 8(3): 1-6.
- Barlow, S.E. and the Expert Committee. 2007. Expert Committee Recommendations Regarding the Prevention, Assessment, and Treatment of Child and Adolescent Overweight and Obesity: Summary Report. *Pediatrics* 120: S164-S192.
- Batubara, J., Tridjaja, B., Pulungan, A.B. 2010. *Buku Ajar Endokrinologi Anak edisi I*. IDAI. UKK endokrinologi anak dan remaja.
- Boyd, G.S., Koenigsberg, J., Falkner, B., Gidding, S., Hassink, S. 2005. Effect of obesity and high blood pressure on plasma lipid levels in children and adolescents. *Pediatrics* 116(2): 442-6.

- Center of Disease Control, 2000. 2000 CDC growth charts for the United States: Methods and Development. *Vital and Health Statistics* 11(246): 20-4
- Cole, T.J., Flegal, K.M., Nicholis, D., Jackson, A.A. 2007. Body mass index cut offs to define thinnes in children and adolescents: international survey. *BMJ* 335:194.
- Corvalan, C., Uauy, R., Kain, J., Martorell, R. 2010. Obesity indicators and cardiometabolic status in 4-y-old children. *Am J Clin Nutr* 91: 166-74.
- Dalton, M., Cameron, A.J., Zimmet, P.Z., Shaw, I.E., Jolley, D., Dunstan, D.W., Welborn, T.A. 2003. Waist circumference, waist-hip ratio and body mass index and their correlation with cardiovascular disease risk factors in Australian adults. *J Intern Med* 254(6): 555-63.
- Dehgan, M., Akhtar-Danesh, N., Merchant, A.T. 2005. Childhood obesity, prevalence and prevention. *Nutrition Journal* 4: 24.
- Dietz, W.H., Robinson, T.N. 2005. *Overweight* children and adolescents. *N Engl J Med* 352(20): 2100-9.
- Dorchy, H., Roggemans, M.P., Willems, D. 1997. Glycated hemoglobin and related factors in diabetic children and adolescents under 18 years of age: a Belgian experience. *Diabetes Care* 20(1):2-6.
- Eldeirawi, K., Lipton, R.B. 2003. Predictors of hemoglobin A1c in a national of nondiabetic children, the third national health and nutrition examination survey, 1988-1994. *Am J Epidemiol* 157(7): 624-632.
- Fernandez, J.R., Redden, D.T., Pietrobelli, A., Allison, D.B. 2004. Waist circumference percentiles in nationally representative samples of African-American, European-American, and Mexican-American children and adolescents. *Journal of Pediatrics* 145(4):439-44.
- Flegal, K.M., Carroll, M.D., Ogden, C.L., Johnson, C.L. 2002. Prevalence and trends in obesity among US adults, 1999-2000. *JAMA* 288(14): 1723-27.
- Freedman, D.S., Serdula, M.K., Srinivasan, S.R., Berenson, G.S. 1999. Relation of circumferences and skinfold thickness to lipid and insulin concentrations in children and adolescents: The Bogalusa Heart Study. *Am J Clin Nutr* 69(2): 308-17.
- Freedman, D.S., Kahn, H.S., Mei, Z., Grummer-Strawn, L.M., Dietz, W.H., Srinivasan, S.R., Berenson, G.S. 2007. Relation of body mass index and waist to height ratio to cardiovascular disease risk factors in children and adolescents: The Bogalusa Heart Study. *Am J Clin Nutr* 86: 33-40.
- Fukuda, S., Takeshita, T., Morimoto, K. 2001. Obesity and Lifestyle. *Asian Medical Journal* 44(3): 97-102.
- Goran, M.I., Gower, B.A. 1999. Relation between visceral fat and disease risk in children and adolescents. *Am J Clin Nutr* 70(1): 149S-56S.
- Hara, M., Saitou, E., Iwata, F., Okada, T., Harada, K. 2009. Waist-to-height ratio is the best predictor of cardiovascular disease risk factors in Japanese school children. *J Atheroscler Thromb* 9(3): 127-32.
- Hannon, T.S., Rao, G., Arslanian, S.A. 2005. Childhood obesity and type 2 diabetes mellitus. *Pediatrics* 116(2): 473-80.

- Heird, W.C. 2002. Parental feeding behavior and children's fat mass. *Am J Clin Nutr*75(3):451-2.
- Hendricks, K.M., Duggan, C., Gallagher, L. 1995. Malnutrition in hospitalized pediatric patients: current prevalence. *Arch Pediatr Adolesc Med* 149 (10):1118-1122
- Higgins, T., Cembrowski, G., Tran, D., Lim, E., Chan, J. 2009. Influence of variables on hemoglobin A1c values and nonheterogeneity of hemoglobin A1c reference ranges. *J Diabetes Sci Technol* 3(4): 644-648.
- Hirschler, V., Aranda, C., Calcagno, M.L., Maccalini, G., Jadzinsky, M. 2005. Can waist circumference identify children with the metabolic syndrome? *Arch Pediatr Adolesc Med* 159:750-4.
- Hsieh, S.D., Yoshinaga, H., Muto, T. 2003. Waist-to-height ratio, a simple and practical index for assessing central fat distribution and metabolic risk in Japanese men and women. *Int J Obes*27: 610-6.
- Hu, Y.H., Reilly, K.H., Liang, Y.J., Xi, B., Liu, J.T., Xu, D.J., Yan, Y.K., Xie, B., Li, X.Y. 2011. Increase in body mass index, waist circumference and waist-to-height ratio is associated with high blood pressure in children and adolescent in China. *J Int Med Res*39(1): 23—32.
- International Expert Committee. 2009. Report on the Role of the A1c Assay in the Diagnosis of Diabetes. *Diabetes Care* 32(7): 1327-1334.
- Ismail, M.N., Vicknewary, E.N. 1999. Prevalence of obesity in Malaysia: data from three ethnic groups. *Country report at the Asian BMI/Obesity Workshop*. Milan, Italy
- Janssen, L, Heymsfield, S.B., Allison, D.B., Kotler, D.P., Ross, R. 2002. Body mass index and waist circumference independently contribute to the prediction of nonabdominal, abdominal subcutaneous, and visceral fat. *Am J Clin Nutr*75(4):683-8.
- Katzmarzyk, P.T., Srinivasan, S.R., Chen, W., Malina, R.M., Bouchard, C., Berenson, G.S. 2004. Body mass index, waist circumference and clustering of cardiovascular disease risk factors in a biracial sample of children and adolescents. *Pediatrics* 114 (2): e198-205.
- Kahn, B.B., Flier, J.S. 2000. Obesity and insulin resistance. *J Clin Invest*106(4): 473-81.
- Karter, A.J., D'Agostino, R.B., Mayer-Davis, E.J., Wagenknecht, L.E., Hanley, A.J., Hamman, R.F., Bergman, R., Saad, M.F., Haffner, S.M. 2005. Abdominal obesity predicts declining insulin sensitivity in non-obese normoglycaemics: the Insulin Resistance Atherosclerosis Study (IRAS). *Diabetes Obes Metab* 7:230-238.
- Katherine, M.F., Cynthia, L.O. 2011. Childhood Obesity: Are We All Speaking the Same Language? *Adv Nutr* 2: 159S-166S.
- Klein-Platat, C., Draï, J., Oujaa, M., Schlienger, J.L., Simon, C. 2005. Plasma fatty acid composition is associated with the metabolic syndrome and low-grade inflammation in overweight adolescents. *Am J Clin Nutr*82(6): 1178-84.
- Kopelman, P.O. 2000. Obesity as a medical problem. *Nature* 404(6778):635-43.

- Krebs, N.F., Himes, J.H., Jacobson, D., Nicklas, T.A., Guilday, P., Styne, D. 2007. Assessment of child and adolescent *overweight* and obesity. *Pediatrics* 120(Suppl 4):S 193-228.
- Kuriyan, R., Thomas, T., Lokesh, D. 2011. Waist circumference and waist for height percentiles in urban South Indian children aged 3-16 years. *Indian Pediatric* 48(10): 765-71.
- Kusumaningrum, E., Prawirohartono, E.P. 2011. *Hubungan antara obesitas sentral dengan kadar glukosa darah puasa anak usia 10-12 tahun*. Universitas Gadjah Mada, Yogyakarta
- Lachin, J.M. 1981. Introduction to sample size determination and power analysis for clinical trials. *Controlled Clin Trials* 2: 93-113
- Lee, H.S., Park, H.K., Hwang, J.S. 2012. HbA1c and glucose intolerance in obese children and adolescents. *Journal of the British Diabetic Association* 29(7):e102-5.
- Liu, A., Hills, A.P., Hu, X., Li, Y., Xu, Y., Byrne, N.M., Ma, G. 2010. Waist circumference cut-off values for the prediction of cardiovascular risk factor clustering in Chinese school-aged children: a cross-sectional study. *BMC Public Health* 10: 82.
- Maffeis, C., Pietrobelli, A., Grezzani, A., Provera, S., Tato, L. 2001. Waist circumference and cardiovascular risk factors in prepubertal children. *Obesity Research*, 9(3): 179-187.
- Mahan, J.D., Robinson, R.F., Batisky, D.L., Hayes, J.R., Nahata, M.C. 2004. Body mass index in primary and secondary pediatric hypertension. *Pediatric Nephrology* 19(12): 1379-84.
- Mahdiah. 2004. *Prevalensi obesitas dan hubungan konsumsi fast food dengan kejadian obesitas pada remaja SLTP kota dan desa di Daerah Istimewa Yogyakarta*. Universitas Gadjah Mada, Yogyakarta
- Malonda, A.A., Tangklilisan, H.A. 2010. Comparison of metabolic syndrome criteria in obese and *overweight* children. *Paediatrica Indonesiana* 50(5):295-9.
- Martin, L.F., Hunter, S.M. 2012. How can we do better? *Obesity Research* 2(4):398-399.
- McCarthy, H.D., Jarret, K.V., Crawley, H.F. 2001. The development of waist circumference percentiles in British children aged 5,0-16,9 y. *Eur J Clin Nutr* 55(10):902-7.
- Mokha, J.S., Srinivasan S.R., Dasmahapatra, P. 2010. Utility of waist-to-height ratio in assessing the status of central obesity and related cardiometabolic risk profile among normal weight and *overweight*/obese children: the Bogalusa Heart Study. *BMC Pediatr* 10:73.
- Motswagole, B.S., Kruger, H.S., Faber, M. 2011. The sensitivity of waist to height ratio in identifying children with high blood pressure. *Cardiovasc J Afr* 22(4):

- Mushtaq, M.U., Gull, S., Abdullah, H.M., Shahid, U., Shad, M.A., Akram, J. 2011. Waist circumference, waist-hip ratio and waist-height ratio percentiles and central obesity among Pakistan children aged five to twelve years. *BMC Pediatr* 11:1-15
- Must, A., Anderson, S.E. 2006. Body mass index in children and adolescent: considerations for population-based applications. *Int J Obes* 30: 590-594.
- Nasar, S.S. 1995. Obesitas pada anak: aspek klinis dan pencegahan. Dalam: Samsudin, Nasar, S.S., Sjarif, D.R. editor. Masalah gizi ganda dan tumbuh kembang anak. *Naskah lengkap pendidikan kedokteran berkelanjutan ilmu kesehatan anak*. Balai Penerbit FKUI, Jakarta.
- National Health and Nutrition Examination Survey. 2007. Anthropometry procedures manual. Available at www.cdc.gov/nchs/data/nhanes/07_08/manual.pdf.
- Needleman, R.D. 2004. The first year. Dalam Behrman, R.E., Kliegman, R.M., Jenson, H.B. (editor). *Nelson Textbook of Pediatrics* 17th ed. Saunders, Philadelphia.
- Nishida, C. 2004. Appropriate body mass index for Asian populations and its implications for policy and intervention strategies. *Lancet*, 363:157-63
- Noorani, M. 2011. *Factors associated with glycaemic control in children and adolescents with type 1 diabetes mellitus at Muhimbili National Hospital, Dar Es Salaam*. Muhimbili University of Health and Allied Sciences.
- Nowicka, P., Santoro, N., Liu, H., Lartaud, D., Shaw, M.M., Goldberg, R., Guandalini, C., Savoye, M., Rose, P., Caprio, S. 2011. Utility of Hemoglobin A1c for diagnosing prediabetes and diabetes in obese children and adolescents. *Diabetes Care* 34: 1306-11.
- Padmiari, I. 2002. *Prevalensi obesitas dan konsumsi fast food sebagai faktor risikonya obesitas pada anak SD di kota Denpasar*. Universitas Gadjah Mada, Yogyakarta.
- Pani, L.N., Korenda, L., Meigs, J.B., Driver, C., Chamany, S., Fox, C.S., Sullivan, L., D'Agostino, R.B., Nathan, D.M. 2008. Effect of aging on A1c levels in individuals without diabetes. *Diabetes Care* 31(10):1991-1996.
- Quan, D.C.W., Seniorita, H., Pramono, B. 2010. *Correlation of Glycosylated Hemoglobin (HbA1c) with body mass index and waist circumference on type II diabetes*. Universitas Gadjah Mada, Yogyakarta
- Riset Kesehatan Dasar (RISKESDAS). 2010. Laporan Nasional Badan Penelitian dan Pengembangan Kesehatan. Departemen Kesehatan RI.
- Rocchini, A.P. 2002. Childhood obesity and a diabetes epidemic. *NEngl J Med* 346(11): 854-5
- Ryha, N.H. 2009. *Hubungan antar lingkaran pinggang dan rasio lingkaran pinggang-panggul dengan resistensi insulin pada remaja putri obes di Yogyakarta*. Universitas Gadjah Mada, Yogyakarta.
- Saydah, S., Bullard, K.M., Imperatore, G., Geiss, L., Gregg, E.W. 2013. Cardiometabolic Risk Factors Among US Adolescents and Young Adults and Risk of early mortality. *Pediatrics* 131(3): e679-e686.

- Savva, S.C., Tornaritis, M., Savva, M.E., 2000. Waist circumference and waist-to-height ratio are better predictors of cardiovascular disease risk factors in children than body mass index. *Int J of Obes* 24:1453-1458.
- Sheridan, C.L., Radmacher, S.A. 1992. *Health Psychology*. Wiley
- Soetjningsih. 1998. Obesitas pada anak. Dalam: Ranuh, I.G.N editor. *Tumbuh Kembang anak* edisi ke-2. EGC, Jakarta.
- Sopiyudin, M. 2009. *Penelitian Diagnostik*. Salemba Medika, Jakarta.
- Sjarif, D.R. 2005. Obesitas pada anak remaja dan permasalahannya. Dalam: Trihono, P.P., Purnamawati, S., Sjarif, D.R., Hegar, B., Gunardi, H., Oswari, H., editor *Hot topics in pediatrics II*. FKUI, Jakarta.
- Thevenod, F. 2008. Pathophysiology of diabetes mellitus type 2: Roles of obesity, insulin resistance and β -cell dysfunction. Dalam Masur, K., Thevenod, F., Zanker, K.S. Editor: *Diabetes and Cancer. Epidemiological Evidence and Molecular Links. Front Diabetes*. Karger, Basel.
- Velloso, L.A., Araujo, E.P., de Souza, C.T. 2008. Diet-induced inflammation of the hypothalamus in obesity. *Neuroimmunomodulation* 15(3): 189-93.
- Von Kries, R., Koletzko, B., Sauerwald, T., Von Mutius, E., Barnert, D., Gnmert, V., Von Voss, H. 1999. Breast feeding and obesity: cross sectional study. *BMJ* 319: 147-50.
- Wajchenberg, B.L. 2000. Subcutaneous and visceral adipose tissue: their relation to the metabolic syndrome. *Endocr Rev* 21(6):697-738.
- Wajchenberg, B.L. 2007. Beta-cell failure in diabetes and preservation by clinical treatment. *Endocr Rev* 28: 187-218.
- Whitaker, R.C., Wright, J.A., Pepe, M.S., Seidel, K.D., Dietz, W.H. 1997. Predicting obesity in young adulthood from childhood and parental obesity. *N Engl J Med* 337:869-73.
- Woolston, J.L. 1991. *Eating and growth disorders in infants and children*. Sage Publication, Newbury Park, CA.
- World Health Organization. 1999. *Obesity: preventing and managing the global epidemic. Report of a WHO consultation*. World Health Organization, Geneva (Technical Report Series, No.894).
- World Health Organization. 2007. Development of a WHO growth reference for school-aged children and adolescent. *Bull* 30(85): 660-7.
- Wright, C.M, Parker, L., Lament, D., Craft, A.L. 2001. Implications of childhood obesity for adult health: finding from thousand families cohort study. *BMJ* 323:1280-4.
- Yan, W., Yao, H., Dai, J., Cui, J., Chen, Y., Yang, X., Harshfield, G.A., Wang, X. 2008. Waist circumference cut off point in school-aged Chinese Han and Uygur Children. *Obesity (Silver Spring)* 16(7): 1687-92.
- Yang, Y.C., Lu, F.H., Bu, J.S., Chang, C.J. 1997. Age and sex effects on HbA1c: a study in a healthy Chinese population. *Diabetes Care* 20:988-991.