

Abdou, A., Kim, M., Sato, K. Chapter 5: Functional proteins and peptides of hen's egg origin. Interchopen.2013.

Aliasl, J., Khoshzaban, F., Traditional herbal remedies for burn wound healing in canon of Avicenna. J Nat Pharm Prod.p 8(4):192-196.2013

Almeida P.V, Gregio A., Machado, M.A.N., Lima, A.A.S., Azevedo, L.R. Saliva Composition and functions: A comprehensive Review. The Journal of Contemporary Dental Practice, Volume 9, No.3, March 1.2008.

Al-Waili, N., Salom, K., Al-Ghamdi, A.A. Honey for wound healing, ulcers, and burns; Data supporting its use in clinical practice. TheScientificWorld Journal. p 11:766-787.2011

Al-Waili, N., Saloom, K., Effects of topical honey on post-operative wound infection due to gram positive and gram negative bacteria following caesarean sections and hysterectomies. Eur. J. Med. Res. p 4:126-130.1999

Balaji, S., King, A., Marsh, E., LeSaint, M., Bhattacharya, SS., Han, N., Dhamija, Y., Ranjan, R., Le, LD., Bollyky, PL., Crombleholme, TM., Keswani, SG. The Role of Interleukin-10 and Hyaluronan in Murine Fetal Fibroblast Function In Vitro: Implications for Recapitulating Fetal Regenerative Wound Healing. PLOS ONE. BMJ.2015

Baratawidjaja, K.G., Sistem Imun. Dalam : Imunologi Dasar. Edisi 4. Jakarta : FKUI p3-21.2000

Barbul, A., Wound Healing. In Schwartz's Principles of Surgery. McGraw-Hill's. 9th ed. Chapter 9. New York.: McGraw-Hill. 2010.

Bhushan, M., Young HS. Surgical tissue adhesives. J Dermatolo Vol 21 no.3.2002

Bittmann, S., Luchter, E., Thiel, M., Kameda, G., Hanano, R., Langler, A., Does honey have a role in paediatric wound management?. Br. J. Nurs.; 19(15):19-24.2010

Bogdanov, S. External Applications of Honey. Book of Honey. Chapter 8. Bee Product Science, August.2009.

Boyce D.E., Jones W.D., Ruge F. The Role of Lymphocytes in Human Dermal Wound Healing. *Aidline national library or medicine* p; 143 (1): 59-65.2000

Byeon S, Pelley R, Ullrich S.E, Waller T.A, Bucana C. D dan Strickland F.M, "Aloe Barbadensis Extracts Reduce the Production of Interleukin-10," *Journal of Investigative Dermatology*, Vol. 110, pp. 811-817.2003

Cohen, I.K., Diegelmann, R.F., Yager, D.R., Wornum, I.L., Graham, M., Crossland, M.C. Wound care and wound healing. Dalam: Schwartz SI, Spencer S, Fischer. *Principles of Surgery*, 7th ed. New York.: McGraw-Hill, ; p263-295.1999

Cole, L., Heard, C. Skin permeation enhancement potential of Aloe vera and a proposed mechanism of action based upon size exclusion and pull effect. *Intern J Pharmaceutics*. p; 333;10-6.2007

Cotran RS, Kumar V, Collins T. *Pathology basic of disease*. 6th ed. Philadelphia : WB Saunders Co, p21-201.1999

Davis P.A., Corless D.J., Aspinall R, Wastell C. Effect of CD4(+) and CD8(+) cell depletion on wound healing. *Departement of Academic Surgery, Imperial College School of Medicine, Chelsea and Westminster Hospital, London, UK. Br J Surg*. p;88(2):298-304.2001

Davis, R.H., *Biological activity of aloe vera. SOFW-Journal*.p 119:11/93.1993

Davis, R.H., 2002. The conductor-Orchestra concept of Aloe vera, *The International Aloe science council* 1996-2002.

Dorsett-Martin, W. A. Rat models of skin wound healing: A review. *Wound Repair and Regeneration*, 12: 591–599. 2004

Eming, SA, Werner, S, Bugnon, P, Wickenhauser, C, Siewe, L, Davidson, JM, Krieg, T, Roers, A.. Accelerated Wound Closure in Mice Deficient for Interleukin-10. *The American Journal of Pathology*, Vol. 170, No. 1.2007

Falanga, V. Innovative therapies in wound healing: growth factors, signal transduction, and cellular responses. *J Dermatolo* Vol 30 no.5. 2003

Management Vol 30 no.3. 2003

Furnawathi, I. Khasiat dan manfaat lidah buaya si tanaman ajaib, Edisi ke-7. Jakarta: Agro Media Pustaka; 2006.

Ganong WF. Imunologi, Infeksi dan Inflamasi. Dalam: Penyembuhan Luka. Buku ajar fisiologi kedokteran. Edisi 20. Jakarta: EGC. 2002

Granick M.S., Gamelli R.L., Surgical wound healing and management. New York: Informa. 2007.

Guimares, G.C., Rojas, E.E.G., Junior, M.C.C., Coimbra, J.S.R. Adsorption kinetics and thermodynamic parameters of egg white protein. Eur Food Res Technol.; 232:985-993.2011

Gurtner, G.C., Wound Healing : Normal and Abnormal. Dalam: Thorne C.H., penyunting. Grabb & Smith's Plastic Surgery. Edisi ke-6. Philadelphia: Lippincott Williams & Wilkins. 2007.

Harding, K., Wiliamson, D., Wound Healing: evolution or revolution? Adapting to complexity in wound management. Br J surg p: 89(10); 1203-5. 2002

Helmerhorst, J. Antimicrobial Lactoferrin Peptides: The Hidden Players in the Protective Function of a Multifunctional Protein. Int J Pept Vol 31 no.1. 1997

Holsinger, C.F., Bui, D.T. Anatomy, Function, and Evaluation of the Salivary Glands. 2007.

Jull, A. Honey as a topical treatment for wounds. Pubmed Vol 4 no.2. 2008

Jull, A., Walker, N. Randomized clinical trial of honey-impregnated dressings for venous leg ulcers. Br J Surg Vol 95 no.2 p175-82. 2008

Kieran, I., Taylor, C. Effects of interleukin-10 on cutaneous wounds and scars in humans of African continental ancestral origin. Wound Repair and Regeneration, 22: 326–333. 2014

King, A, Balaji, S, Marsh, E, Le, LD, Shaaban, A, Crombleholme, TM, Keswani, SG.

Interleukin-10 Regulates the Fetal Hyaluronan-Rich Extracellular Matrix via a STAT3 Dependent Mechanism. J Surg Res. 2013 September ; 184(1): 671–677. 2013

King, A,Balaji, S,Le, LD,Crombleholme, TM,Keswani, SG.. Regenerative Wound Healing: The Role of Interleukin-10. Wound Healing Society : Advance in Wound Care, Volume 3, Number 4.2013

King, A, Balaji, A, Le, LD, Marsh, E, Crombleholme, TM, Keswani, SG.Interleukin-10 regulates fetal extracellular matrix hyaluronan production. J Pediatr Surg. 2013 June ; 48(6): 1211–1217.2013

Klein, M.B. Thermal, chemical, and electrical injuries. Dalam: Thorne C.H., penyunting. Grabb & Smith's plastic surgery. Edisi ke-6. Philadelphia: Lippincott Williams & Wilkins. 2007

Kresno S.B., Imunologi, diagnosis dan prosedur laboratorium. 4th ed. Jakarta : Balai penerbit FK UI : p4-32.2003

Lawrence, P., The Healing Properties of Aloe vera, The International Aloe Science Council p1996-2004. 2005.

Leake R., Barnes D., Pinder S., Ellis I., Anderson L., Anderson T., Adamson R., Rhodes T., Miller K., Walker R. Immunohistochemical detection of steroid receptors in breast cancer: a working protocol. J Clin Pathol. p53 8:634–635.2000

Leung A., Balaji S., Le LD, et al. : An in vitro and ex vivo study of fetal wound healing: a novel role for Il-10 as a regulator of the extracellular matrix. Wound Repair Regen p 20:A29.2012

Liechty, KW., Kim HB., Adzick, NS, et al. : Fetal wound repair results in scar formation in interleukin-10-deficient mice in a syngeneic murine model of scarless fetal wound repair. J Pediatr Surg p 35:866.2000

Mahandaru, D., Dachlan, I., The Effect of Aloe vera on Healing Process of Incision Wound.Jakarta, JPR vol. 37 no.2. 2012.

Mast AB. Normal wound healing. In : Achauer BM, Eriksson E, eds. Plastic Surgery, Indications, Operations and Outcomes. Mosby : Mosby Inc, p37-53. 2000

Molan, P., A brief review of honey as a clinical dressing. Prim. Intent. p 6:137-158.19

Mosser DM, Zhang. Interleukin-10: new perspectives on an old cytokine. Immunol Rev. 2009

Nakane, S., Takomura, A., Waku, K. Hen egg yolk and white contain high amounts of lysophosphatidic acids, growth factor-like lipids. Lipids. p 36(4):413-419.2001

Nelly, M., Perbandingan Pengaruh Pemberian Saliva Manusia, Moist Exposed Burn Ointment (MEBO) dan Moist Dressing Secara Topikal Terhadap Masa Penyembuhan Luka Bakar Derajat II Pada Tikus Putih (*Rattus Norvegicus*). 2011.

Nguyen, D.T, Orgill, D.P, Murphy G.F. The pathophysiologic basis for wound healing and cutaneous regeneration. Biomaterials for treating skin loss. Cambridge/Boca Raton: Woodhead publishing & CRC press. p h.25-57.2009

Nur Atik, Januarsih I., Perbedaan efek pemberian topikal gel lidah buaya (*Aloe vera L.*) dengan solusio Povidone Iodine terhadap penyembuhan luka sayat pada kulit mecit (*Mus musculus*). Bandung. MKB vol. 41 no.2. 2009.

Oudhoff, M.J., Bolscher, JGM, Nazmi, K., Kalay, H., van Hof, W., Amerongen, AVN. Histatins are the major wound-closure stimulating factors in human saliva as identified in a cell culture assay. FASEB J. p 22(11):3805-3812.2008

Peranteau, WH., Zhang, L. IL-10 overexpression decreases inflammatory mediators and promotes regenerative healing. J Invest D. p128(7):1852-60. 2008

Percival RS, Challacombe SJ, Marsh PD. Flow rate of resting whole saliva and stimulates parotid saliva in relation to age and gender. J Dent Res. p 73 (8) : 1416-1420. 1994

Pereira, D., Lima, R.M. Development of animal model for studying deep second-degree thermal burns. J Biomed Biotechnol Vol 1:1-7. 2012

Popa ID, et al. Immune response in rats following administration of honey. Revista Romana Medical Journal. 2012

Pusponegoro, A.D. Luka. Dalam: Sjamsuhidajat R, Jong W, penyunting. Buku ajar ilmu bedah. Edisi ke-2. Jakarta: EGC.. h.72-75.2004

Putro, B.C., Perbandingan Pemberian Saliva Manusia, Madu, Aloe vera Secara Topikal Terhadap Penyembuhan Luka Bakar Derajat Dua Pada Tikus Putih (*Rattus Norvegicus*). 2013.

Rezaie, A., Ebadi, A., Nazeri, M., Rezaie, S., and Elmi, F. Effect of aloe vera on Healing of the Experimental Skin Wounds on Rats and its comparison with Zinc Oxide : A Geometry and Histopathologic Study. *Journals of Animal and Veterinary Advances* 11 (14) : 2445-2452. Medwell Journals. 2012.

Roitt, I., *Essential immunology*. Edisi ke-12. Oxford: Blackwell science limited. Vol 4: h.152-161.2011

Roitt I, Brostoff, Male. *Cells, tissue and organ of the immune system*. In : *Immunology*. 6th ed. London : Mosby15-45.2001

Rozaini, M.Z., Zuki, A.B.Z., Noordin, M., Norimah, Y., Hakim, A.N. The Effects of different Types of Honey on Tensile Strength Evaluation of Burn Wound Tissue Healing. *Intern J Appl Res Vet Med*. Vol 2, No.4. 2004.

Salimetrics.com [homepage on the internet], *Saliva collection handbook* . Available from : <http://salimetrics.com/spit-tips.htm>.2011

Sato,Y, Oshima, T. Time-dependent expression of interleukin-10 (IL-10) mRNA during the early phase of skin wound healing as a possible indicator of wound vitality.*International Journal of Legal Medicine*, Vol. 111, Issue 5, pp 251-255.1998

Sato, Y, Oshima, T, Kondo, T. . Regulatory role of endogenous Interleukin-10 in cutaneous inflammatory response of murine wound healing. *Biochem Biophys Res Commun*.Nov;265(1):194-9.1999

Shahzad, M.N., Ahmeed, N. Effectiveness of Aloe Vera Gel compared with 1% silver sulphadiazine cream as burn wound dressing in second degree burns Departement of Plastic Surgery, Nishtar Hospital, Multan. Vol. 63, No.2, February. 2013.

Stadelmann, W.K., Digenis, A.G., Tobin, G.R. Physiology and healing dynamics of chronis cutaneous wounds. *American journal of surgery*. h 26S-38S.1998



PERBANDINGAN PENGARUH APLIKASI ALOE VERA, MADU, SALIVA DAN PUTIH TELUR TERHADAP EKSPRESI INTERLEUKIN 10 PADA PROSES PENYEMBUHAN LUKA INSISI KULIT TIKUS

ARUM LINANGKUNG, DR. dr. Ishandono Dachlan.,M.Sc.,Sp.B.,Sp.BP-RE(K); Dra. Dewajani Purnomosari., M.Si., P

Universitas Gadjah Mada, 2017 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Strickland FM, Darvill A, Albersheim P, et al: Inhibition of UV-induced immune suppression and interleukin-10 production by plant oligosaccharides and polysaccharides. *Photochem Photobiol* 69:141-147, 1999

Sudigdo S., Sofyan I. Dasar dasar metodologi penelitian klinis. p499.2011

Sudjatmiko, G. Petunjuk Praktis Ilmu Bedah Plastik Rekonstruksi. Edisi 3. Yayasan Khazanah Kebajikan. 2011

Suharjono, D. Teknik bekerja dengan hewan laboratorium. Yogyakarta : Universitas Gadjah Mada. 1991.

Tonks, A.J., Cooper, R.A., Jones, K.P., Blair, S., Parton, J., Honey stimulates inflammatory cytokine production from monocytes. *Cytokine*. p 21:242-247.2003

Vogler, B.K., Ernst, E. Aloe vera : a systematic review of its clinical effectiveness. *British Journal of General Practice*, October. 1999.

Wang S.B, et.al. Exogenous interleukin-10 alleviates allergic inflammation but inhibits local interleukin-10 expression in a mouse allergic rhinitis model. *BMC Immunology* p 15:9.2014

Wang, J., Dequan, L., Xia, F. Histological and biomechanical evaluation of the preserved degenerative dermis in rat autologous skin transplant models after a deep second degree burn. *Scand J Lab Anim Sci*.v; 36(2):139-144.2009

Wells, C., Power, L. *Skin and Wound Care Manual*. Newfoundland Labrador. July 2008.

Werner, S., Grose, R., Regulation of wound healing by growth factors and cytokines. *Physiol Rev*. v;83:835-70.2002

Wiksmann, L.B., Solomonik, I., Spira, R., Tennenbaum, T. Novel insights into wound healing sequences of events. *Toxicologic Pathol*. p35:767-79.2007

Williamson, D., Harding, K. Advances in wound care and healing technology. Science, medicine, and the future of healing chronic wounds. *BMJ* 19;324(7330):160-3. 2001

World Health Organization. Research guidelines for evaluating the safety and efficacy of herbal medicine. New York: p40-4.1993



**PERBANDINGAN PENGARUH APLIKASI ALOE VERA, MADU, SALIVA DAN PUTIH TELUR
TERHADAP EKSPRESI
INTERLEUKIN 10 PADA PROSES PENYEMBUHAN LUKA INSISI KULIT TIKUS**

ARUM LINANGKUNG, DR. dr. Ishandono Dachlan.,M.Sc.,Sp.B.,Sp.BP-RE(K); Dra. Dewajani Purnomosari., M.Si., P

Universitas Gadjah Mada, 2017 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Wynn, R.L. Aloe vera gel ; update for dentistry, General Dentistry, January-February.

2005.

Yoo, W., Araki, T., Saito, J., Kurata, Y., Tokita, K., Kato, K., and Matsushita, M.
Isolation and Characterization of a Novel Chicken Egg White Protein with Scavenger
Receptor Cysteine-rich Domains. *J. Poult. Sci.* 2013; 50:159-163. 2013