

DAFTAR PUSTAKA

- Acharjee, T., 2010, *Thermal Pretreatment Options for Lignocellulosic Biomass*, Thesis: University of Nevada.
- Badan Penelitian dan Pengembangan Kehutanan, 2004, Atlas Kayu Indonesia, Bogor: Departemen Kehutanan.
- Baxter, L.L., Miles, T.R., Miles Jr, T.R., Jenkins, B.M., Milnc, T., Dayton, D., Bryers, R.W., and Oden, L.L., 1998, The Behaviour of Inorganic Material in Biomass-Fired Power Boilers: Field and Laboratory Experiences, *Fuel Process Technology* 54, 47-78.
- Billah, M., 2009, “Bahan Bakar Alternatif Padat (BBAP) Serbuk Gergaji Kayu”, UPN Press, Surabaya.
- Brunner, G., 2009, Near Critical and Supercritical Water Part 1. Hydrolytic and Hydrothermal Processes, *J. Supercrit Fluids* 47, 373-381.
- Campo, B. G, 2010, *Corn Cob Dry Matter Loss in Storage as Affected by Temperature and Moisture Content*, Iowa State University Digital Repository.
- Channiwala, S.A., and Parikh, P.P., 2002, A Unified Correlation for Estimating HHV of Solid, Liquid and Gaseous Fuels, *Fuel* 81, 1051-1063.
- Chemin, M., Wirotius, A., Pichavant, F., Chollet, G., Perez, D., Conil, M., Cramail., and Grelier, S., 2015, *Well-defined Oligosaccharides by Mild Acidic Hydrolysis of Hemicelluloses*, European Polymer Journal 66, 190-197.
- Chornet, E., and Overend, R.P., 1985, Biomass liquefaction: An overview. In: Fundamentals of Thermochemical Biomass Conversion, *Elsevier Applied Science*, 967.
- Couce, A.A., 2016, Reaction Mechanisms and Multi-scale Modelling of Lignocellulosic Biomass Pyrolysis, *Progress in Energy and Combustion Science* 53, 41-79.
- Durak, H., and Aysu, T., 2016, Structural Analysis of Bio-oils from Supercritical Hydrothermal Liquefaction of *Datura stramonium L.*, *Journal of Supercritical Fluids* 108, 123-135.

- ESDM, 2004, "Blue Print Pengelolaan Energi Nasional 2005-2025."
- Fang, Z. and Fang, C., 2008, Complete Dissolution and Hydrolysis of Wood in Hot Water, *AIChE Journal*, 54, 2751.
- Fessenden, 1982, Kimia Organik edisi ketiga jilid 1, Jakarta: Erlangga.
- Funke, A. and Ziegler, F., 2010, Hydrothermal Carbonization of Biomass: A Summary and Discussion of Chemical Mechanisms for Process Engineering, *Biofuel BioprodBioref*, 4, 160-177.
- Garrote, G., Dominguez, H., and Parajo, J.C. 1999, Hydrothermal Processing of Lignocellulosic Materials, *Holzals Roh- und Werkstoff*, 57, 191.
- Gao, P., Zhou, Y., Meng, F., Zhang, Y., Liu, Z., Zhang, W., and Xue, G., 2016, Preparation and Characterization of Hydrochar from Waste Eucalyptus Bark by Hydrothermal Carbonization, *Energy* 97, 238-245.
- Gao, Y., Wang, H., Guo, J., Peng, P., Zhai, M., and She, D., 2016, Hydrothermal Degradation of Hemicelluloses from Triploid Poplar in Hot Compressed Water at 180-340°C, *Polymer Degradation and Stability* 126. 179-187.
- Goudriaan, F.; Peferoen, R., 1990, Liquid Fuels form Biomass via A Hydrothermal Process. *Chem. Eng. Sci.*, 45. 2729.
- Gustan, P., 2002, Teknologi Alternatif Pemanfaatan Limbah Industri Pengolahan Kayu, Institut Pertanian Bogor.
- Hendayana, S., Kadarohman, A., Sumarna, A.A., dan Supriatna, A., 1994, *Kimia Analitik Instrumen*, Semarang: IKIP Semarang Press.
- Hicks, R.C. and Turner, V.K., 1999, Fundamental Concepts in the Design of Experiments, Oxford University Press, New York.
- Hrcic, M., Kravanja, G., and Knez, Z., 2016, Hydrothermal Treatment of Biomass for Energy and Chemicals, *Energy*, 11, <http://dx.doi.org/10.1016/j.energy.2016.06.148>.
- Kalderis, D., Kottl, M.S., Mendez, A, and Gasco, G., 2014, Characterization of Hydrochars Produced by Hydrothermal Carbonization of Rice Husk, *Solid Earth*, 5. 477-483.

- Karagoz, S., Bhaskar, T., Muto, A., and Sakata, Y., Comparative Studies of Oil Compositions Produced From Sawdust, Rice Husk, Lignin, and Cellulose by Hydrothermal Treatment, *Fuel* 84,875-884.
- Kim, D., Lee, K., and Park, Ki., 2016, Upgrading the Characteristics of Biochar from Cellulose, Lignin, and Xylan for Solid Biofuel Production from Biomass by hydrothermal Carbonization, *Journal of Industrial and Engineering Chemistry* 42. 95-100.
- Knežević, D., Kersten, A., and Swaaij, M., 2009, Hydrothermal Conversion of Biomass. University of Belgrade, Serbia. ISBN 978-90-365-2871-9.
- Kritzer, P. and Dinjus, E., 2001, An Assessment of Supercritical Water Oxidation (SWO), Existing Problems, Possible Solutions and New Reactor Concepts, *Chemical Engineering Journal* 83, 3. 207-214.
- Kruse, A. and Dinjus, E., 2007, Hot Compressed Water As Reaction Medium and Reactant, *J.Supercrit. Fluids*, 41. 368-369.
- Kumar, S., 2010, Hydrothermal Treatment for Biofuels: Lignocellulosic Biomass to Bioethanol, Biocrude, and Biochar, Disertasi: Auburn University.
- Lehninger, 1982, Dasar-Dasar Biokimia Jilid 1, Jakarta: Erlangga.
- Lemigas, 2010, Kajian Bahan Baku Batubara dan CO₂ Manajemen untuk Pengembangan CTL di Indonesia, Laporan Program Pembinaan Usaha Pertambangan Mineral dan Batubara No. 04.06.01.0039.03625D, *Pusat Penelitian dan Pengembangan Teknologi Minyak dan Gas Bumi 'Lemigas'*, Jakarta. hal. 280.
- Lin, S. Y., 1975, Production of Water-Soluble Polycarboxylic Lignin by an Oxygen-Alkali Process, US Patent, 3910873.
- Liu, Z., Quek, A., Hoekman, S.K., and Balasubramanian, R., 2013, Production of Solid Biochar Fuel from Waste Biomass by Hydrothermal Treatment Carbonization, *Fuel*, 103, 943-949.
- Makela, M., Benavente, V., and Fullana, A., 2015, Hydrothermal Carbonization of Lignocellulosic Biomass: Effect of Process Conditions on Hydrochar Properties, *Applied Energy*, 155. 576-584.

- Malakauseya, J. J., Sudjito, dan Sasongko, M. N., 2013, Pengaruh Prosentase Campuran Briket Limbah Serbuk Kayu Gergajian dan Limbah Daun Kayuputih Terhadap Nilai Kalor dan Kecepatan Pembakaran, *Jurnal Rekayasa Mesin*, Vol.4 No.3, 194-198.
- Miller, J.C. and Miller J.N., *Statistics for Analytical Chemistry second edition*, England: Ellis Horwood Limited
- Minowa, T., Ogi, T., Dote, Y., and Yokoyama, S.Y., 1994, Effect of Lignin Content on Direct Liquefaction of Bark, *International Chemical Engineering*, 34, 428.
- Nizamuddin, S., Mubarak, N.M., Tiripathi, M., Jayakumar, N.S., Sahu, J.N., and Ganesan, P., 2016, Chemical, Dielectric and Structural Characterization of Optimized Hydrochar Produced from Hydrothermal Carbonization of Palm Shell, *Fuel* 163, 88-97.
- Novianti, S., Nurdiawati, A., Zaini, I.N., Prawisudha, P., Sumida, H., and Yoshikawa, K., 2015, Low-Potassium Fuel production from Empty Fruit Bunches by Hydrothermal Treatment Processing and Water Leaching, *Energy Procedia* 75, 585-588.
- Pari, G., 2011, Pengaruh Selulosa Terhadap Struktur Karbon Arang Bagian I: Pengaruh Suhu Karbonisasi, *Jurnal Penelitian Hasil Hutan Vol. 29*. 33-45.
- Parikh, J., Channiwala, S.A., and Ghosal, G.K., 2005, A Correlating for Calculating HHV from Proximate Analysis of Solid Fuels, *Fuel* 84. 487-494.
- Pecsok, dkk, 1976, *Modern Methods of Chemical Analysis*, 2nd Ed.
- Peterson, A.A., Vogel, F., Lachance, R.P., Froling, M., Michael Jerry Antal, J., and Tester, J.W., *Thermochemical Biofuel Production in Hydrothermal Media: A Review of Sub- and Supercritical Water Technologies*, *Energy and Environmental Science*, 1. 32-65.
- Rahmawati, R.F., 2016, Pengaruh Residence Time dan Ratio Biomassa-Air Pada Hydrothermal Treatment Biomassa, Tesis: Departemen Teknik Kimia Fakultas Teknik Universitas Gadjah Mada.
- Reza, M.T., 2011, Hydrothermal Carbonization of Lignocellulosic Biomass, Tesis: University of Nevada.

- Sanchez, C., Eguez, I., Garcia, A., Ponte, R., and Labidi., J., 2012, Lactic Acid Production by Alkaline Hydrothermal Treatment of Corn Cobs, *Chemical Engineering Journal*, 181-182. 655-660.
- Sastrohamidjojo, H., 1991, *Spektroskopi*, Yogyakarta: Liberty
- Sinag, A., Gulbay, S., Uskan, B., and Gullu, M., 2009, Comparative Studies of Intermediates Produced from Hydrothermal Treatment of Sawdust and Cellulose, *Journal of Supercritical Fluids*, 50. 121-127.
- Singh, R., Prakash, A., Balagurumurthy, B., and Bhaskar, T., 2015, *Hydrothermal Liquefaction of Biomass*, India: Indian Institute of Petroleum
- Surono, U. B., 2010, Peningkatan Kualitas Pembakaran Biomassa Limbah Tongkol Jagung sebagai Bahan Bakar Alternatif dengan Proses Karbonisasi dan Pembriketan, *Jurnal Rekayasa Proses*, Vol. 4. No. 1.
- Tekin, K., Karagoz, S., and Bektas, S., 2014, A Review of Hydrothermal Biomass Processing, *Renewable and Sustainable Energy Reviews*, 40. 673-687.
- Warisno, 1998, *Seri Budidaya Jagung Hibrida*, Yogyakarta: Kanisius.
- Widarjono, A., 2015, *Statistika Terapan Dengan Excel dan SPSS*, Yogyakarta: UPP STIM YKPN.
- Yan, W., Acharjee, T.C., Coronella, C.J., and Vasquez, V.R., 2009, Thermal Pretreatment of Lignocellulosic Biomass, *Environ. Prog Sustain Energy* 28, 435-440.
- Yang, W., Wang, H., Zhang, M., Zhu, J., Zhou, J., and Wu, S., 2016, Properties and Combustion Kinetics of Hydrochar Prepared by Hydrothermal Carbonization of Bamboo., *Bioresource Technology* 205, 199-204.
- Yao, Z., Ma, X., and Lin, Y., 2016, Effects of Hydrothermal Treatment Temperature and Residence Time on Characteristics and Combustion Behaviors of Green Waste, *Applied Thermal Engineering* 104, 678-686.
- Yuliansyah, A., Hirajima, T., Kumagai, S., and Sasaki, K., 2010, Production of Solid Biofuel from Agricultural Wastes of the Palm Oil Industry by Hydrothermal Treatment, *Waste Biomass Valor*, 1. 395-405.

- Yulistiani, F., 2009, Kajian Tekno Ekonomi Pabrik Konversi Biomassa Menjadi Bahan Bakar Fischer-Tropsch Melalui Proses Gasifikasi, Thesis: Institut Teknologi Bandung
- Zhang, L.H., Xu, C.B., and Champagne, P., Overview of Recent Advances in Thermo-chemical Conversion of Biomass, *Energy Convers Manage* 51. 969-982
- Badan Pusat Statistik, <http://www.bps.go.id/linkTableDinamis/view/id/868>, diakses ada tanggal 22 Desember 2015.