

DAFTAR PUSTAKA

- Adhegate, E. & Ponery, A.S. 2002. Ghrelin stimulates insulin secretion from the pancreas of normal and diabetic rats. *J Neuroendocrinol*, 14: 555-560.
- Andersson, U., Filipsson, K., Abbott, C.R., Woods, A., Smith, K., Bloom, S.R. 2004. Ampactivated protein kinase plays a role in the control of food intake. *J Biol Chem*, 279:5-8.
- Ando, T., Ichimaru, Y., Konjiki, F., Shoji, M., Komaki, G. 2007. Variations in the preproghrelin gene correlate with higher body mass index, fat mass, and body dissatisfaction in young Japanese women. *Am J Clin Nutr*, 86:25-32.
- Barazzoni, R., Zanetti, M., Ferreira, C., Vinci, P., Pirulli, A., Mucci, M., *et al.* 2007. Relationships between desacylated and acylated ghrelin and insulin sensitivity in the metabolic syndrome. *J Clin Endocrinol Metab*, 92:3935-3940.
- Basseler, A., Hasinoff, M.J., Fisher, M., Reinhar, W., Sonneberg, G.E., Olivier, M. 2005. Genetic linkage and association of the growth hormone secretagogue receptor (Ghrelin receptor) gene in human obesity. *Diabetes*, 54: 259-267.
- Berthoud, H.R. 2012. Multiple neural systems controlling food intake and body weight. *Neurosci Biobehav Rev*, 26:393-428.
- Bing, C., Ambye, L., Fenger, M., Jorgensen, T., Borch-Johnsen, K., Madsbad, S. 2005. Large-scale studies of the Leu72Met polymorphism of the ghrelin gene in relation to the metabolic syndrome and associated quantitative traits. *Diabet Med*, 22: 1157-1160.
- Broglio, F., Arvat, E., Benso, A., Gottero, C., Muccioli, G., Papotti, M., *et al.* 2001. Ghrelin, a natural GH secretagogue produced by the stomach, induces hyperglycemia and reduces insulin secretion in humans. *J Clin Endocrinol Metab*, 86:5083-5086.
- Cani, P.D., Montoya, M.L., Neyrinck, A.M., Delzenne, N.M., Lambert, D.M. 2004. Potential modulation of plasma ghrelin glucagon-like peptide-1 by anorexigenic cannabinoid compounds sr 141716a (rimonabant) and oleoylethanolamide. *Br J Nutr*, 92: 757-761.
- Castaneda, T.R., Tog, J., Datta, R., Culler, M., Tschop, M.H. 2010. Ghrelin in the regulation of body weight and metabolism. *Front Neuroendocrinol*, 31:44-60.
- Chen, X., Ge, Y.L., Jiang, Z.Y., Liu, C.Q., Depoortere, I., *et al.* 2005. Effects of ghrelin on hypothalamic glucose responding neurons in rats. *Brain Res*, 1055:131-136.
- Cota, D., Marsicano, G., Lutz, B., Vicennati, V., Stalla, G.K., Pasquali, R. 2003. Endogenous cannabinoid system as a modulator of food intake. *Int J Obes Relat Metab Discord*, 27: 289-301.
- Cuellar, J.N & Isokawa, M. 2010. Ghrelin-induced activation camp signal transduction and its negative regulation by endocannabinoids in the hippocampus. *Neuropharmacology*, 60: 842-851.
- Cummings, D.E., Frayo, R.S., Marmonier, C., Aubert, R., Chapelot, D. 2004. Plasma ghrelin levels and hunger scores in human initiating meals voluntarily with out time and food related cues. *Am J Physiol-Endocr Metab*, 287:297-304.

- Damdindorj, B., Dezaki, K., Kurashina, T., Sone, H., Rita, R., Kakei, M., *et al.* 2012. Exogenous and endogenous ghrelin counteracts GLP-1 action to stimulate cAMP signaling and insulin secretion in islet β -cells. *FEBS Lett*, 586 :2555-2562.
- Danaei, G., Finucane, M.M., Lu, Y., Singh, G.M., Cowan, M.J., *et al.* 2011. National, regional, and global trends in fasting plasma glucose and diabetes prevalence since 1980: systematic analysis of health examination surveys and epidemiological studies with 370 country-years and 27 million participants. *Lancet*, 378 : 31–40.
- Date, Y., Nakazato, M., Hashiguchi, S. 2002. Ghrelin is present in pancreatic alpha-cells of humans and rats and stimulates insulin secretion. *Diabetes*, 51:124–129.
- Delhanty, P.J.D. & Van der lely, A.J. 2011. Ghrelin and glucoes homeostasis. *Peptide*, 32: 2309-2318.
- Dezaki, K., Hosoda, H., Kakei, M., Hashiguchi, S., Watanabe, M., Kangawa, K., *et al.* 2004. Endogenous ghrelin in pancreatic islets restricts insulin release by attenuating Ca^{2+} signaling in β -cells: implication in the glycemic control in rodents. *Diabetes*, 53:3142–1451.
- Dezaki, K., Kakei, M., Yada, T. 2008. Ghrelin is a physiological regulator of insulin release in pancreatic islets and glucose homeostasis. *Pharmacol Ther*, 118: 239-249.
- Dinsa, G. D. Goryakin, Y. Fumagalli, E. Suhrcke, M. 2012. Obesity and socioeconomic status in developing countries: A systematic review. *Obes Rev*, 13: 1067-1079.
- Druce, M.R., Wren, A.M., Park, A.J., Milton, J.E., Patterson, M., Frost, G. 2005. Ghrelin increases food intake in obese as well as lean subjects. *Int J Obes (Lond)*, 29: 1130-1136.
- Egido, E.M., Rodriguez-Gallardo, J., Silvestre, R.A., Marco, J. 2002. Inhibitory effect of ghrelin on insulin and pancreatic somatostatin secretion. *Eur J Endocrinol*, 146:241–244.
- Ferriday, D & Brunstrom, J.M. 2008. How does food-cue exposure lead to larger meal sizes. *Br J Nutr*, 100 :1325–1332.
- Flanagan, D.E., Evans, M.L., Monsod, T.P. 2003. The influence of insulin on circulating ghrelin. *Am J Physiol Endocrinl Metab*, 284: E313-316.
- Froy, O. 2010. Metabolism and circadian rhythms – implications for obesity. *Endocr Rev*, 31:1–24.
- Gahete, M. D., Rincón-Fernández, David, V., Hormaechea-Agulla, A., Daniel, I., Martínez-Fuentes, A., *et al.* 2014. Ghrelin gene products, receptors, and goat enzyme: Biological and pathophysiological insight. *J Endocrinol*, 220: 1-24.
- Garg.,M.K., Dutta, M.K., Mahalle, N. 2011. Study of beta-cell function (by HOMA model) in metabolic syndrome. *Indian J Endocrinol Metab*, 15: 44-49.
- Gauna, C., Delhanty, P., Van Aken, M., Janssen, J., Themmen, A., Hofland, L., *et al.* 2006. Unacylated ghrelin is active on the INS-1E rat insulinoma cell line independently of the growth hormone secretagogue receptor type 1a

- and the corticotropin releasing factor 2 receptor. *Mol Cell Endocrinol*, 251:103–111.
- Gohar, N. A., Elgayar, D. F. H., Ayat, I., Aboulsoud, S.H. Hegazy, M. A. 2012. Association of the Leu72Met polymorphism of the ghrelin gene and ghrelin level with type 2 diabetes mellitus and obesity. *Comp Clin Pathol*, 21: 1493-1499.
- Granata, R., Settanni, F., Biancone, L., Trovato, L., Nano, R., Bertuzzi, F., *et al.* 2007. Acylated and unacylated ghrelin promote proliferation and inhibit apoptosis of pancreatic beta-cells and human islets: involvement of 3',5'-cyclic adenosine monophosphate/protein kinase A, extracellular signal-regulated kinase 1/2, and phosphatidylinositol 3-kinase/Akt signaling. *Endocrinology*, 148:512–529.
- Granata, R., Volante, M., Settanni, F., Gauna, C., Ghe, C., Annunziata, M. 2010. Unacylated ghrelin and obestatin increase islet cell mass and prevent diabetes in streptozotocin-treated newborn rats. *J Mol Endocrinol*, 45:9–17.
- Gueorguiev, M., Wiltshire, S., Garcia, E.A., Mein, C., Lecoer, C., Kristen, B. 2007. Examining the candidacy of ghrelin as a gene responsible for variation in adult stature in a United Kingdom population with type 2 diabetes. *J Clin Endocrinol Metab*, 92: 2201-2204.
- Guerguiev, M., Lecoer, C., Meyre, D., Benzinou, M., Mein, C.A., Hinney, A., *et al.* 2009. Association Studies on Ghrelin and Ghrelin Receptor Gene Polymorphisms With Obesity. *Obesity*, 17 :745–754.
- Hansen, T.K., Dall, R., Hosoda, H., Kojima, M., Kangawa, K., Christiansen, J.S., *et al.* 2002. Weight loss increase circulating levels of ghrelin in human obesity. *Clin Endocrinol*, 56: 203-206.
- He, W., Lam, T.K., Obici, S., Rossetti, L. 2006. Molecular disruption of hypothalamic nutrient sensing induces obesity. *Nat Neurosci* 9:227–233.
- Hetherington, M.M & Cecil, J.E. 2010. Gene-Environment Interactions in Obesity. *Forum Nutr Basel Karger*, 63 :195–203.
- Hinney, A., Hoch, A., Geller, F., Schafer, H., Siegfried, W., Goldschmidt, H. 2002. Ghrelin gene: Identification of missense variants and a frameshift mutation in extremely obese children and adolescents and healthy normal weight students. *J Clin Endocrinol Metab*, 87: 2716-2719.
- Hossain, P., Kavar, B., Meguid El Nahas. 2007. Obesity and Diabetes in the Developing World —A Growing Challenge. *N Engl J Med*, 356:3.
- Howard, A.D., Feighner, S.D., Cully, D.F., Arena, J.P., Liberatore, P.A., Rosenblum, C.I. 1996. A receptor in pituitary and hypothalamus that functions in growth hormone release. *Science*, 273:974–977.
- Imaizumi, T. Ando, M., Nakatochi, M., Yasuda, Y., Honda, H., Kuwatsuka, Y., *et al.* 2016. Effect of dietary energy and polymorphisms in BRAP and GHRL on obesity and metabolic traits. *Obes Res Clin Pract*, 577: 1-10.
- Irako, T., Akamizu, T., Hosoda, H, Iwakura, H., Ariyasu, H., Tojo, K. 2006. Ghrelin prevents development of diabetes at adult age in streptozotocin-treated newborn rats. *Diabetologia*, 49: 1264-1273.

- Kalra, S.P., Ueno, N., Kalra, P.S. 2005. Stimulation of appetite by ghrelin is regulated by leptin restraint: peripheral and central sites of action. *J Nutr*, 135:1331–1335.
- Kanoski, S. E., Fortin, S. M., Ricks, K. M., Grill, H. J. 2013 Ghrelin signaling in the ventral hippocampus stimulates learned and motivational aspects of feeding via PI3K-Akt signaling. *Biol Psychiatry*, 9 : 915-923.
- Kim, C., Robert, B., David, G., Mangione, C., Selby, J., Herman, W. 2005. Is physician gender associated with the quality of diabetes care? Health services, services, psychosocial research. *Diabetes Care*, 28:1594–1598.
- Kim, S., Jo, D., Hwang, P.H., Park, J., Park, S., Yi, H., Lee, Dae-Yeol. 2006. Preproghrelin Leu72Met polymorphism is not associated with type 2 diabetes mellitus. *Metabolism*, 55: 366-337.
- Kirsz, K. & Zieba, D. A. 2011. Ghrelin-mediated appetite regulation in the central nervous system. *Peptides*, 32 : 2256-2264
- Kishimoto, M., Okimura, Y., Nakata, H., Kudo, T., Iguchi, G., Takahashi, Y., *et al.* 2003. Cloning and characterization of the 5'-flanking region of the human ghrelin gene. *Biochem Biophys Res Commun*, 305: 186-192.
- Kohno, D., Gao, H.Z., Muroya, S., Kikuyama, S., Yada, T. 2003. Ghrelin directly interacts with neuropeptide-y-containing neurons in the rat arcuate nucleus: Ca²⁺ signaling via protein kinase a and n-type channel-dependent mechanisms and cross-talk with leptin and orexin. *Diabetes*, 52:948–956.
- Kojima, M., Hosoda, H., Date, Y., Nakazato, M., Matsuo, H., Kangawa, K. 1999. Ghrelin is a growth-hormone-releasing acylated peptide from stomach. *Nature*, 402:656-660.
- Kola, B., Hubina, E., Tucci, S.A, Kirkham, T.C, Garcia, E.A., Mitchell, S.E. 2005. Cannabinoids and ghrelin have both central and peripheral metabolic and cardiac effects via amp-activated protein kinase. *J Biol Chem*, 280: 196–201.
- Korbonits, M., Gueorguiev, M., O'Grady. 2002. A variation in the ghrelin gene increases weight and decreases insulin secretion in tall, obese children. *J Clin Endocrinol Metab*, 87:4005–4008.
- Kuzuya, M., Ando, F., Iguchi, A., Shimokata, H. 2006. Preproghrelin Leu72Met variant contributes to overweight in middle-aged men of a Japanese large cohort. *Int J Obes*, 30: 1609-1614
- Larsen, L.H., Gjesing, A.P., Sørensen, T.I., Hamid, Y.H., Echwald, S.M., Toubro, S., *et al.* 2005. Mutation analysis of the preproghrelin gene: no association with obesity and type 2 diabetes. *Clin Biochem*, 38:420–424.
- Leonetti, F.L., Gianluca, R., Zappatereno, M.C., Tiberti, A., Lannucci, C.V.V., Di Mario, E. 2004. Acute insulin infusion decrease plasma ghrelin levels in uncomplicated obesity. *Regul Pept*, 122 : 179-183.
- Liu, B., Edwin, A.G., Korbonit, M. 2011. Genetic studies on the ghrelin, growth hormone secretagogue receptor (GHSR) and ghrelin O-acyl transferase (GOAT) genes. *Peptides*, 32: 2191-2207.
- Liu, J., Liu, J., Tian, L., Liu, J., Bing, Y., Zhang, J., Wang, Y., *et al.* 2012. Association of ghrelin Leu72Met polymorphism with type 2 diabetes mellitus in Chinese population. *Gene*, 504: 309-312.

- Lopez, M., Lage, R., Saha, A.K., Perez-Tilve, D., Vazquez, M.J, Varela, L. 2008. Hypothalamic fatty acid metabolism mediates the orexigenic action of ghrelin. *Cell Metab*, 7:389–399.
- Lu,S.C., Xu, J., Chinookoswong, N., Liu, S., Steavenson, S., Gegg, C., *et al.* 2009. An acyl-ghrelin-specific neutralizing antibody inhibits the acute ghrelin-mediated orexigenic effects in mice. *Mol Pharmacol*, 75:901-907.
- Mackelvie, K.J., Meneilly, G.S., Elahi, D., Wong, A.C., Barr,S.I., Chanoine, J.P. 2007. Regulation of appetite in lean and obese adolescents after exercise: role of acylated and deacyl ghrelin. *J Clin Endocrinol Metab*, 92: 648-654.
- Martos-Moreno, G.A., Barrios, V., Soriano-Gullen, L., Argente, J. 2006. Relationship between adiponectin levels, acylated ghrelin levels, and short term body mass index changes in children with diabetes mellitus type 1 at diagnosis and after insulin therapy. *Eur J Endocrinol*, 155: 757-761.
- Mayorov, A.V., Amara, N., Chang, J.Y., Moss, J.A., Hixon, M.S., Ruiz, D.I, *et al.* 2008. Catalytic antibody degradation of ghrelin increases whole-body metabolic rate and reduces refeeding in fasting mice. *Proc Natl Acad. Sci. USA*, 105: 17487–17492.
- McLaughlin, T., Abbasi, F., Lamendola, C., Frayo, R.S., Cummings, D.E. 2004. Plasma ghrelin concentrations are decreased in insulin-resistant obese adults relative to equally obese insulin-sensitive controls. *J Clin Endocrinol Metab*, 89: 1630-1635.
- Miraglia del Giudice, E., Santoro, N., Cirillo, G., Raimondo, P., Grandone, A.,D'Aniello, A., *et al* 2004. Molecular screening of the ghrelin gene in Italian obese children: the Leu72Met variant is associated with an earlier onset of obesity. *Int J Obes Relat Metab Disord*, 28: 447-450.
- Miyazaki, Y., Takiguchi, S., Seki, Y., Kasama, K., Takahashi, T., Kurokawa, Y. 2013. Clinical significance of ghrelin expression in the gastric mucosa of morbidly obese patients. *World J Surg*, 37:2883-2890.
- Monteleone, P., Tortorella, A., Castaldo, E., Di Filippo, C., Maj, M. 2007. The Leu72Met polymorphism of the ghrelin gene is significantly associated with binge eating disorder. *Psychiatr Genet*, 17: 13-19.
- Mora, M., Adam, V., Palomera, E., Blesa, S., Díaz, G., Buquet, X., *et al.* 2015. Ghrelin gene variants influence on metabolic syndrome components in aged Spanish population. *Plos one* 10: 1- 17.
- Muccioli, G., Pon, N., Ghe,C., Catapano, F., Granata, R., Ghigo, E. 2004. Ghrelin and deacyl ghrelin both inhibit isoproterenol-induce lipolysis in rat adipocytes via a non-type 1a growth hormone secretagogue receptor. *Eur J Pharmacol*, 498: 27-35.
- Müller, T.D., Tschöp, M.H., Jarick, I., Ehrlich, S., Scherag, S., Herpertz-Dahlmann, B., *et al.* 2011. Genetic variation of the ghrelin activator gene ghrelin O-acyltransferase (GOAT) is associated with anorexia nervosa. *J Psychiatr Res*, 45:706-711.
- Pacifico, L., Poggiogalle, E. Costantino, F. Anania, C. Ferraro, F. Chiarelli, F.2009. Acylated and nonacylated ghrelin levels and their associations with insulin resistance in obese and normal weight children with metabolic syndrome. *Eur J Endocrinol*, 161:861–870.
- Poyko, S.M., Kellokoski, E., Horkko, Kauma, H., Kesaniemi, Y.A., Ukkola, O. 2003. Low plasma ghrelin is associated with insulin resistance,

- hypertension, and the prevalence of type 2 diabetes. *Diabetes*, 52:2546-2553.
- Reimer, M.K., Pacini, G., Ahren, B. 2003. Dose-dependent inhibition by ghrelin of insulin secretion in the mouse. *Endocrinology*, 144:916–921.
- Rudkowska, I & Pérusse, L. 2012. Individualized weight management: What can be learned from nutrigenomics and nutrigenetics. *Prog Mol Biol Transl Sci*, 108: 347-382.
- Saliba, L. F., Reis, R.S., Brownson, R. C., Hino, A. A., Tureck, L. V., Valko, C., *et al.* 2014. Obesity-related gene ADRB2, ADRB3 and GHRL polymorphisms and the response to a weight loss diet intervention in adult women. *Genet Mol Biol*, 37 : 15-22.
- Satou, M., Nishi, Y., Yoh, J. 2010. Identification and characterization of acyl-protein thioesterase 1/lysophospholipase i as a ghrelin deacylation/lysophospholipid hydrolyzing enzyme in fetal bovine serum and conditioned medium. *Endocrinology*, 151:4765–4775
- Seim, I., Collet, C., Herington, A. C. Chopin, L.K. 2007. Revised genomic structure of the human ghrelin gene and identification of novel exons, alternative splice variants and natural antisense transcripts. *BMC Genomics*, 8:298-314.
- Shanado, Y., Kometani, M., Uchiyama H. 2004 Lysophospholipase i identified as a ghrelin deacylation enzyme in rat stomach. *Biochem Biophys Res Commun*, 325:1487–1494.
- Shiia, T., Nakazato, M., Mizuta, M., Date, Y., Mondal, M.S., Tanaka, M. 2002. Plasma ghrelin levels in lean and obese human and the effect of glucose on ghrelin secretion. *J Clin Endocrinol Metab*, 87: 240-244.
- Sipe, J.C., Waalen, J., Gerber, A., Beutler, E. 2005. Overweight and obesity associated with a missense polymorphism in fatty acid amide hydrolase. *Int J Obes*, 20: 755-759.
- Soriano-Guillen, L., Barrios, V., Martos, G., Chowen, J.A., Campos-Barros, A., Argente, J. 2004. Effect of oral glucose administration on ghrelin levels in obese children. *Eur J Endocrinol*, 152: 119-121.
- Stengel, A., Goebe, M., Wang, L., 2010. Differential distribution of ghrelin-o-acyltransferase (GOAT) immunoreactive cells in the mouse and rat gastric oxyntic mucosa. *Biochem Biophys Res Commun*, 392:67–71.
- Stengel, G. M., Hofmann, T. Elbelt, U. Teuffel, P., Ahnis, A., Kobelt, P. 2013. The ghrelin activating enzyme ghrelin-O-acyltransferase is present in human plasma and expressed dependent on body mass index. *Peptides*, 43:13–19.
- Stengel, A., Stengel, G. M., Teuffel, P., Hofmann, T., Bube, P., Kobelt, P. 2014. Obese patients have higher circulating protein levels of dipeptidyl peptidase IV. *Peptides*, 61:75–82.
- St-Pierre, D.H., Karelis, A.D., Coderre, L., Malita, F., Fontaine, J., Mignault, D. 2007. Association of acylated and nonacylated ghrelin with insulin sensitivity in overweight and obese postmenopausal women. *J Clin Endocrinol Metab*, 92: 264-269.
- Sugondo, S. Metabolik Endokrin: Obesitas. In : Sudoyo, A. W., B. Setiyohadi, I. Alwi, M. Simadibrata. K., dan S. Setiati, editors. *Buku Ajar Ilmu Penyakit Dalam Jilid III Edisi IV*, PP: 1941-1946. Jakarta : FKUI; 2007.

- Sun, Y., Asnicar, M., Saha, P.K., Chan, L., Smith, R.G. 2006. Ablation of ghrelin improves the diabetic but not obese phenotype of ob/ob mice. *Cell Metab*, 3: 379-386.
- Takagi, K., Legrand, R., Asakawa, A., Amitani, H., Francois, M., Tenuoune, N. 2013. Anti-ghrelin immunoglobulins modulate ghrelin stability and its orexigenic effect in obese mice and humans. *Nat Commun*, 4:2685-2693.
- Takezawa, J., Yamada, K., Morita, A., Aiba, N., Watanabe, S. 2009. Preproghrelin gene and with metabolic syndrome parameters in women. *Obes Res Clin Pract*, 3: 179-191.
- Tanaka, M., Y. Hayashida, T., Iguchi, N., Nakao, N., Nakai, K., Nakashima. 2001. Organization of the mouse ghrelin gene and promoter: occurrence of a short noncoding first exon. *Endocrinology*, 142: 3697-3700.
- Tassone, F., Broglio, F., Destefanis, S., Rovere, S., Benso, A., Gottero, C. 2003. Neuroendocrine and metabolic effects of acute ghrelin administration in human obesity. *J Clin Endocrinol Metab*, 88: 5478-5483.
- Tschöp, M., Smiley, D L., Heiman, M L. 2000. Ghrelin induces adiposity in rodents. *Nature*, 407: 908-913
- Tschop, M., Weyer, C., Tatarani, P.A. 2001. Circulating ghrelin levels are decreased in human obesity. *Diabetes*, 50:707-709.
- Ukkola, O. 2010. Serum ghrelin and the prediction of the development of impaired glucose regulation and type 2 diabetes in middle-aged subjects. *J Endocrinol Invest*, 33:496-500.
- Ukkola, O., Poykko, S.M., Kesaniemi, Y.A. 2005. Low plasma ghrelin concentration is an indicator of the metabolic syndrome. *J Clin Endocrinol*, 90: 6448-6453.
- Ukkola, O., Ravussin, E., Jacobson, P., Pérusse, L., Rankinen, T., Tschöp, M. 2002. Role of ghrelin polymorphisms in obesity based on three different studies. *Obes Res*, 8:782-791.
- Ukkola, O., Ravussin, E., Jacobson, P., Snyder, E.E., Chagnon, M., Sjostrom, L. 2001. Mutations in the preproghrelin/ghrelin gene associated with obesity in humans. *J Clin Endocrinol Metab*, 86:3996-3999.
- Van der Lely, A.J., Tschop, M., Heiman, M.L., Ghigo, E. 2004. Biological, physiological, pathophysiological, and pharmacological aspects of ghrelin. *Endocr Rev*, 25: 426-457.
- Vereecken, C.A. & Maes, L. 2006. Television viewing and food consumption in Flemish adolescents in Belgium, *Soz Präventiv Med*, 51: 311-317.
- Vicennati, V., Genghini, S., De Iasio, R. 2007. Circulating obestatin levels and the ghrelin/obestatin ratio in obese women. *Endocrinol*, 157:295-301.
- Vivenza, D., Rapa, A., Castellino, N., Bellone, S., Petri, A., Vacca, G. 2004. Ghrelin gene polymorphism and ghrelin, insulin, IGF-1, leptin and anthropometric data in children and adolescents. *Eur J Endocrinol*, 151: 127-133.
- Weisell, R.C. 2002. Original Article Body mass index as an indicator of obesity. *Asia Pacific J Clin Nutr*, 11: 681-684.
- Worthley, K.E., Anderson, K.D., Garcia, K., Murray, J.D., Malinova, L., Liu, R. 2004. Genetic deletion of ghrelin does not decrease food intake but

- influences metabolic fuel preference. preference. *Proc Natl Acad Sci USA*, 101:8227–8232.
- Wren, A.M., Seal, L.J., Cohen, J.A., Brynes, A.E., Frost, G.S., Murphy, K.G. 2001. Ghrelin enhances appetite and increases food intake in humans. *J Clin Endocrinol Metab*, 86: 5992-5995.
- Yada, T., Damingdorj, B., Rita, S.R., Kurashina, T., Ando, A., Taguchi, M., *et al.* 2014. Ghrelin signalling in β -cells regulates insulin secretion and blood glucose. *Diabetes Obes Metab*, 16: 111-117.
- Yanovski, J.A., Krakoff, J., Salaita, C.G., Mc Duffie, J.R., Kozlosky, M., Sebring, N.G., *et al.* 2011. Effects of metformin on body weight and body composition in obese insulin-resistant children: a randomized clinical trial. *Diabetes*, 60: 477-485.
- Zavarella, S., Petrone, A., Zampetti, S., Gueorguiev, M., Spoletini, M., Mein, C.A., *et al.* 2008. A new variation in the promoter region, the -604 CNT, and the Leu72Met polymorphism of the ghrelin gene are associated with protection to insulin resistance. *Int J Obes (Lond)*, 32:663–668.
- Zhang, J.V., Klein, C., Ren, P.G., Kass, S., Donck, L.V., Moechars, D. 2007. Response to comment on “Obestatin, a peptide encoded by the ghrelin gene, opposes ghrelin’s effects on food intake”. *Science*, 315:1-9.
- Zhu, J.F., Liang, L., Zou, C.C., Fu, J.F., 2010. Plasma ghrelin levels and polymorphisms of ghrelin gene in Chinese obese children and adolescents. *Ir J Med Sci*, 179:345–349.
- Zhu, X., Cao, Y., Voogd, K., Steiner, D.F. 2006. On the processing of proghrelin to ghrelin. *J Biol Chem*, 281: 867–870.
- Zigman, J.M., Jones, J.E., Lee, C.E., Saper, C.B., Elmquist, J.K. 2006. Expression of ghrelin receptor mRNA in the rat and the mouse brain. *J Comp Neurol*, 494:528–548.
- Zou, C.C., Huang, K., Liang, L., Zhao, Z.Y. 2008. Polymorphisms of the ghrelin/obestatin gene and ghrelin levels in Chinese children with short stature. *Clin Endocrinol (Oxf)*, 69:99–104.