

DAFTAR PUSTAKA

- Al-Quaiz, J.M. (2001). Iron Deficiency Anemia : A study of risk factors. *Saudi Medical Journal*. Vol. 22(6) : 490-496.
- American Academy of Pediatrics & American College of Obstetricians and Gynecologists. (2006). Menstruation in Girls and Adolescent : Using the Menstrual Cycle as a Vital Sign. *Pediatrics*. Volume 118, No.5.
- Badan Kependudukan dan Keluarga Berencana Nasional & Kementerian Kesehatan Republik Indonesia. (2011). *Profil Hasil Pendataan Keluarga Tahun 2010*. Direktorat Pelaporan dan Statistik.
- _____.(2012). *Jenis Metode KB Pasca Persalinan*. Pedoman Pelayanan Keluarga Berencana Pasca Persalinan di Fasilitas Kesehatan.
- Bano, R. & Al-Sabhan, F.A. (2015). Study of Knowledge and Practice of Univesity Females Regarding Reproductive Health and Hygiene in Hail, Saudi Arabia. *International Journal of Women's Health and Reproduction Sciences*. Vol.3, 1.
- Beck, K.L., Conlon, C.A., Kruger, R., Coad, J. (2014). Dietary Determinants of and Possible Solutions to Iron Deficiency for Young Women Living in Industrialized Countries: A Review. *Nutrients*. 6, 3747-3776; doi:10.3390/nu6093747
- Blanco-Rojo, R., Toxqui, L., López-Parra, A.M., Baeza-Richer, C., Pérez-Granados, A.M., Arroyo-Pardo, E., *et al.* (2014). Influence of Diet, Menstruation and Genetic Factors on iron Status : A Cross-Sectional Study in Spanish Women of Childbearing Age. *International Journal of Molecular Sciences*. 15,4077-4087.
- Blumenthal, P.D., Dawson, L., Hurskainen, R. (2011). Cost-effectiveness and Quality of Life Associated with heavy Menstrual Bleeding among Women Using the Levonorgestel-releasing Intrauterine System. *International Journal of Gynecology and Obstetrics*. 171-178
- Chang, Jung-Su., Chen, Yi-Chun., Owaga, E., Palupi, K.C., Pan, Wen-Harn., Bai, Chyi-Huey. (2014). Interactive Effects of Dietary Fat/Carbohydrate Ratio and

Body Mass Index on Iron Deficiency Anemia among Taiwanese Women. *Nutrients*. 6, 3929-3941.

Chinedu, S.N., & Emiloju, O.C. (2014). Underweight, overweight and obesity amongst young adults in Ota, Nigeria. *Journal of Public Health and Epidemiology*. Vol. 6(7) 235-238.

Clancy, K.B.H., Nenko, I., Jasienska, G. (2006). Menstruation does not cause anemia: Endometrial thickness correlates positively with Erythrocyte count and hemoglobin concentration in premenopausal women. *American Journal of Human Biology*, 18(5), 710-713. DOI: 10.1002/ajhb.20538

Copher, R., Le-Nestour, E., Zampaglione, E., Prezioso, A.N., Pocoski, J., Law, A.W. (2012). Heavy menstrual bleeding treatment patterns and associated health care utilization and costs. *Journal of Clinical Outcomes Management*. 19: 402–413.

Dasharathy, S.S., Mumford, S.L., Pollack, A.Z., Perkins, N.J., Mattison, D.R., Wactawski-Wende, J., *et al.* (2012). Menstrual Bleeding Pattern among Regularly Menstruating Women. *American Journal of Epidemiology*. 175(6) : 536-545.

Dinas Kesehatan provinsi DIY. (2012). *Laporan Akhir Screening Anemia pada Remaja di Provinsi DIY tahun 2012*. Yogyakarta: Dinas Kesehatan Provinsi DIY

_____. (2014). *Data Laporan Rutin Dinas Kesehatan Provinsi DIY tahun 2014*. Yogyakarta: Dinas Kesehatan Provinsi DIY

Direktorat Bina Gizi. (2014). *Angka Kecukupan Gizi yang Dianjurkan bagi Bangsa Indonesia*. Direktorat jenderal Bina Gizi dan Kesehatan Ibu dan Anak Kementerian Kesehatan Republik Indonesia.

Fraser, I.S., Warner, P., Marantos, P.A. (2001). Estimating Menstrual Blood Loss in Women with Normal and Excessive Menstrual Fluid Volume. *Obstetrics and Gynecology*. Volume 98, No. 5.

Fraser, I.S., Mansour, D., Breyman, C., Hoffman, C., Mezzacasa, A, Petraglia F. (2014). Prevalence of Heavy Menstrual Bleeding and Experiences of Affected

- Women in a European Patient Survey. *International Journal of Gynecology and Obstetrics*. 128(3):196-200.
- Ganz, T. & Nemeth, E. (2006). Iron imports. IV. Hepcidin and Regulation of Body Iron Metabolism. *Am J Physiol Gastrointest Liver Physiol*. 290: G199 –G203.
- Gibson, R. (2005). *Principles of Nutritional Assessment : second edition*. Oxford : Oxford University Press.
- Gokyildiz, S., Aslan, E., Beji, N.K., Meci, M. (2013). The Effects of Menorrhagia on Women's Quality of Life : A Case Control Study. *ISRN Obstetrics and Gynecology*.
- Goodwin, T.M., Montoro, M.N., Muderspach, L., Paulson, R., Roy, S. (2010). *Management of Common Problems in Obstetric and Gynecology*. Fifth Edition. Oxford : Blackwell Publishing.
- Hahn, K.A., Wise, L.A., Riis, A.H., Mikkelsen, E.M., Rothman, K.J., Banholzer, K., et al. (2013). Correlates of Menstrual Cycle Characteristics among Nulliparous Danish Women. *Clinical Epidemiology*. 5 311-319.
- Hallberg, L. & Hulthen, L (2000). Prediction of dietary iron absorption : an algorithm for calculating absorption and bioavailability of dietary iron. *American Journal of Clinical Nutrition*. 1147-1160.
- Harlow, S.D. & Campbell, O.M.R. (2004). Epidemiology of Menstrual Disorders in Developing Countries : a Systematic Review. *International Journal of Obstetrics and Gynaecology*. January, Vol. 111. P. 6-16.
- Harvey, L.J., Armah, C.N., Dainty, J.R., Foxall, R.J., John, L.D., Langford, N.J., et al. (2005). Impact of Menstrual Blood Loss and Diet on Iron Deficiency Among Women in the UK. *British Journal of Nutrition*, 94. 557-564.
- Hastuti, E. (2013). Pengaruh Anemia terhadap Siklus Menstruasi pada Mahasiswa Akademi Kebidanan Banjarbaru. Tesis : Universitas Gadjah Mada

- Haynes, S. (2011). Menorrhagia and its management. *The Pharmaceutical Journal*. Vol. 286.
- Hallberg, L. & Nilsson, L. (1964). Determination of Menstrual Blood Loss. *Scandinavian Journal of Clinical and Laboratory Investigation*. 16 : 244-248
- Hillman, R.S., Ault, K.A., Rinder, H.M. (2005). *Hematology in Clinical Practice : A Guide to Diagnosis and Management*. 4th edition. New York : McGraw-Hill Companies, p. 53-55.
- Jagannath, D.K., Kuldeep, D.S., Narendra, S.M., Hrishikesh, A.K., Vivek, S.B. (2014). Prevalence and Sociodemographic Factors Related to Anemia among Adolescent Girls in a Rural Area of Aurangabad District, Maharashtra. *International Journal of Scientific Study*. Vol 2. 19-23.
- Johnson-Wimbley, T.D. & Graham, D.Y. (2011). Diagnosis and management of iron deficiency anemia in the 21st century. *Therapeutic Advances in Gastroenterology*. 4(3) 177-184.
- Kotwaney, S. & Shetty, P. (2014). Variation in Haemoglobin Levels During Menstrual Cycle. *Nitte University Journal of Health Science*. Vol. 4.
- Lemcke, D.P., Pattison, J., Marshall, L.A., Cowley, D.S. (2004). *Current Care of Women :Diagnosis and Treatment*. New York :McGraw-Hill Companies. p. 487
- Magnay, J.L., Nevatte, T.M., O'Brien, S., Gerlinger, C., Seitz, C. (2014). Validation of A New Menstrual Pictogram (Superabsorbent Polymer-c Version) for Use with Ultraslim Towels that Contain Superabsorbent Polymers. *Fertility and Sterility*. Vol 101, No. 2.
- Mahan, K.L., & Stump, S.E. (2003). *Krause's Food Nutrition and Diet Therapy*. 11th ed. USA : W.B Saunders.
- Mounir, G.M., El-Sayed, N.A., Mahdy, N.H., Khamis, S.E. (2007). Nutritional Factors Affecting the Menarcheal State of Adolescent School Girls in Alexandria. *The Journal of The Egyptian Public Health Association*. Vol. 82.



- Naftalin, J., Hoo, W., Pateman, K., Mavrellos, D., Foo, X., Jurkovic, D. (2014). Is adenomyosis associated with menorrhagia?. *Human Reproduction*. Vol. 29 p 473-479.
- Napolitano, M., Dolce, A., Celenza, G., Granfone, E., Perili, M.G., Siragusa, S., *et al.* (2014). Iron-dependent Erythropoiesis in Women with Excessive Menstrual Blood Losses and Women with Normal Menses. *Annals of Hematology*. 93:557-563
- Nkrumah, B., Nguah, S.B., Sarpong, N., Dekker, D., Idriss, A., May, J., *et al.* (2011). Hemoglobin estimation by the Hemocue® portable hemoglobin photometer in a resource poor setting. *BMC Clinical Pathology*. 11:5.
- Osungbade, K.O. & Oladunjoye, A.O. (2012). Anaemia in Developing Countries: Burden and Prospects of Prevention and Control. *inTechopen*. (8) 115-124.
- Pemerintah Kota Yogyakarta. (2012). Penduduk Perempuan menurut Golongan Umur per Kecamatan. *Buku Data Status Lingkungan Hidup Daerah Kota Yogyakarta*. 31.
- Péneau, S., Dauchet, L., Vergnaud, AC., Estaquio, C., Kesse-Guyot, E., Bertrais, S., *et al.* (2008). Relationship between iron status and dietary fruit and vegetables based on their vitamin C and fiber content. *American Journal of Clinical Nutrition*. 87 : 1298-1305.
- Peuranpää, P., Heliövaara-peippo, S., Fraser, I., Paavonen, J., Hurskainen, R. (2014). Effects of Anemia and Iron Deficiency on Quality of Life in Women with Heavy Menstrual Bleeding. *Acta Obstetrica et Gynecologica Scandinavica*. 654-660.
- Philipp, C.S., Faiz, A., Dowling, N. (2005). Age and Prevalence of Bleeding Disorders in Women with Menorrhagia. *Obstetrics & Gynecology*. 105 ; 61-66.
- Polin, V., Coriat, R., Perkins, G., Dhooge, M., Abitbol, V., Leblanc, S., *et al.* (2013). Iron Deficiency : From Diagnosis to Treatment. *Digestive and Liver Disease*. 45 (10) : 803-809.



- Revel-Vilk, S., Paltiel, O., Lipschuetz, M., Ilan, U., Hyam, E., Shai, E., *et al.* (2012). Underdiagnosed Menorrhagia in Adolescent is Associated with Underdiagnosed Anemia. *The Journal of Pediatrics*. March. Vol. 160, No. 3.
- Royal College of Obstetricians & Gynecologists. (2004). Contraceptive Choices for Breastfeeding Women. *Journal of Family Planning and Reproductive Health Care*. 181-189.
- Santos, I.S., Minten, G.C., Valle, N.C.J., Tuerlinckx, G.C., Silva, A.B., Pereira, G.A.R., *et al.* (2011). Menstrual Bleeding Patterns : A Community-Based Cross-Sectional Study among Women Aged 18-45 Years in Southern Brazil. *BMC Women's Health*. 11:26.
- Shankar, M., Chi, C., Kadir, R.A. (2006). Review of Quality of Life : menorrhagia in Women with or without Inherited Bleeding Disorders. *Haemophilia*. 15-20.
- Shapley, M., Jordan, K., Croft, P.R. (2004). An epidemiological survey of symptoms of menstrual loss in the community. *British Journal of General Practice*. 54 : 359-363.
- Short, M.W. & Domagalski, J.E. (2013). Iron Deficiency Anemia : Evaluation and Management. *American Family Physician*. Volume 87, Number 2. January 15.
- Srivastava, T., Negandhi, H., Neogi, S.B., Sharma, J., Saxena, R. (2014). Methods for Hemoglobin Estimation : A Review of "What Works". *Journal of Hematology & Transfusion*. 2(3) : 1028.
- Stipanuk, M.H., Caudill, M.A. (2013). *Biochemical, Physiological, and Molecular Aspects of Human Nutrition*. 3rd ed. USA : Elsevier Saunders. Chapter 36, Iron ; P.815
- Suparman, E. (2012). *Premenstrual Syndrome*. Jakarta : Buku Penerbit Kedokteran EGC.
- Toxqui, L., Perez-Granados, A.M., Blanco-Rojo, R., Wright, I., Vaquero, M. (2014). A simple and feasible questionnaire to estimate menstrual blood loss :

relationship with hematological and gynecological parameters in young women. *BMC Women's Health*. 14-7.

United Nations Administrative Committee on Coordination/Sub-Committee on Nutrition. (2000). *Fourth Report on the World Nutrition Situation*; ACC/SCN in collaboration with IFPRI.

U.S. Department of Agriculture. (2003). *USDA National Nutrient Database for Standard Reference*. Nutrient data Laboratory. Available : www.nal.usda.gov.

Waldvogel-Abramowski, S., Waeber, G., Gassner, C., Buser, A., Frey, B.M., Favrat, B., et al. (2014). Physiology of Iron Metabolism. *Transfusion Medicine and Hemotherapy*. 41 : 213-221.

Warrilow, G., Kirkham, C., Ismail, K.M.K., Wyatt, K., Dimmock, P., O'Brien, S. (2004). Quantification of Menstrual Blood Loss. *The Obstetrician and Gynecologist*. 88-92.

Wasiak, R., Filonenko, A., Vanness, D.J., Wittrup-Jensen, K.U., Stull, D.E., Siak, S., et al. (2012). Impact of estradiol-valerate/dienogest on work productivity and activities of daily living in European and Australian women with heavy menstrual bleeding. *International Journal of Women Health*. 2012 : 4 271-278.

Webster-Gandy, J., Madden, A., Holdsworth, M. (2006). Nutrition Assessment. In *Oxford Handbook of Nutrition and Dietetics*. New York : Oxford University Press.

Weiss, G. & Goodnough, L.T. (2005). Anemia of Chronic Disease. *The New England Journal of Medicine*. 352;10.

World Health Organization. (2001). *Iron Deficiency Anemia, Prevention and Control : A Guide for Programme Managers*. Available : www.who.int

_____. (2004). Appropriate body-mass index for Asian populations and its implications for policy and intervention strategies. *The Lancet*. Vol 363 : 157-63.

_____. (2011). *Haemoglobin concentrations for the diagnosis of anemia and*



assessment of severity. Available : www.who.int

_____. (2011). *Serum ferritin concentrations for the assessment of iron status and iron deficiency in populations*. Available : www.who.int

Wyatt, K.M., Dimmock, P.W. Walker, T.J. Phil, M. O'Brien, P.M.S. (2001).
Determination of Total Menstrual Blood Loss. *Fertility and Sterility*. Vol. 76,
No.1.

Wyatt, K., Dimmock, P., O'Brien, S., Kirkham, C., Warrilow, G., Ismail, K. (2004).
Quantification of Menstrual Blood Loss. *The Obstetrician & Gynecologists*. 88-
92.

Zafon, C., Lecube, A., Simó, R. (2010). Iron in obesity. An Ancient Micronutrient for
a Modern Disease. *Obesity Reviews*. 11: 322-328.

Zakherah, M.S., Sayed, G.H., El-Nashar, S.A., Shaaban, M.M. (2011). Pictorial Blood
Loss Assessment Chart in The Evaluation of Heavy Menstrual Bleeding :
Diagnostic Accuracy Compared to Alkaline Hematin. *Gynecologic and
Obstetric Investigation*. 71(4) :281-4.