Nanokomposit SiO2-ZrO2/montmorillonit K10 dan SiO2-Fe2O3/montmorillonit K10: Preparasi dengan
radiasi gelombang mikro dan aktivitas katalis
SERLY J. SEKEWAEL, Prof. Dr. rer.nat. Karna Wijaya, M.Eng.;Prof. Dr. Triyono, S.U.; Prof. Ir. Arief Budiman, M.S.,
Universitas Gadjah Mada, 2017 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Aher, R. D., Gade, M.H., Reddy, R.S., Sudalai, A., 2012, Cu^{II}-exchange montmorillonite K10 clay-catalyzed direct carboxylation of terminal alkynes with carbon dioxide, *Indian J. Chem.,* Vol.51A, 1325-1329.

Ahmed, O.S., Dutta, D.K., 2003, Generation of metal nanoparticles on montmorillonite K10 and their characterization, *Langmuir***,** *19,* 5540-5541.

Alexandre, M., Dubois, P., 2000, Polymer-layered silicate nanocomposites: preparation, properties and uses of a new class of materials, *Mater. Sci. Eng.* 28, 1-63.

Álvarez, A., Moreno, S., Molina, R., Ivanova, S., Centeno, M.A., Odriozola, J.A., 2012, Research paper: Gold supported on pillared clays for CO oxidation reaction: Effect of the clay aggregate size, *Appl. Clay Sci.* 69, 22–29.

Anthony, J. W., Bideaux, R. A., Bladh, K. W., Nichols, M. C., 2009, *Handbook of mineralogy*, volume 2, University of California.

Ayoub, M., Abdullah, A.Z., 2013, Short communication: LiOH-modified montmorillonite K-10 as catalyst for selective glycerol etherification to diglycerol, *Catal. Commun.* 34, 22–25.

Barrer, R.M., Clay minerals as selective and shape-selective sorbents, *Pure & Appl. Chem*., Vol. 61, No.11, 1903-1912 (1989).

Bergaya, F., 1995, The meaning of surface area and porosity measurements of clays and pillared clays, *J. Porous Mater.* 2, 91-96.

Bieseki, L., Treichel, H., Araujo, A.S., Pergher, S.B.C., 2013, Porous materials obtained by acid treatment processing followed by pillaring of montmorillonite clays, *Appl. Clay Sci.* 85, 46–52.

Bineesh, K. V., Kim, M., Lee, G.H., Selvaraj, M., Park, D.W., 2013, Research paper: catalytic performance of vanadia-doped alumina-pillared clay for selective oxidation of H_2S, *Appl. Clay Sci.* 74, 127–134.

Brinker, C.J., Scherer, G.W.,, 1990, *Sol-Gel Science*, Academic Press, London.

Bueno, F.D.R., Rodrigues, A.G., Arjona, A. M., Caballero, F. J. D. R. P., 1995, Acidity of montmorillonite-(Ce or Zr) phosphate cross-linked compounds, *Clays and Clay Minerals*, Vol. 43, No. 5, 554-561.

ChemNet® Global Chemical Network, Montmorillonite K10, *http://www.chemnet.com/Global/Products/montmorillonitek10/Suppliers-0-.html*, diakses 21 Januari 2013.

UNIVERSITAS GADJAH MADA
Nanokomposit SiO2-ZrO2/montmorillonit K10 dan SiO2-Fe2O3/montmorillonit K10: Preparasi dengan radiasi gelombang mikro dan aktivitas katalis
SERLY J. SEKEWAEL, Prof. Dr. rer.nat. Karna Wijaya, M.Eng.;Prof. Dr. Triyono, S.U.; Prof. Ir. Arief Budiman, M.S.,
Universitas Gadjah Mada, 2017 | Diunduh dari http://etd.repository.ugm.ac.id/

Chen J., Liu X., Li G., Nie X., An T., Zhang S., Zhao H., 2011, Synthesis and characterization of novel SiO_2 and TiO_2 co-pillared montmorillonite composite for adsorption and photocatalytic degradation of hydrophobic organic pollutants in water , *Catal. Today*, 164, 364-369.

Cheng, L. S., Yang, R.T., 1997, Tailoring micropore dimensions in pillared clays for enhanced gas adsorption, *Microporous Mater.* 8, 177-186.

Choy, J.H., Park, J.H., Yoon, J.B., 1998, Multilayered SiO_2/TiO_2 nanosol particles in two-dimensional aluminosilicate catalyst-Support, *J. Phys. Chem. B*, 102, 5991-5995.

Choy, J.H., Jung, H., Han, Y.S., Yoon, J.B., Shul, Y.G., Kim, H.J., 2002, New CoO-SiO_2-sol pillared clays as catalysts for NOx conversion, *Chem. Mater. 14*, 3823-3828.

Choy, J.H., , Yoon, J.B., Jung, H., Park, J.H., 2003, Structural evolution of SiO_2-ZrO_2 nano-sol intercalated clays upon pillaring reaction, *J. Mater. Chem.*, 13, 557-562.

Cool, P., Vansant, E.F., 1998, Pillared clays: Preparation, characterization and applications, *Catal. Rev., Sci. Eng*., 3, 265-285.

de Andrès, A.M., Merino, J., Galván, J.C., Ruiz-Hitzky, E., 1999, Synthesis of pillared clays assisted by microwaves, *Mater. Res. Bull.*, 34 (4), 641–651.

Di Serio, M., Tesser, R., Pengmei, L., Santacesaria, E., 2008, Heterogeneous catalysts for biodiesel production, *Energy Fuels*, 22, 207–217.

Ding, Z., Kloprogge, J.T., Frost, R.L., 2001, Porous clays and pillared clays-based catalysts. Part 2: A review of the catalytic and molecular sieve applications, *J. Porous Mater.* 8: 273-239.

Dintzner, M.R., Wucka, P.R., Lyons, T.W., 2006, Microwave-assisted synthesis of a natural insecticide on basic montmorillonite K10 Clay, *J. Chem. Edu.*, Vol.83, No.22: 270-272

Dhokte AO, Sonkamble SG, Lande MK, Arbad BR., 2014, One-pot synthesis of aromatic nitriles from aldehydes using magnetic material separated from coal fly ash, *IJCPS*, Vol. 5 (3)

Duong, L. V., Bostrom, T., Kloprogge, T., Frost, R., 2005, The distribution of Ga in Ga-pillared montmorillonites: A transmission electron microscopy and microanalysis study, *Microporous Mesoporous Mater.* 82 (1-2):165-172.

Emeis, C.A., 1993, Determination of integrated molar extinction coefficients for infrared absorption bands of pyridine adsorbed on solid acid catalysts, *J. Catal*., 141, 347-354.

UNIVERSITAS GADJAH MADA
Nanokomposit SiO2-ZrO2/montmorillonit K10 dan SiO2-Fe2O3/montmorillonit K10: Preparasi dengan radiasi gelombang mikro dan aktivitas katalis
SERLY J. SEKEWAEL, Prof. Dr. rer.nat. Karna Wijaya, M.Eng.;Prof. Dr. Triyono, S.U.; Prof. Ir. Arief Budiman, M.S.,
Universitas Gadjah Mada, 2017 | Diunduh dari http://etd.repository.ugm.ac.id/

Fatimah, I., Wijaya, K., Narsito, 2015, Microwave assisted preparation of TiO_2/Al-pillared saponite for photocatalytic phenol photo-oxidation in aqueous solution, *Arab. J. Chem.*, 8, 228–232.

Fazaeli, R., Aliyan, H., 2007, Clay (KSF and K10)-supported heteropoly acids: Friendly, efficient, reusable and heterogeneous catalysts for high yield synthesis of 1,5-benzodiazepine derivatives both in solution and under solvent-free conditions, *Applied Catalysis A: General* 331, 78–83.

Fechete, I., Wang, Y., Védrinec, J.C., 2012, The past, present and future of heterogeneous catalysis, *Catal. Today* 189, 2– 27.

Fetter, G., Hernandez, V., Rodriquez,V., Valenzuela, M.A., Lara.V.H., Bosch, P., 2003, Effect of microwaves irradiation time on the synthesis of zirconia-pillared clays, *Mater. Lett.*, 57: 1220-1223.

Flessner, U., Jones, D.J., Rozière, J., Zajac, J., Storaro, L., Lenarda, M., Pavan, M., Jiménez-López, A., Rodŕıguez-Castellón, E., Trombetta, M., Busca, G., 2001, A study of the surface acidity of acid-treated montmorillonite clay catalysts, *J. Mol. Catal. A: Chemical* 168, 247–256.

Ghebaur, A., Garea S.A., Iovu H., 2011, The influence of inorganic host type in the drug-layered silicate Biosystems, U.P.B. *Sci. Bull.*, Series B, Vol. 73, Iss. 3.

Gheit, A. K. A., 1988, Desorption of presorbed ammonia, triethylamine and pyridine from the acid sites of mordenites via differential scanning calorimetry, *Thermochimica Acta*, 132, 257-264.

Gil, A., Korili, S.A., Trujilano, R., Vincente, M.A., 2010, *Pillared Clays and Related Catalyst*, Springer Science+Business Media, New York.

Gregg, S.J., Sing, K.S.W., 1982, *Adsorption, Surface Area and Porosity*, Academic Press, London.

Haerudin, H., Kusuma, D.S., Komalasari, I., 2005, Pilarisasi bentonit dengan modifikasi penambahan asam sulfat sebagai katalis asam padat dalam esterifikasi, *J. Teknik Kimia Ind.*, vol.4 no.1, 131-136.

Han, Y.S., Matsumoto, H., Yamanaka, S., 1997, Preparation of new silica sol-based pillared clays with high surface area and high thermal stability, *Chem. Mater.* 9, 2013-2018.

Han, Y.S., Yamanaka, S., 2006, Preparation and characterization of microporous SiO_2–ZrO_2 pillared montmorillonite, *J. Solid State Chem.* 179, 1146–1153.

Hashemi, M. M., Eftekhari-Sis, B., Abdollahifar, A., Khalili, B., 2006, $ZrOCl_2 \cdot 8H_2O$ on montmorillonite K10 accelerated conjugate addition of amines to α,β-unsaturated alkenes under solvent-free conditions, *Tetrahedron* 62, 672–677.

UNIVERSITAS GADJAH MADA
Nanokomposit SiO2-ZrO2/montmorillonit K10 dan SiO2-Fe2O3/montmorillonit K10: Preparasi dengan radiasi gelombang mikro dan aktivitas katalis
SERLY J. SEKEWAEL, Prof. Dr. rer.nat. Karna Wijaya, M.Eng.;Prof. Dr. Triyono, S.U.; Prof. Ir. Atie Budiman, M.S.,
Universitas Gadjah Mada, 2017 | Diunduh dari http://etd.repository.ugm.ac.id/

Hernando, M. J., Pesquera, C., Blanco, C., González, F., 2002**,** Increase in thermal stability of the texture in montmorillonites pillared with aluminum/cerium polyoxocations**,** *Langmuir 18*, 5633-5636.

Ishida, H., Campbell, S., Blackwell, J., 2000, General Approach to Nanocomposite Preparation, *Chem. Mater. 12*, 1260-1267.

Jha, A., Garade, A.C., Shirai, M., Rode, C.V., 2013, Metal cation-exchanged montmorillonite clay as catalysts for hydroxyalkylation reaction, *Appl. Clay Sci.*, 74, 141–146.

Jung, H., Paek, S.M., Yoon, J.B., Choy, J.H., 2007, Zr K-edge XAS Study on ZrO_2-pillared aluminosilicate, *J. Porous Mater* 14: 369-377.

Kameshima, Y., Koike, T., Isobe, T., Nakajima, A., Okada, K., 2009 (a), Effect of the SiO_2/TiO_2 ratio on the solid acidity of SiO_2–TiO_2/montmorillonite composites, *Mater. Res. Bull.* 44, 1906–1909.

Kameshima, Y., Yoshizawa, A., Nakajima, A., Okada, K., 2009 (b), Solid acidity of the SiO_2-TiO_2/montmorillonite composites synthesized under different pH conditions, *Appl. Clay Sci.* 46, 181-184.

Kawi, S., Yao, Y.Z., 1999, Silica bonded K10 montmorillonite (SBM): a high surface area catalytic clay material., *Microporous Mesoporous Mater*. 28, 25-34.

Király, Z., Veisz, B., Mastalir, A., Köfaragó, Gy., 2001, Preparation of ultrafine palladium particles on cationic and anionic clays, mediated by oppositely charged surfactants: Catalytic probes in hydrogenations, *Langmuir, 17,* 5381-5387.

Kooli, F., 2009, Exfoliation properties of acid-activated montmorillonites and their resulting organoclays, *Langmuir, 25*, 724-730.

Kou S.M.R., Mendioroz S., Guijarro, M.I., 1998, A thermal study of Zr-pillared montmorillonite, *Thermochimica Acta* 323, 145-57.

Kumar, J.P., Ramacharyulu, P.V.R.K., Prasad, G.K., Singh, B., 2015, Montmorillonites supported with metal oxide nanoparticles for decontamination of sulfur mustard, *Appl. Clay Sci*., 116-117, 263-272 (2015).

Li, B., Liu, Z., Han, C., Ma, W., Zhao, S., 2012, In situ synthesis, characterization, and catalytic performance of tungstophosphoric acid encapsulated into the framework of mesoporous silica pillared clay, *J. Colloid and Interface Sci.*, 377, pp.334–341

Liu, D., Yuan, P., Liu, H., Cai, J., Tan, D., He, H., Zhu, J., Chen, T., 2013, Quantitative characterization of the solid acidity of montmorillonite using combined FTIR and TPD based on the NH_3 adsorption system, *Appl. Clay Sci.* 80–81, 407–412.

UNIVERSITAS GADJAH MADA
Nanokomposit SiO2-ZrO2/montmorillonit K10 dan SiO2-Fe2O3/montmorillonit K10: Preparasi dengan radiasi gelombang mikro dan aktivitas katalis
SERLY J. SEKEWAEL, Prof. Dr. rer.nat. Karna Wijaya, M.Eng.;Prof. Dr. Triyono, S.U.; Prof. Ir. Arief Budiman, M.S.,
Universitas Gadjah Mada, 2017 | Diunduh dari http://etd.repository.ugm.ac.id/

Lowell, S., Shield, J.E., 1991, *Powder Surface Area and Porosity*, 3nd ed, Springer, London.

Mao, H., Li, B., Yue, L., Wang, L., Yang, J., Gao, X., 2011, Aluminated mesoporous silica-pillared montmorillonite as acidic catalyst for catalytic cracking, *Appl. Clay Sci.* 53, 676–683.

Marvi, O., Alizadeh, A., Zarrabi, 2011, Montmorillonite K-10 clay as an efficient reusable heterogeneous catalyst for the solvent-free microwave mediated synthesis of 5-subsituted 1*H*-tetrazoles.

McMurry, J., 2008, *Organic Chemistry*, 7 edition, Thomson Brooks/Cole, USA.

Mnasri, S., Srasra, N. F, 2013, Evolution of Brönsted and Lewis acidity of single and mixed pillared bentonite, *Infrared Phy. Technol.*, 58, 15–20.

Moini, A., Pinnavaia, T.J., 1988, *Solid State Ionics*, vol.9, pp 2039-2050.

Molina, C.B., Casas, J.A., Zazo, J.A., Rodŕıguez, J.J., 2006, A comparison of Al-Fe and Zr-Fe pillared clays for catalytic wet peroxide oxidation, *Chem. Eng. J.*, 118, 29–35.

Molu, Z. B., Yurdakoç, K., 2010, Preparation and characterization of aluminum pillared K10 and KSF for adsorption of trimethoprim, *Microporous Mesoporous Mater.* 127, 50–60.

Monshi, A., Foroughi, M.R. , Monshi, M.R. , 2012, Modified Scherrer equation to estimate more accurately nano-crystallite size using XRD, *World Journal of Nano Science and Engineering*, 2, 154-160.

Mori, H., Miyoshi, H., Takeda, K., Yoneyama, H., Fujita, H., Iwata, Y., Otsuka, Y. Murata, Y., 1992, TEM observation of iron oxide pillars in Montmorillonite, *J. Mater. Sci.*, 27, 3197-3199.

Motasemi, F., Ani, F.N., 2012, A review on microwave-assisted production of biodiesel, *Renewable and Sustainable Energy Reviews*, 16, 4719–4733.

Muthuvel, I., Krishnakumar, B., Swaminathan, M., 2012, Novel Fe encapsulated montmorilonit K10 clay for photo-Fenton mineralization of Acid Yellow 17, *Indian J. Chem.*, vol 15, 800-806.

Nayak, P.S., Singh, B.K., 2007, Instrumental characterization of clay by XRF, XRD and FTIR, *Bull. Mater. Sci.*, Vol. 30, No. 3, pp. 235–238.

Ohtsuka, K., 1997, Preparation and properties of two-dimensional microporous pillared interlayered solids, *Chem. Mater., 9*, 2039-2050.

UNIVERSITAS GADJAH MADA
Nanokomposit SiO2-ZrO2/montmorillonit K10 dan SiO2-Fe2O3/montmorillonit K10: Preparasi dengan radiasi gelombang mikro dan aktivitas katalis
SERLY J. SEKEWAEL, Prof. Dr. rer.nat. Karna Wijaya, M.Eng.;Prof. Dr. Triyono, S.U.; Prof. Ir. Arief Budiman, M.S.,
Universitas Gadjah Mada, 2017 | Diunduh dari http://etd.repository.ugm.ac.id/

Olaya, A., Moreno, S., Molina, R., 2009 (a), Synthesis of pillared clays with aluminum by means of concentrated suspensions and microwave radiation, *Catal. Commun.*, 10, 697–701.

Olaya, A., Moreno, S., Molina, R., 2009 (b), Synthesis of pillared clays with Al_{13}-Fe and Al_{13}-Fe-Ce polymers in solid state assisted by microwave and ultrasound: Characterization and Catalytic activity, *Appl. Catal. A: General* 370 , 7–15.

Omar, W.N.N.W., Amin, N.A.S., 2011, Biodiesel production from waste cooking oil over alkaline modified zirconia catalyst, *Fuel Processing Tech.*, 92, 2397-2405.

Pai, S.G., Bajpai, A.R., Deshpande, A.B., Samant, S.D., 2000, Benzylation of arenes in the presence of Montmorillonite K10 modified using aqueous and acetonitrile solutions of $FeCl_3$, *J. Mol. Catal.* A: Chemical 156, 233–243.

Park, J.H., Yang, J.H., Yoon, J.B., Hwang, S.J., Choy, J.H., 2006, Intracrystalline structure and physicochemical properties of mixed SiO_2-TiO_2 sol-pillared aluminosilicate, *J. Phys. Chem. B, 110,* 1592-1598.

Pillai, U.R., Demessie, S. E., 2003, Oxidation of alcohols over Fe^{3+}/montmorillonite-K10 using hydrogen peroxide, *Appl. Catal. A*: General 245, 103–109.

Rao, G. R., Mishra, B.G., 2005, A comparative UV–vis-diffuse reflectance study on the location and interaction of cerium ions in Al- and Zr-pillared montmorillonite clays, *Mater. Chem. Phys.*, 89, 110–115.

Reddy, C.R., Bhat, Y.S., Nagendrappa, G., Prakash, B.S.J., 2009, Brønsted and Lewis acidity of modified montmorillonite clay catalysts determined by FT-IR spectroscopy, *Catal. Today* 141, 157–160.

Rezende, M.J.C., Pereira, M.S.C., Santos, G.F.N., Aroeira, G.O.P., Albuquerque, T.C., Suarez P.A.Z., Pinto, A.C., 2012, Preparation, characterization, and evaluation of Brazilian clay-based catalyst for use in esterification reactions, *J. Braz. Chem. Soc*., vol. 23, No.7, 1209-1215.

Rezende, M.J.C., Pinto, A.C., 2016, Esterification of fatty acids using acid-activated Brazilian smectite natural clay as a catalyst, *Renewable Energy* 92, 171-177.

Riaz, U., Ashraf, S.M., 2011, Effect of solid state intercalation conditions in controlling the self-assembled nanostructured polycarbazole–montmorillonite nanocomposites synthesized by mechano-chemical and microwave-assisted techniques, *Appl. Clay Sci.*, 52, 179–183.

Ruslan, Wijaya, K., Triyono, 2013, Study of physico-chemical properties of SiO_2-Al_2O_3/bentonite nanocomposite: Thermal and acid stability, *IJAC*, vol.9. no.1. 15-35.

Sampieri, A., Fetter, G., Bosch, P., Bulbulian, S., 2004, Washing effect on the synthesis of silica-pillared clays, *J. Porous Mater.*, 11, 157-162.

UNIVERSITAS GADJAH MADA
Nanokomposit SiO2-ZrO2/montmorillonit K10 dan SiO2-Fe2O3/montmorillonit K10: Preparasi dengan radiasi gelombang mikro dan aktivitas katalis
SERLY J. SEKEWAEL, Prof. Dr. rer.nat. Karna Wijaya, M.Eng.;Prof. Dr. Triyono, S.U.; Prof. Ir. Atef Budiman, M.S.,
Universitas Gadjah Mada, 2017 | Diunduh dari http://etd.repository.ugm.ac.id/

Sani, Y.M., Daud, W.M.A.W., Abdul, A.R.A., 2014, Activity of solid acid catalysts for biodiesel production: A critical review, *Appl. Catal. A: General* 470, 140– 161.

Sekewael, S. J., 2008, Karakterisasi sifat fisikokimia komposit besi oksida-montmorilonit hasil interkalasi silikat lempung montmorilonit, *Indones. Chim. Acta*, Vol. 1. No. 1, 24-32.

Sekewael, S.J., Wijaya, K., Triyono, Budiman, A., 2016, Microwave assisted preparation and physico-chemical properties of mixed oxides silica-zirconia montmorillonite K10 nanocomposite, *Asian J. Chem.*, 28, No.10, 2325-2330.

Semwal, S., Arora, A.K., Badoni, R.P., Tuli, D.K., 2011, Review: Biodiesel production using heterogeneous catalysts, *Bioresource Tech.*, 102, 2151–2161.

Shrigadi, N.B., Shinde, A.B., Samant, S.D., 2003, Study of catalytic activity of free and K10-supported iron oxyhydroxides and oxides in the Friedel–Crafts benzylation reaction using benzyl chloride/alcohol to understand their role in the catalysis by the Fe-exchanged/impregnated K10 catalysts, *Appl. Catal.* A: *General* 252 , 23–35.

Sibilia, J.P., 1996, *A Guide to Materials Characterization and Chemical Analysis*, 2nd Edition, VCH Publishers, Inc.

Sing, K. S.W., Williams, R.T, Pysisorption hysteresis loop and the characterization of nanoporous material, Review, *AST*, 22 (10)_64, 773-782 (2005).

Strawhecker, K.E., Manias, E., 2000, Structure and properties of poly(vinyl alcohol)/Na^+montmorillonite nanocomposites, *Chem. Mater.* 12 (10), 2943-2949.

Suseno, A., Wijaya, K., Trisunaryanti, W., Shidiq, M., 2015, Synthesis and characterization of ZrO_2-pillared bentonites, *Asian J. Chem.*, Vol.27, No.7, 2619-2623.

Thomas, B., Prathapan, S., Sugunan, S., 2005, Synthesis of dimethyl acetal of ketones: design of solid acid catalysts for one-pot acetalization reaction. *Microporous Mesoporous Mater.*, 80, 65–72.

Uddin, F., 2008, Clay, Nanoclays, and Montmorillonite Minerals, *Metall. Mater. Trans. A*, volume 39A, 2804-2814.

van Olphen, H., 1977, *Clay colloid chemistry*, second edition, A Willey-Interscience Publication.

Wallis, J. P., Gates, W.P., Patti, A.F., Scott, J.L., Teoh, E., 2007, Assessing and improving the catalytic activity of K-10 montmorillonite, *Green Chem.* 9, 980-986.

West, A. R., 2010, *Basic Solid Chemistry*, John Wiley & Sons Ltd, England.

UNIVERSITAS
GADJAH MADA
Nanokomposit SiO2-ZrO2/montmorillonit K10 dan SiO2-Fe2O3/montmorillonit K10: Preparasi dengan radiasi gelombang mikro dan aktivitas katalis
SERLY J. SEKEWAEL, Prof. Dr. rer.nat. Karna Wijaya, M.Eng.;Prof. Dr. Triyono, S.U.; Prof. Ir. Atef Budiman, M.S.,
Universitas Gadjah Mada, 2017 | Diunduh dari http://etd.repository.ugm.ac.id/

Wijaya, K., 2002, Multifunction of layered and porous materials, *Indones. J. Chem.*, 2 (3), 142-154.

Wijaya, K., Sugiharto, E., Mudasir, Tahir, I., Liawati, I., Sintesis komposit oksida-besi montmorillonit dan uji stabilitas strukturnya terhadap asam sulfat, 2004, *Indones. J. Chem.*, 4(1), 33-42.

Yamanaka S., Inoue Y., Hattori M, 1992, Preparation and properties of clays pillared with SiO_2-TiO_2 sol particles, *Bull. Chem. Soc. Jpn*., 65, 2494-2500.

Yuan, P., Bergaya, F.A., Tao, Q., Fan, M., Liu, Z., Zhu, J., He, H., Tianhu Chen, 2008, A combined study by XRD, FTIR, TG and HRTEM on the structure of delaminated Fe-intercalated/pillared clay, *J. Colloid Interface Sci.* 324: 142-149.

Zatta, L., Ramos, L.P., Wypych, F., 2013, Acid-activated montmorillonites as heterogeneous catalysts for the esterification of lauric acid acid with methanol, *Appl. Clay Sci.* 80–81, 236–244.

Zhou, C.H., Keeling J., 2013, Fundamental and applied research on clay minerals: from climate and environment to nanotechnology, *Appl. Clay Sci.* 74, 3–9.