

DAFTAR PUSTAKA

- Al-Haifi, A. A., Almajed, H. T., Al-hazzaa, H. M., Musaiger, A. O., Arab, M. A., Hasan, R. A. (2016). Relative Contribution of Obesity, Sedentary Behaviors and Dietary Habits to Sleep Duration Among Kuwaiti Adolescents. *Global Journal of Health Science*, 8(1), 107–117. doi:10.5539/gjhs.v8n1p107
- Alim, Z., A. (2015). Uji Validitas dan Reabilitas Instrumen Pittsburgh Sleep Quality Index Versi Bahasa Indonesia. *Tesis*. Jakarta. Universitas Indonesia
- Aguilar, M.M., Vergara, F.A., Velasquez, E.J.A., Garcia-Hermoso, A. (2015). Physical Activity, Screen Time and Sleep Patterns in Chilean Girls. *Anales de pediatria*, 83(5)
- Apriani, W. (2015). Hubungan Aktivitas Fisik dengan Kualitas Tidur Remaja di Yogya. Universitas Gadjah Mada
- American Academy of Pediatrics. (2001). Children, Adolescents and Television. *Pediatrics*, 107(2). doi: 10.1542/peds.107.2.423
- Arundhana, A.I., Hadi, H., Julia, M. (2013). Pola Perilaku Sedentari Merupakan Faktor Resiko Kejadian Obesitas Pada Anak Sekolah Dasar di Kota Yogyakarta dan Kabupaten Bantul. *Jurnal Gizi dan Dietetik Indonesia*, 1(2), 71-80.
- Aslam, M., Kingdon, G. (2010). Parental Education and Child Health – Understanding the Pathways of Impact in Pakistan. *Research Consortium on Educational Outcomes and Poverty*. <https://www.csae.ox.ac.uk/workingpapers/pdfs/2010-16text.pdf> Diakses pada tanggal 25 Februari 2017
- Beccuti, G., & Pannain, S. (2011). Sleep and Obesity. *Curr Opin Clin Nutr Metab Care*, 14(4), 402-412. doi:10.1097/MCO.0b013e3283479109.
- Berman, A., Snyder, S.J., Kozier, B., Erb, G. (2008). *Fundamentals of Nursing : Concepts, Process, and Practice 8th Edition*. New Jersey: Pearson Education Inc. ISBN: 0-13-171468-6
- Badan Pusat Statistik. (2010). *Peraturan Kepala Badan Pusta Statistik Nomor 37 Tahun 2010 tentang Klasifikasi Perkotaan dan Perdesaan di Indonesia: Jawa*. Jakarta. Retrieved from https://sirusa.bps.go.id/webadmin/doc/MFD_2010_Buku_2.pdf
- Baker, F.C., Wolfson, A.R., Lee, K.A. (2009). Association of Sociodemographic Lifestyle and Health Factors with Sleep Quality and Daytime Sleepiness in Women: Findings from the 2007 National Sleep Foundation “Sleep in

- America Poll". *Journal Womens Health*, 18(6), 841-849. doi: 10.1089/jwh.2008.0986
- Barr-Anderson, D., J., Berg, P., V., D., Neumark-Sztainer, D., Story, M. (2017). Characteristics Associated with Older Adolescents who have a Television in Their Bedrooms. *Pediatrics*. 121(4). doi:10.1542/peds.2007-1546
- Bibiloni, M.D.M., Pich, J., Cordova, A., Pons, A., Tur, J.A. (2012). Association between Sedentary Behaviour and Socioeconomic Factors, Diet and Lifestyle among the Balearic Islands Adolescents. *BMC Public Health*, 12(718).
- Brand, S., Ph, D., Gerber, M., Ph, D., Beck, J., D, M. (2010). High Exercise Levels Are Related to Favorable Sleep Patterns and Psychological Functioning in Adolescents: A Comparison of Athletes and Controls, *Journal of Adolescent Health*, 46(2), 133-141. doi:10.1016/j.jadohealth.2009.06.018
- Buysse, D.J., Reynolds, C.F., Monk, T.H., Berman, S.R., Kupfer, D.J. (1988). The Pittsburgh Sleep Quality Index: A new Instrument for Psychiatric Practice and Research. *Psychiatry Research*, 28, 193-213.
- Cain, N., & Gradisar, M. (2010). Electronic Media Use and Sleep in School-aged Children and Adolescents: A Review. *Sleep Medicine*, 11(8), 735-742. doi:10.1016/j.sleep.2010.02.006
- Carpenito, L.J. (2002). *Diagnosis Keperawatan: Aplikasi pada Praktek Klinis Edisi 9*. Jakarta: EGC. ISBN: 978-979-448-867-6
- Craven, R.F., & Hirmle, C. (2009). *Fundamental of Nursing Human Health*. Philadelphia: Lippincott Williams & Wilkins.
- DeLaune, S.C., & Ladner, P.K. (2011). *Fundamentals of Nursing: Standars and Practice fourth edition*. New York: Delmar Cengage Learning.
- De Cocker, K., Ottevaere, C., Sjostrom, M., A Moreno, L., Warnberg, J., Valtuena, J., et al. (2010). Self-reported Physical Activity in European Adolescents: Results from the HELENA (Healthy Lifestyle n Europe by Nutrition in Adolescence) Study. *Public Health Nutrition*, 14(2), 246-254. doi:10.1017/S1368980010000558
- Delmas, C., Platat, C., Schweitzer, B., Wagner, A., Oujaa, M., Simon, C. (2007). Association Between Television in Bedroom and Adiposity Throughout Adolescence. *Obesity*. 15(10).
- Drescher, A.A., Goodwin, J.L., Silva, G.E., Quan, S.F. (2011). Caffeine and Screen Time in Adolescence: Associations with Short Sleep and Obesity. *Journal of Clinical Sleep Medicine*, 7(4): 337-342. doi: 10.5664/JCSM.1182

- Feng, Q., Zhang, Q., Du, Y., Ye, Y., He, Q. (2014). Associations of Physical Activity, Screen Time with Depression, Anxiety and Sleep Quality among Chinese Collage Freshmen. *Plos One*, 9(6). doi: 10.1371/journal.pone.0100914
- Frederico, B., Falese, L., Capelli, G. (2009). Socio-economic Inequalities in Physical Activity Practice among Italian Children and Adolescents: A Cross Sectional Study. *J Public Health*, 17. 377-384. doi: 10.1007/210389-009-0267-4
- Gibney, M.J., Margaretts, B.M., Kearney, J. M., Arab, L. (2013). *Gizi Kesehatan Masyarakat*. Jakarta: Penerbit Buku Kedokteran EGC. ISBN:978-979-448-944-4
- Gilbert-Diamond, D., Li, Z., Adachi-Mejia, A. M., McClure, A. C., Sargent, J., D. (2014). Association of Television in the Bedroom with Increased Adiposity Gain in a Nationally Representative Sample of Children and Adolescents. *JAMA Pediatr*. 168(5). 427-434. doi:10.1001/jamapediatrics.2013.3921.
- Grandner, M.A., Patel, N.P., Gehrman, P.R., Perlis, M.L., Pack, A.I. (2010). Problems Associated with Short Sleep: Bridging the Gap Between Laboratory and Epidemiological Studies. *Sleep Medicine Reviews*, 14(4), 239–247. doi:10.1016/j.smrv.2009.08.001
- Harkreader, H., Hogan, M.A., Thobaben, M. (2007). *Fundamental of Nursing: Caring and Clinical Judgement Edisi 3*. Saunders Elsevier. ISBN-13: 978-1416034360
- Hartono, A. (2009). *Gizi Kesehatan Masyarakat*. Jakarta: Penerbit Buku Kedokteran EGC.
- Haryono, A., Rindiarti, A., Arianti, A., Pawitri, A., Ushuluddin, A., Setiawati, A., et al. (2009). Prevalensi Gangguan Tidur pada Remaja Usia 12- 15 Tahun di Sekolah Lanjutan Tingkat Pertama. *Sari Pediatri*, 11(3), 149–154.
- Hamrik, Z., Kalman, M., Sigmundova, D., Pavelka, J., Salonna, F. (2014). Screen-based Behavior in Czech Adolescents in More Prevalent at Weekends. *Acta Gymnica*, 44(4). 203-209. doi: 10.5507/ag.2014.021
- Hastuti, J. (2013). Anthropometry and Body Composition of Indonesia Adults : An Evaluation of Body Image, Eating Behaviours and Physical Activity. *Disertasi*. Queensland University of Technology.
- Hysing, M., Pallesen, S., Stormark, K. M., Jakobsen, R., Lundervold, A. J., Sivertsen, B. (2015). Sleep and Use of Electronic Devices in Adolescence : Results from a Large Population-based study. *BMJ Open*, 5, 1–7. doi:10.1136/bmjopen-2014-006748

- Huriyati, E., Hadi, H., Julia, M. (2004). Aktivitas Fisik pada Remaja SLTP Kota Yogyakarta Kabupaten Bantul Serta Hubungannya dengan Kejadian Obesitas. *Jurnal Gizi Klinik Indonesia*, 1(2), 54-60.
- Jiang, X., Hardy, L.L., Baur, L.A., Ding, D., Wang, L. (2015). Sleep Duration, Schedule and Quality among Urban Chinese Children and Adolescents: Associations with Routine After-School Activities. *Plos One*, 1–13. doi:10.1371/journal.pone.0115326
- Jiang, X.X., Hardy, L.L., Ding, D., Baur, L.A., Shi, H.J. (2014). Recreational Screen-Time among Chinese Adolescent: A Cross Sectional Study. *J Epidemiol*, 24(5), 397-403. doi:10.2188/jea.JE20140006
- Khan, M.K.A., Chu, Y.L., Kirk, S.F.L., Veugelers, P.J. (2015). Are Sleep Duration and Sleep Quality Associated with Diet Quality, Physical Activity and Body Weight Status? A Population-based Study of Canadian Children. *Canadian Journal of Public Health*, 106(5)
- Kuntz, B., Lampert, T. (2013). Educational Differences in Smoking among Adolescents in Germany: What is the Role of Parental and Adolescent Education Levels and Intergenerational Educational Mobility?. *International Journal of Environmental Research and Public Health*. 10. 3015-3032. doi: 10.3390/ijerph10073015
- Lang, C., Brand, S., Feldmeth, A.K., Holsboer-Trachsler, E., Puhse, U., Gerber, M. (2013). Increased Self-reported and Objectively Assessed Physical Activity Predict Sleep Quality Among Adolescent. *Journal of Physiology and Behavior*. doi:10.1016/j.physbeh.2013.07.001
- Lai, P.P., Say, Y.H. (2013). Associated Factors of Sleep Quality and Behavior among Students of Two Tertiary Institutions in Northern Malaysia. *Med J Malaysia*, 68(3), 196–203.
- Lemeshow, S., Hosmer, D. W., Klar, J. (1997). *Besar Sampel dalam Penelitian kesehatan*. Yogyakarta: Gadjah Mada University Press.
- Garaulet, M., Ortega, F.B., Ruiz, J.R., Rey-Lopez, J.P., Beghin, L., Manios, Y., Cuenca-Garcia, M., Plada, M., Diethelm, K., Kafatos, A., Molnar, D., Al-Tahan, J., Mareno, L.A. (2011). Short Sleep Duration is Associated with Increased Obesity Markers in European Adolescents: Effect of Physical Activity and Dietary Habits. The HELENA Study. *International Journal of Obesity*, (35), 1308–1317. doi:10.1038/ijo.2011.149
- Mindell, J.A., & Owens, J.A. (2010). *A Clinical Guide to Pediatric Sleep: Diagnosis and Management of Sleep Problems Second Edition*. Philadelphia:

Lippincott Williams and Wilkins. ISBN-13: 978-1-605470389-5

- Mak, Y.W., Wu, C.S.T., Hui, D.W.S., Lam, S.P., Tse, H.Y., Yu, W.Y., Wong, H.T. (2014). Association between Screen Viewing Duration and Sleep Duration, Sleep Quality and Excessive Daytime Sleepiness among Adolescents in Hong Kong. *International Journal of Environmental Research and Public Health*, 11, 11201-11219. doi:10.3390/ijerph111111201.
- Mallampalli, M.P., Carter, C.L. (2014). Exploring Sex and Gender Differences in Sleep Health: A Society for Women's Health Research Report. *Journal of Women's Health*, 23(7). doi: 10.1089/jwh.2014.4816.
- Marfuah, D., Hadi, H., Huriyati, E. (2013). Durasi dan Kualitas Tidur Hubungannya dengan Obesitas pada Anak Sekolah Dasar di Yogyakarta dan Kabupaten Bantul. *Jurnal Gizi dan Dietetik Indonesia*, 1(2), 93-101
- Matricciani, L., Olds, T., Petkov, J. (2012). Secular Trends in the Sleep Time of School Aged Children and Adolescent. *Sleep Med Rev*, 16, 203–211. doi:10.1016/j.smrv.2011.03.005
- Medina, C., Barquera, S., Katzmarzyk, P.T., Janssen, I. (2015). Physical Activity During Secess Among 13 – 14 Year Old Mexican Girls. *BMC Pediatric*, 1–8. doi:10.1186/s12887-015-0329-4
- Melkevik, O., Haug, E., Rasmussen, M., Fismen, A., S., Wold, B., Borraccino, A., Sigmund, E., Balazsci, R., Bucksch, J., Inchley, J., Gaspar de Mator, M., Samdal, O. (2015). Are Associations between Electronic Media Use and BMI Different Across Levels of Physical Activity. *BMC Public Health*. 15(497). doi: 10.1186/s12889-015-1810-6
- Moore, M., Meltzer, L.J. (2008). The Sleepy Adolescent: Causes and Consequences of Sleepiness in Teens. *Paediatric Respiratory Reviews*, (9), 114–121. doi:10.1016/j.prrv.2008.01.001
- National Sleep Foundation. (2015). Sleep Needs Across the Lifespan. Retrieved from <http://www.sleephealthfoundation.org.au/files/pdfs/Sleep-Needs-Across-Lifespan.pdf>
- Oka, Y., Suzuki, S., Inoue, Y. (2008). Bedtime Activities, Sleep Environment and Sleep/Wake Patterns of Japanese Elementary School Children. *Behav Sleep Med*, 6, 220–233.

- Olds, T.S., Maher, C.A., Matricciani, L. (2011). Sleep Duration or Bedtime? Exploring the Relationship Between Sleep Habits and Weight Status and Activity Patterns. *Sleep*, 34(10), 1299-1307. doi:10.5665/sleep.1266
- Ortega, F.B., Chillon, P., Ruiz, J.R., Delgado, M., Albers, U., Alvarez-Granda, J.L., Marcos, A., Marenco, L.A., Castillo, M.J. (2010). Sleep Patterns in Spanish Adolescents: Associations with TV Watching and Leisure-time Physical Activity. *Eur J Appl Physiol*, 110. 563–573. doi:10.1007/s00421-010-1536-1
- Page, A.S., Cooper, A.R., Griew, P., Jago, R. (2010). Children’s Screen Viewing is Related to Psychological Difficulties Irrespective of Physical Activity. *Pediatrics*, 126(5). doi:10.1542/peds.2010-1154
- Parent, J., Sanders, W., Forehand, R. (2016). Youth Screen Time and Behavioral Health Problems: The Role of Sleep Duration and Disturbances. *Journal of Development and Behavioral Pediatrics*, 0(0), 1-8. doi:10.1097/DBP.0000000000000272
- Paruthi, S., Brooks, L.J., D’Ambrosio C., Hall, W.A., Kotagal, S., Lloyd, R.M. (2016). Recommended Amount of Sleep for Pediatric Populations: A Consensus Statement of the American Academy of Sleep Medicine. *Journal of Clinical Sleep Medicine*, 12(6),785-786
- Pate, R.R., O’Neill, J.R., Lobelo, F. (2008). The Evolving Definition of “Sedentary”. *Exercise and Sport Sciences Reviews*, 36(4), 173–178.
- Patel, S.R., & Hu, F.B. (2009). Short Sleep Duration and Weight Gain: A Systematic Review. *Obesity*, 16(3), 643–653. doi:10.1038/oby.2007.118.Short
- Paudel, S., Subedi, N., Bhandari, R., Bastola, R., Niroula, R., Poudyal, A.K. (2014). Estimation of Leisure Time Physical Activity and Sedentary Behaviour among School Adolescents in Nepal. *BMC Public Health*, 14(637)
- Ploughman, M. (2008). Exercise is Brain Food: The Effects of Physical Activity on Cognitive Function. *Developmental Neurorehabilitation*, 11(3), 236-240. doi: 10.1080/17518420801997007
- Potter, P.A., & Perry, A.G. (2007). *Basic Nursing Essentials For Practice*. Philadelphia: Elsevier.
- Saleh, D., & Janssen, I. (2014). Interrelationships among Sedentary Time, Sleep

- Duration, and the Metabolic Syndrome in Adults. *BMC Public Health*, 14(666). doi:10.1186/1471-2458-14-666
- Soderqvist, F., Hardell, L., Calberg, M., Mild, K.H. (2007). Ownership and Use of Wireless Telephones: A Population-based Study of Swedish Children Aged 7-14 years. *BMC Public Health*, 7(105). doi:10.1186/1471-2458-7-105
- Soegih, R.R., & Kunkun K.W. (2009). *Obesitas: Permasalahan dan Terapi Praktis*. Jakarta: PT. Sagung Seto.
- Spengler, S., Mess, F., Woll, A. (2015). Do Media Use and Physical Activity Compete in Adolescents? Results of the MoMo Study. *Plos One*. 10(12). doi:10.1371/journal.pone.0142544
- Stone, M.R., Stevens, D., Faulkner, G.E. (2013). Maintaining Recommended Sleep throughout the Week is Associated with Increased Physical Activity in Children. *Preventive Medicine*, 56(2), 112–117. doi:10.1016/j.ypmed.2012.11.015
- Suppiah, H.T., & Chia, M. (2015). The Somnolent Youth-Sleep and the Influence of Exercise: A Narrative Review. *Sports*, 3, 116-135. doi:10.3390/sports3020116
- Tandon, P.S., Zhou, C., Sallis, J.F., Cain, K.L., Frank, L.D., Saelens, B.E. (2012). Home Environment Relationships with Children's Physical Activity, Sedentary Time, and Screen Time by Socioeconomic Status. *International Journal of Behavioral Nutrition and Physical Activity*. 9(88). doi:10.1186/1479-5868-9-88
- Vejar, Z., & Hussain, M.E. (2012). Sleep Quality Improvement and Exercise: A Review. *International Journal of Scientific and Research Publications*, 2(8).
- Wijtzes, A.I., Jansen, W., Kamphuis, C.B.M., Jaddoe, V.W.V, Woll, H.A., Tiemeier, H., Raat, H. (2012). Increased Risk of Exceeding Entertainment Media Guidelines in Preschool Children from Low Socioeconomic Background : The Generation R Study. *Preventive Medicine*, 55(4), 325-329. doi:10.1016/j.ypmed.2012.07.023
- Winasih, B., D. (2012). Hubungan Peran Serta Orang Tua dengan Dampak Hospitalisasi pada Anak Usia Prasekolah di RSUD RA Kartini Jepara. *Tesis*. Jakarta. Universitas Indonesia
- World Health Organization (WHO). (2010). *Global Recommendations on Physical Activity for Health*. Geneva: WHO Press.
- Wu, X., Tao, S., Zhang, Y., Zhang, S., Tao, F. (2015). Low Physical Activity and

High Screen Time Can Increase the Risks of Mental Health Problems and Poor Sleep Quality among Chinese Cosllege Students. *Plos One*, 10(3). doi:10.1371/journal.pone.0119607

Youngdeok, K., Umeda, M., Lochbaum, M., Stegemeier, S. (2016). Physical Activity, Screen-Based Sedentary Behavior, and Sleep Duration in Adolescents: Youth Risk Behavior Survey, 2011-2013. *Preventing Chronic Disease*, 13(131). doi:10.5888/pcd13.160245.

Zhang, J., Jin, X., Yan, C., Jiang, F., Shen, X., Li, S. (2015). Short Sleep Duration as a Risk Factor for Choldhood Overweight/Obesity: A Large Multicentric Epidemiologic Study in China. *Sleep Health*. 184-190. doi: 10.1016/j.sleh.2015.06.001