

DAFTAR PUSTAKA

- Ada, S., Seckin, D., Budakoglu, I., & Ozdemir, F. 2002. Treatment of uremic pruritus with narrowband ultraviolet B phototherapy: an open pilot study. *J Am Acad Dermatol*, 53(1), 149–51.
- Balgis, Soebono H., Budiyanto A. 2015. Pengaruh fototerapi narrowband ultraviolet B terhadap kadar interleukin-6 serum pasien pruritus uremia yang menjalani hemodialisis rutin. Thesis, Ilmu Kesehatan Kulit dan Kelamin Fakultas Kedokteran Universitas Gadjahmada.
- Berneburg, M., Rocken, M., & Benedix, F. 2005. Phototherapy with narrowband vs broadband UVB. *Acta Derm Venereol*, 85(2), 98–108.
- Breuer McHam, J. N., Ledbetter, L. S., Sarris A. H., Duvic M. 2000. Cytokine expression patterns distinguish HIV associated skin diseases. *Exp Dermatol*, 9, 341-50.
- Bulat, V., Dediol, I., Ljubicic, I., & Bradi, L. 2011. The mechanisms of action of phototherapy in the treatment of the most common dermatoses. *Coll Antropol*, 35(Suppl 2), 147–51.
- Chen, S. 2012. Pruritus. *Dermatol Clin*, 30(2), 309–21.
- Chen, Y., Chiu, W., & Wu, M. 2006. Therapeutic effect of topical gamma-linolenic acid on refractory uremic pruritus. *Am J Kidney Dis*, 48(1), 69–76.
- Chollet, M.S., Stamatakis, G., Bailly, S., Mery, J.P., Gougerot-Pocidallo, M.A. 1991. Induction of tumour necrosis factor-alpha during haemodialysis. Influence of the membrane type. *Clin Exp Immunol*, 83, 329-32.
- Darso, U., Scharein, E., Bromm, B., & Ring, J. 1997. Skin testing of the pruritogenic activity of histamine and cytokines (interleukin-2 and tumour necrosis factor-a) at the dermal-epidermal junction. *Br J Dermatol*, 137(3), 415–7.
- Ding, M., Hart, R. P., Jonakait J. M. 1995. Tumor necrosis factor-alpha induces substance P in sympathetic ganglia through sequential induction of interleukin-1 and leukemia inhibitory factor. *J Neurobiol*, 28, 445-54.
- Dogra, S., & Kanwar, A. 2004. Narrow band UVB phototherapy in dermatology. *Indian J Dermatol Venereol Leprol*, 70(4), 205–9.
- Etter, L., & Myers, S. 2002. Pruritus in systemic disease: mechanisms and management. *Dermatol Clin*, 20(3), 459–72.
- Fallahzadeh, M., Roozbeh, J., Geramizadeh, B., & Namazi, M. 2011. Interleukin-2 serum levels are elevated in patients with uremic pruritus: a novel finding with practical implications. *Nephrol Dial Transplant*, 26(10), 3338–44.

- Feramisco, J., Berger, T., & Steinhoff, M. 2010. Innovative management of pruritus. *Dermatol Clin*, 28(3), 467–78.
- Finlay, A., & Khan, G. 1994. Dermatology Life Quality Index (DLQI) - a simple practical measure for routine clinical use. *Clin Exp Dermatol*, 19(3), 210–6.
- Ghysen, J., De Plaen, J.F., Van Ypersele De Strihou, C. 1990. The Effect of membrane characteristics on tumour necrosis factor kinetics during haemodialysis. *Nephrol Dial Transplant*, 5, 270-4.
- Gilcrest, B. 1979. Ultraviolet phototherapy of uremic pruritus. *Int J Dermatol*, 18(9), 741–8.
- Girndt, M., Sester, U., Kaul, H., & Kohler, H. 1998. Production of proinflammatory regulatory monokines in hemodialysis patients shown at a single-cell level. *J Am Soc Nephrol*, 9(9), 1689–96.
- Grone, A. 2002. Keratinocytes and cytokines. *Vet Immunol Immunopathol*, 88(1-2), 1-12.
- Herbelin, A., Nguyen, A.T., Zingraff, J., Urena, P., Descamps- Latscha, B. 1990. Influence of uremia and hemodialysis on circulating interleukin-1 and tumor necrosis factor alpha, *Kidney Int*, 37, 116—25.
- Himawan, Kuswadi, I., Ikhsan, M.R. 2015. Pengaruh fototerapi narrowband ultraviolet B terhadap penurunan kadar feritin serum pada pasien pruritus uremia yang menjalani hemodialisis rutin di RSUP dr. Sardjito Yogyakarta. Thesis, Ilmu Penyakit Dalam Fakultas Kedokteran Universitas Gadjahmada.
- Ikoma, A., Steinhoff, M., Ständer, S., Yosipovitch, G., & Schmelz, M. 2006. The neurobiology of itch. *Nat Rev Neurosci*, 7(7), 535–47.
- Khopkar, U., & Pande, S. 2007. Etiopathogenesis of pruritus due to systemic causes: implications for treatment. *Indian J Dermatol Venereol Leprol*, 73(4), 215–7.
- Kimmel, M., Alschner, D., Dunst, R., Braun, N., Machleidt, C., Kiefer, T., Stulten, C., Kuip, H., Pauli-Magnus, C., Raub, U., Kuhlmann, U., & Mettang, T. 2006. The role of micro-inflammation in the pathogenesis of uraemic pruritus in haemodialysis patients. *Nephrol Dial Transplant*, 21(3), 749–55.
- Kimmel, P., Phillips, T., Phillips, E., & Bosch, J. 1990. Effect of renal replacement therapy on cellular cytokine production in patients with renal disease. *Kidney Int*, 38(1), 129–35.
- Ko, M., Yang, J., Wu, H., Hu, F., Chen, S., Tsai, P., Jee, S., & Chiu, H. 2011. Narrowband ultraviolet B phototherapy for patients with refractory uraemic pruritus: a randomized controlled trial. *Br J Dermatol*, 165(3), 633–9.
- Krajnik, M., & Zyllicz, Z. 2001. Pruritus in advanced internal diseases pathogenesis and treatment. *Neth J Med*, 58(1), 27–40.
- Krutmann, J., & Morita, A. 1999. Mechanisms of ultraviolet (UV) B and UVA phototherapy. *J Investig Dermatol Symp Proc*, 4(1), 70–2.

- Kurban, M., Boueiz, A., & Kibbi, A. 2008. Cutaneous manifestations of chronic kidney disease. *Clin Dermatol*, 26(3), 255–64.
- Kusumarini, P., Djarwoto, B., Budiyanto, A. 2015. Pengaruh fototerapi narrowband ultraviolet B terhadap intensitas pruritus dan high serum C-Reactive protein pada pasien pruritus yang menjalani hemodialisis rutin. Thesis, Ilmu Penyakit Dalam Fakultas Kedokteran Universitas Gadjahmada.
- Kuypers, D. 2009. Skin problems in chronic kidney disease. *Nat Clin Pract Nephrol*, 5(3), 157–70.
- Levey, A., Eckardt, K., Tsukamoto, Y., Levin, A., Coresh, J., Rossert, J., Zeeuw, D., Hostetter, T. H., Lameire, N., & Eknoyan, G. 2005. Definition and classification of chronic kidney disease: a position statement from Kidney Disease: Improving Global Outcomes (KDIGO). *Kidney Int*, 67(6), 2089–100.
- Lewis, V., & Finlay, A. Y. 2004. 10 years experience of the Dermatology Life Quality Index (DLQI). *J Investig Dermatol Symp Proc*, 9(2), 169–80.
- Luger, A., Kovarik, J., Stummvoll, H., Urbanska, A., & Luger, T. 1987. Blood - membrane interaction in hemodialysis leads to increased cytokine production. *Kidney Int*, 32(1), 84–8.
- Makhlough, A., Ala, S., Haj-Heydari, Z., Kashi, Z., & Bari, A. 2010. Topical capsaicin therapy for uremic pruritus in patients on hemodialysis. *Iran J Kidney Dis*, 4(2), 137–40.
- Manenti, L., Tansinda, P., & Vaglio, A. 2009. Uraemic pruritus: clinical characteristics, pathophysiology and treatment. *Drugs*, 69(3), 251–63.
- Martin, H. A. 1996. Bradykinin potentiates the chemoresponsiveness of rat cutaneous C-fibre polymodal nociceptors to interleukin-2. *Arch Physiol Biochem*, 104(2), 229–38.
- McIlraith, M. J., & Lipsky, P. E. 1996. Interleukin-2. In C. M. Snapper (Ed.), *Cytokine regulation of humoral immunity. Basic and clinical aspects* (pp. 159–93). West Sussex England: John Wiley & Sons Ltd.
- Metz, M., & Stander, S. 2010. Chronic pruritus – pathogenesis, clinical aspects and treatment. *J Eur Acad Dermatol Venereol*, 24(11), 1249–60.
- Moraes, M., & Russo, G. 2001. Thalidomide and its dermatologic uses. *Am J Med Sci*, 321(5), 321–6.
- Morsy, T. A., el Alfy M. S., Arafa, M. A., Salama, M. M., Habib, KS. 1995. Serum levels of tumour necrosis factor alpha (TNF-alpha) versus immunoglobulins (IgG, IgM, and IgE) in Egyptian scabietic children. *J Egypt Soc Parasitol*, 25, 773-86.
- Patel, T., Freedman, B., & Yosipovitch, G. 2007. An update on pruritus associated with CKD. *Am J Kidney Dis*, 50(1), 11–20.

- Pauli-Magnus, C., Klumpp, S., Alscher, D., Kuhlmann, U., & Mettang, T. 2000. Short-term efficacy of tacrolimus ointment in severe uremic pruritus. *Periton Dialysis Int*, 20(6), 802–9.
- Pertosa, G., Grandaliano, G., Gesualdo, L., & Schena, F. 2000. Clinical relevance of cytokine production in hemodialysis. *Kidney Int*, 58(Suppl 76), 104–11.
- Phan, N. Q., Blome, C., Fritz, S., Gerss, J., Reich, A., Ebata, T., Augustin, M., Szepletowski, J. C., & Stander, S. 2012. Assessment of pruritus intensity: prospective study on validity and reliability of the visual analogue scale, numerical rating scale and verbal rating scale in 471 patients with chronic pruritus. *Acta Derm Venereol*, 92(5), 502–7.
- Reich, A., Heisig, M., Phan, N. Q., Taneda, K., Takamori, K., Takuechi, S., Furue, M., Blome, C., Augustin, M., Stander, S., & Szepletowski, J. C. 2012. Visual analogue scale evaluation of the instrument for the assessment of Pruritus. *Acta Derm Venereol*, 92(5), 497–501.
- Roiit, I., Brostoff, J., Male, D. 2001. Cytokines and cytokines receptors. In: *Immunology*. 6th ed. Billiere Tindall, Churchill Livingstone. Mosby. W.B. Saunders Company, 119-29.
- Rysz, J., Banach, M., Cialkowska-Rysz, A., Stolarek, R., Barylski, M., Drozd, J., & Okonski, P. 2006. Blood serum levels of IL-2, IL-6, IL-8, TNF- and IL-1 in patients on maintenance hemodialysis. *Cell Mol Immunol*, 3(2), 151–4.
- Schopf, R.E., Aust, H., Knop, J. 2002. Treatment of psoriasis with the chimeric monoclonal antibody against tumor necrosis factor alpha, infliximab. *J Am Acad Dermatol*, 46, 886-91.
- Segar, B.S., & Budiyanto, A. 2015. Pengaruh fototerapi narrowband ultraviolet B terhadap kadar interleukin-31 serum pasien pruritus uremia yang menjalani hemodialisis rutin. Thesis, Ilmu Kesehatan Kulit dan Kelamin Fakultas Kedokteran Universitas Gadjahmada.
- Shultz, B., & Roenigk, H. 1980. Uremic pruritus treated with ultraviolet light. *JAMA*, 243(18), 1836–7.
- Sigmundsdottir, H., Johnston, A., Gudjonsson, J., & Valdimarsson, H. 2005. Narrowband – UVB irradiation decreases the production of pro-inflammatory cytokines by stimulated T cells. *Arch Dermatol Res*, 297(1), 39–42.
- Silva, S.R.B., Viana, P.C.F., Lugon, N.V. 1994. Thalidomide for the treatment of uremic pruritus: a crossover randomized double-blind trial. *Nephron*, 67, 270–3.
- Sonkoly, E., Muller, A., Lauerma, A., Pivarcsi, A., Soto, H., Kemeny, L., Alenius, H., Dieu-Nosjean, M., Meller, S., Rieker, J., Steinhoff, M., Hoffmann, T. K., Ruzicka, T., Zlotnik, A., & Homey, B. 2006. IL-31: a new link between T cells and pruritus in atopic skin inflammation. *J Allergy Clin Immunol*, 117(2), 411–7.

- Twycross, R., Greaves, M., Handwerker, H., Jones, E., Libretto, S., Szepietowski, J., & Zylitz, Z. 2003. Itch: scratching more than the surface. *QJM*, 96(1), 7–26.
- Verdy, Radiono, S., Budiyanto, A. 2015. Pengaruh fototerapi narrowband ultraviolet B terhadap kadar interleukin-2 serum pasien pruritus uremia yang menjalani hemodialisis rutin. Thesis, Ilmu Kesehatan Kulit dan Kelamin Fakultas Kedokteran Universitas Gadjahmada.
- Wahlgren, C., Linder, M., Hagermark, O., & Scheynius, A. 1995. Itch and inflammation induces by intradermally injected interleukin-2 in atopic dermatitis patients and healthy subjects. *Arch Dermatol Res*, 287(6), 572–80.
- Wang, H., & Yosipovitch, G. 2010. New insights into the pathophysiology and treatment of chronic itch in patients with end-stage renal disease, chronic liver disease and lymphoma. *Int J Dermatol*, 49(1), 1–11.
- Yosipovitch, G. 2003. Pruritus. *Curr Probl Dermatol*, 15(4), 143–64.
- Yosipovitch, G., Zucker, I., Boner, G., Gafter, U., Shapira, Y., & David, M. 2001. A questionnaire for the assessment of pruritus: validation in uremic patients. *Acta Derm Venereol*, 81(2), 108–11.
- Young, T., Patel, T., Camacho, F., Clark, A., Freedman, I., Kaur, M., Fountain, J., Williams, L. L., Yosipovitch, G., & Fleischer, A. B. 2009. A pramoxine-based anti-itch lotion is more effective than a control lotion for the treatment of uremic pruritus in adult hemodialysis patients. *J Dermatolog Treat*, 20(2), 76–81.
- Zamauskaite, A., Perez-cruz, I., Yaqoob, M., Madrigal, J., & Cohen, S. 1999. Effect of renal dialysis therapy modality on T cell cytokine production. *Nephrol Dial Transplant*, 14(1), 49–55.
- Zhang, M & Tracey, K.J. 1998. Tumor Necrosis Factor. In: Thomson A.W. (editor). *The Cytokine Handbook*. 3rd ed. Academic Press London, 517-48.