

DAFTAR PUSTAKA

- Aniya, Y., I. I. Ohtani, T. Higa, C. Miyagi, H. Gibo, M. Shimabukoro, H. Nakanishi, and J. Taira. 2000. Dimerumic acid as an antioxidant of the mold *Monascus anka*. J. Free. Radical and Med. 999 - 1004.
- Arunachalam, C., and D. Narmadhapriya. 2011. *Monascus* fermented rice and its beneficial aspect: A new review asian J. Pharm and Cli. Res. ISSN. 0974 - 2441.
- Almaas, H., E. Eriksen, C. Sekse, I. Comi, R. Flengsrud, H. Holm, H. Jensen, M. Jacobsen, J. Langsrud, GE. Vegarud. 2011. Antibacterial peptides derived from caprine whey proteins by digestion with human gastrointestinal juice. J. Nutr. 106 : 896 - 905.
- Atasoglu, C., H. I Akbag, C. Tolu, G. Dos, T. Savas., and I .Y .Yurtman. 2010. Effect of Kefir as a probiotic source on the performance of goat kids. South African J. Anim. Sci. 40 : 4.
- Axelsson, H. 2004. Lactic Acid Bacteria: Classification and Physiology. Lactic Acid Bacteria, Microbiological and Functional Aspects, Third Edition Revised and Expanded (Ed. Salminen, A. Von Wright, and A. Ouwehand). Marcel Dekker, Inc. New York.
- Bibhu, Prasad., Panda, S. Javed, and Mohd, Ali. 2010. Production of angkak through culture of *Monascus purpureus* and *Monascus ruber*. J. Brazilian Micro. 41 : 757 - 764.
- Cue. Mc. P. P., and Shetty. 2005. Phenolic antioxidant mobilization during yoghurt from soymilk using kefir cultures. J. Process Biochem. 40 : 1791 - 1797.
- Chairote, E., G. Chairote, and S. Wongpornchai. 2007. Preparation of red yeast using various thai glutinous rice and *Monascus purpureus* CM 001 isolated from commercial chinese red sampel. J. Food. Sci. 2 : 28 – 37.
- Cheirsilp, B, dan Radchabut. 2011. Use of whey lactose from dairy industry for economical kefir production by *Lactobacillus kefiranofaciens* in mixedcultures with yeasts. Research paper Elsevier New Biotechnology. 28 : 574-580
- Codex Alimentarius Commission. 2003. Codex Standard for Fermented Milk: Codex STAN 243. FAO/WHO Food Standards.
- Dadkhah, Shiva., P, Rezvan, A, Mazaheri, Mahnas, and M. Ali. 2011. Kefir production from soymilk. J. Agr. Food. Chem. 50 : 3999 - 4002.

- Dieter, Wild., G, Toth, H, Ulrich and Humpf. 2002. New *Monascus* metabolite isolated from red yeast rice (Angkak, Red Keji). J. Agr. Food. Chem. 50 : 3999 - 4002.
- Eman, M, M. and M. S. Abbady. 2014. Secondary metabolite and bioactivity of the monascus pigment. Reviews article. Global J. Biotech 9. 1 : 01 - 13
- Erdogrul, O. and Azirak. 2004. Review of The Studies on the Red Yeast Rice (*Monascus purpureus*). Turkish Electronic J. Biotech. 2 : 37 - 49.
- Elok, Z. and A. P. Dewi. 2014. Effect addition rice bran on fermentation process to increasing lovastatin and red pigmen angkak. J. Food. Sci. and Tech. 6 : 56 - 59.
- Fardiaz, S. 1993. Analisis Mikrobiologi Pangan. Raja Grafindo Persada. Jakarta.
- Farnworth. and Edward. 2005. Kefir- A complex probiotic. food science and technology bulletin. J. Funct. Food. 1 : 1 - 17.
- Fernando, L. A. Rementeria, N. Elguaezabal. and J. Garaizar. 2006. Kefir: Asymbiotic yeasts - bacteria immunity with alleayed healthy capabilities. Rev J. Iberoam microbiol. 23 : 67 - 74.
- Graciela, L, Garrote., A, G, Abraham, graciela, and L, Antoni. 2000. Inhibitory power of kefir: the role of organic acids. J. Food Prot. 63 : 3. 364 - 369.
- Hernandez - L., B. Amigo, L. Recio, and B. Bartolome. 2007. Ace - inhibitory and radical scavenging activity of peptides derived from β - lactoglobulin interaction with ascorbic acid. J. Agric. Food Chem. 55 : 3392 - 3397.
- Henry, F. M. and I. Dizon. 2014. Potential of biopigments from *monascus purpureus* went as natural food colorant for philippine native sausage (Longganisa). Internasional Conference on Nutrition and Food Sciences. PPCBEE. 71. 15.
- Ibrahim, H. R., A. Kato and K. Kobayashi. 1991. Antimicrobial effects of lysozyme against gram-negative bacteria due to covalent binding. J. agr. Food Chem. 44 : 1006 - 1013.
- Ibrahim, H . R, S. Higashiguchi, L. R . Juneja, M, Kim and T.Yamamoto. 1996. A structural phase of heat-denatured lysozyme with novel antimicrobial action. J. Agric. Food Chem. 44 : 1416 - 1423.
- Ismaiel, A. A., G, F, Mohammed and Naggar El, Ayman. 2011. Some physicochemical analyses of kefir produced under different fermentation conditions. J. Sci and Ind Res. 70 : 365 - 372.
- Ko Hilario, M.C., D. C. Puga and N. A. Ocana. 2010. Antioxidant activity, bioactive polyphenols in mexian goat's milk cheese on summer grazing. J. Dairy Res. 77 : 20 - 26.

- Kasim. E., N. Suharna and N. Nurhidayat. 2005. Kandungan pigmen dan lovastatin pada angkak beras merah kultivar bah butong dan Bp 1804 IF 9 yang difermentasi dengan *Monascus purpureus* Jmba. Biodiversitas. 7 : 7 - 9.
- Kangruang and Sasithon. 2010. Growth kinetics of biopigment production by thai isolated *Monascus purpureus* in a stirred tank bioreactor. J. Ind. Microbiol. Biotech. 38 : 93 – 99.
- Kyu-Lee, B., N. H. Park, H. Y. Piao and W. J. Chung. 2001. Production of red pigments by *Monascus purpureus* in submerged culture. J. Biotech and Bioprocess Eng. 6 : 341 - 346.
- Law, B. A. and A. Y. Tamime. 2010. Technology of Cheesemaking. Blackwell Publishing Ltd. United Kingdom.
- Lee., Lin-Cun., T-YuTsa, J. JyeWang and T. MingPan. 2005. In vivo hypolipidemic effects and safety of low dosage monascus powder in a hamster model of hyperlipidemia. J. Microbiol. Biotech. 70 : 533 – 540.
- Leite, A. M., D. C. Leite., E. M. Del Aguila., T.S. Alvares., R. S. Peixoto., M. A. Miguel., J. T. Silv and V.M. Paschoalin. 2013. Microbiological and chemical characteristics of Brazilian kefir during fermentation and storage processes. J. Dairy Sci. 96 : 4149 - 4159.
- Liu, J. R. and C. W. Lin. 2000. Production of kefir from soymilk with or without added glucose, lactose, or sucrose. J. Food Sci. 65 : 716 - 719.
- Liu, J. R., J. M, Chen, and C.W. Lin. 2005. Antimutagenic and antioxidant properties of milk kefir and soymilk kefir. J. Agric Food Chem. 53 : 2467-2474.
- Patharee, R, Pattanagul, Pinthong and A, Phianmongkhol. 2007. Review of Angkak Production (*Monascus purpureus*). Chiang Mai J. Sci 34. 3 : 391 - 328.
- Pelczar, 1988. Dasar – Dasar Mikrobiologi. 809 – 812. UI Press. Jakarta.
- Purnomo, H., and Adiono. Ilmu Pangan. Terjemahan. UI-Press. Jakarta.
- Purnomo, H., and L, D, Muslimin. 2012. Chemical characteristics of pasteurisasi goat milk and goat milk kefir of Indonesian kefir and incubation times. J. I. Food. Res. 19. 2 : 791 - 794.
- Kyaw, Z,Y., S. Y.Yu, C. S. Cheow, and M. H. Dzulkifly. 1999. Effect of straming time on the linear expansion of fish crackers (keropok). J. Sci. Food. Agric. 79 : 1340 - 1344
- Mamucod, F. Henry. and Dizon, I. Erlinda. 2014. Potential of Biopigments From *Monascus purpureus* Went as Natural Food Colorant for Philippine Native Sausage (Longganisa). International Conference on Nutrition and Food Sciences IPCBEE. 71 : 15.

- Maria, R, Prado., Lina, Marcela, B., Luciana, P, S, Vandenberghe., Christine, R., Guillermo, R, C., Vanete, Thomasz, S. and Carlos, R, Soccol. 2015. Milk kefir : composition, microbial cultures, biological activities, and related products. Review Frontiers in Microbiology. 6 : 1177.
- Miggy, Uri. Karitas., and Fatchiyah. 2013. Profil protein 30 - 60 KDa pada yoghurt hasil fermentasi susu kambing peranakan etawah dengan kultur tunggal. J. Biotrop. 1 : 2.
- Milani, X. F., and L. W. Wendorff. 2011. Goat and Sheep Milk Products in The United States (USA). J. Small Ruminant Res. 101 : 134 - 139.
- Matsuo, T., H. Suzuki, M. Hashiguchi. and K.Izumori. 2002. D-psicose is a rare sugar that provides no energy to growing rats. J. Nutr Sci. 48 : 77 - 80.
- Moslehisad, M., Ehsani M,R., Salami, M., Mirdamadi S., Ezzatpanah., Naslaji, A, N. and Moosavi-Movaleedi, A, K. 2013. The comparative assessment of ACE - inhibitory and antioxidant of peptida fraction obtained from fermented camel and bovine milk by *Lactobacillus rhamnosus* PTCC 1637. 29 : 82 - 87.
- Mondhe, M., Chessher, A., Goh, S., Good, I. and Stach. 2014. Spesies - selective killing of bacteria by antimicrobial peptida - PNAs. J. Plos. One. 9. 89082 10 : 1371
- Nurika, I. 2000. Stabilitas warna bubuk pewarna dari ekstrak angkak terhadap beberapa pengaruh fisika dan kimia. J. Tekno. Pertanian UB. Malang.
- Nadzira, E. Zubaidah, F. And H. Sriherfyna. 2016. The effect of fillers type and concentration on ragi angkak viabilities and secondary metabolites. J. Pangan dan Agroindustri 4 : 2. 483 - 493.
- Rahman, M. Motlor., R, Allan, and S, Azirun, M. 2010. Antibacterial activity of propolis and hinet against *Staphylococcus aureus* and *Escherichia coli*. African J. Microbiol. Res. 4 : 16. 1872 - 1878.
- R, C, Witthuhn., T, Schoeman, and T, J, Britz. 2005. Characterisation of the microbial population at different stages of kefir production and kefir *grain* mass cultivation. J. Int. Dairy 15 : 383 - 389.
- Santos, A. San Mauro., M. Sanchez., A. Torres., M. J. and Marquina, D. 2003. The antimicrobial properties of different strains of *Lactobacillus spp.* isolated from kefir. Systematic .J. Appl. Microbiol. 26 : 434 - 437.
- Sumarsih, Sri, 2003. Mikrobiologi Dasar. Jurusan Ilmu Tanah. Fakultas Pertanian. UPN - Veteran. Yogyakarta.
- Sastrohamidjojo, H. 2005. Kimia Organik. Sterokimia, Karbohidrat, Lemak dan Protein. Gadjah Mada University Press. Yogyakarta.

- Semith, Otles. and O, Cagindi. 2003. Kefir: a probiotic dairy composition nutritional and therapeutic aspects. J. Nutri. 54 - 59.
- Seesuriyachan, Phisit, Kuntiya, A., Hanmoungjai, P., Techapun, C. 2011. Exopolysaccharide production by *Lactobacillus confusus* TISTR 1498 using coconut water as an alternative carbon source: the effect of peptone, yeast extract and beef extract. Songklanakarin J. Sci. Technol. 33 : 379 - 387.
- Simova, E., D. Beshkova, A. Angelov, T. Frengova , and Z. Spasov. 2002. Lactic Acid Bacterial and yeast in kefir grains and kefir made from them. J. Int Microbiol. Biotechnol. 28 : 1 - 6.
- Sirirat, Deeseenthum., and J, Pejovic. 2010. Bacterial inhibition and antioksidant activity of kefir produced from thai jasmine rice milk. J. Biotech. 9 : 332 - 337.
- Soeparno, R. A. Rihastuti, Indratiningsih. S. Triatmojo. 2001. Dasar Teknologi Hasil Ternak. Universitas Gadjah Mada. Gadjah Mada University Press. Yogyakarta.
- Susilorini, T.E. and M. E. Sawitri. 2006. Produk Olahan Susu. Penebar Swadaya. Jakarta.
- Suestuna, K., H. Ukeda, and H. Ochi. 2000. Isolation and characterization of free radical scavenging activities peptides derived from casein. J Nutr. Biochem. 11 : 128 - 131.
- Sun, Y., S. Hayakawa, S. Puangmanee, and K. Izumori. 2006. Chemical properties and antioxidative activity of glycated α -lactalbumin with a rare sugar, d-allose by maillard reaction. J. Food. Chem. 95 : 509 - 517.
- Steel, R. G. D., and J. H. Torrie. 1993. Principles and Prosedures of Statistic. 3rd ed. B. Sumantri, Ed. P.T. Gramedia. Jakarta.
- Syed., Fahim. and H, Jalal. 2010. Goaty odour in milk and Its Prevention. Research J. Agri Sci. 4 : 487 - 490.
- Torri, M. S., J. C. Damasceno, L. R. Ribeiro, E. S. Sakaguti, G. T. Santo, M. Matsushita, and N. M. Fukumoto. 2004. Physycal - chemical characteristic and fatty acids composition in dairy goat milk in response to roughage diet. J. Brazilian Archives of Biol. and Technol. 4 : 90 - 909.
- Tamime, A.Y and R. K. Robinson. 2000. Yoghurt Science Technology. 2nd Ed. Woodhead Publishing Limited. England.
- Tamime, A.Y. 2006. Fermented Milks. Blackwell. UK.
- Usmiati, S., dan A. Sudono. 2004. Pengaruh stater kombinasi bakteri dan khamir. terhadap sifat fisiko - kimia dan sensori kefir. J. Pascapanen. 1 : 12 - 21.

- Usmiati, S. 2007. Kefir: susu fermentasi yang menyegarkan dan menyehatkan. Badan Litbang Pertanian. Warta Penelitian dan Pengembangan Pertanian. 29 : 12 - 14.
- Wang, Y., Y. Zheng, M. Jiang, Liang, and Z. L. Liu. 2011. Comparison of the biochemical components and characteristic of milk between tibetan sheep and goat in neighboring area. *Afr. J. Biotech.* 10 : 2092 - 2100.
- Widodo. 2003. Bioteknologi Industri Susu. Cetakan Ke - 1. Lacticia Press. Yogyakarta.
- Winarno. 1997. Kimia Pangan dan Gizi. PT Gramedia Pustaka Utama. Jakarta.